



**THE MADHYA PRADESH STATE AGRO INDUSTRIES
DEVELOPMENT CORPORATION LIMITED**
"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL
Phone (0755)- 2556857 EMAIL: mpagrohobpl@gmail.com

SHORT NOTICE TENDER

FOR SUPPLY AND COMMISSIONING VARIOUS INFRASTRUCTURES
FOR CENTER OF EXCELLENCE

KUDDAM (SAUSAR)
DISTRICT CHHINDWARA
MADHYA PRADESH

DUE DATE: 04.02.2022



**THE MADHYA PRADESH STATE AGRO INDUSTRIES
DEVELOPMENT CORPORATION LIMITED**

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL
Phone (0755)- 2556857

HO/ HORTI /2021-22/

Bhopal, Dated 19.01.2022

**SHORT NOTICE TENDER FOR SUPPLY AND COMMISSIONING OF
VARIOUS INFRASTRUCTURES**

On-line E-tender is invited under e-tendering system for SUPPLY AND COMMISSIONING of various infrastructures at Kuddam (Sausar) district Chhindwara M.P. up to 2.00 PM on 04/02/2022 alongwith Earnest Money Deposit, from eligible suppliers as detailed in the E-tender documents, which is available at www.mptenders.gov.in. Tender can be seen at www.mpagro.org also. Amendments if any will be published on above websites, no further notification will be published in the news paper.

Assistant Manager (Horticulture)



**THE MADHYA PRADESH STATE AGRO INDUSTRIES
DEVELOPMENT CORPORATION LIMITED**
"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL
Phone (0755)- 2556857 EMAIL: mpagrohobpl @gmail.com

**E-TENDER DOCUMENT FOR SUPPLY AND INSTALLATION OF
VARIOUS INFRASTRUCTURES**

This document contains **33 pages** as below:

| S. No. | Particulars | Annexure no | Page No |
|---------------|--|--------------------|----------------|
| 1 | Meaning of the words in the document | | 5 |
| 2 | Disclaimer, E-Tender Process, Prologue , Scope of Work Instruction to Bidder | Annexure 1 | 6- 7 |
| 3 | General Terms and Conditions | Annexure 2 | 8- 13 |
| 4 | Applicant Company Profile | Annexure 3 | 14 |
| 5 | Affidavit | Annexure 4 | 15 |
| 6 | Authority to submit E-Tender | Annexure 5 | 16 |
| 7 | Eligibility Criteria | Annexure 6 | 17 |
| 8 | Technical specification for Hi tech climate controlled polyhouse | Annexure 7 | 18- 20 |
| 9 | Technical specification for Insect proof net house for mother block | Annexure 8 | 21 |
| 10 | Technical specification for Insect proof shade net house for root stock | Annexure 9 | 22 |
| 11 | Technical specification for Irrigation & fertigation auto water ferti-mix multichannel fertigation and irrigation system. (centralized automatic): | Annexure 10 | 23-24 |
| 12 | Technical specification for Autosand filter: | Annexure 11 | 25 |

| S. No. | Particulars | Annexure no | Page No |
|---------------|---|--------------------|----------------|
| 13 | Technical specification for Irrigation & Fertigation Systems & Components, Sand & Flushing filter Weather Station, Irrigation | Annexure 12 | 26 |
| 14 | Technical specification for Micro Drip irrigation system with fitting accessories | Annexure 13 | 27 |
| 15 | Technical specification for Water Tank RCC | Annexure 13 | 27 |
| 16 | Technical specification for Water Filter RO system and storage tank | Annexure 13 | 27 |
| 17 | Technical specification for Root Trainer | Annexure 13 | 27 |
| 18 | Technical specification for Benching system wire bench | Annexure 13 | 27 |
| 19 | Technical specification for Tools | Annexure 13 | 27 |
| 20 | Technical specification for Room for Computerized Fertigation System | Annexure 14 | 28 |
| 21 | Technical specification for Working shed | Annexure 14 | 28 |
| 22 | Technical specification for Vermicompost unit | Annexure 14 | 28 |
| 23 | Technical specification for Sorting and grading | Annexure 14 | 28 |
| 24 | Technical specification for Soil solarization area with steam generator system | Annexure 14 | 28 |
| 25 | Technical specification for Borewell 4'' | Annexure 14 | 28 |
| 26 | Technical specification for Genset with AMF panel & electrical accessories | Annexure 15 | 29 |
| 27 | Financial offer | Annexure 16 | 33-31 |
| 28 | Draft Agreement | Annexure 17 | 32 |
| 29 | List of Mandatory Documents to be uploaded (Self Certified with Seal and signature) | Annexure 18 | 33 |

Meaning of the words in the document

| | |
|---------------------------------|--|
| The Corporation | M.P. State Agro Industries Development Corporation Ltd. |
| E Tender | Online Tender invited for this purpose |
| Beneficiary/ Consignee | Assistant Director Horticulture Chhindwara cum Mission Secretary , District Horticulture Mission Chhindwara |
| Application forms/ the document | Application forms and all other relevant annexure documents |
| Applicant / Bidder /offerer | As per eligibility criterion mentioned in this document, firm who submit online tender for supply and commissioning of various infrastructures as per document |
| The supplier | Applicant / Bidder whose rates are approved and an agreement for supply & commissioning of various infrastructures has (have) been executed with the Corporation under this E tender |
| EMD | Earnest Money Deposit |
| SD | Security Deposit |
| Department | Directorate of Horticulture and Farm Forestry Madhya Pradesh Bhopal and Mission Director , State Horticulture Mission Madhya Pradesh Bhopal |
| Managing Director | Managing Director of M P State Agro Industries Development Corporation Ltd Bhopal |
| Various infrastructures | Infrastructures mentioned in this document |

A. DISCLAIMER

Though adequate care has been taken in the preparation of this E tender document, the Bidder should satisfy himself that the documents are complete in all respect. Intimation of discrepancy, if any, should be given to the Corporation before 27.01.2022 upto 03.00 pm in case of non receipt of such intimation, it shall be deemed that date mention under this E tender document the bidders are satisfied that the document is complete in all respects.

B. E-TENDER PROCESS

The Rates for supply and Commissioning of various infrastructures are invited under E- Tender system and bidding process will have following steps:

| | |
|------------|--|
| Tender Fee | Rs.11800/--- Rs. Eleven Thousand Eight Hundred only (GST inclusive)) |
| EMD | Rs 3,18,000/--(Rs. Three Lacs Eighteen Thousand only) |

Stages of Bidding

| Process | Scheduled date | Scheduled time |
|--|--|----------------|
| Purchase of E- Tender | 19.01.2022 | up to 2.00 pm |
| Due date for receipt of Queries or suggestions from Applicant (tenderer) if any pertaining to terms & conditions mentioned in E tender | 27.01.2022 | 3.00 pm |
| Pre Bid Meeting | 27.01.2022 | 3.00 pm |
| Due date for uploading reply to queries or suggestions | 28/01/2022 | 4.00 pm |
| Start of Bidding | 28/01/2022 | 5.00 pm |
| Closing of bid | 04/02/2022 | 1.00 pm |
| Date and time for submission of hard copies of signed E tender documents with required annexure(s) /documents under E tender | 04/02/2022 | 2.30 pm |
| Opening of Technical Bid | 04/02/202 | 3.00 pm |
| Opening of Financial (Price) Bid | Date & time will be communicated to eligible bidders | |

Each stage will take place on the date and time mentioned against them.

C. PROLOGUE :

The Corporation wants to set up Centre of Excellence for Citrus fruits at Government Field, Village- Kuddam, Block- Sausar, District- Chhindwara, Madhya Pradesh on the behalf of Department of Horticulture, Government of Madhya Pradesh, Bhopal . This center requires various infrastructures such as Hi-Tech Green house, Naturally Ventilated Poly-houses, Insect Proof Net-houses, Walk-in Tunnels, Vermi Compost units etc. To supply & commission of such infrastructures, E-Tender is hereby invited.

D. SCOPE OF WORK ON TURN KEY BASIS

It covers Supply installation, Commissioning, Trial Run and Training to Concern staff, After Sales Services, Repair and Maintenance will be covered in scope of work.

E. INSTRUCTION FOR BIDDER

The rates are invited under e-tendering system from the manufacturers only. The Bidders are required to read carefully the terms and conditions and upload the E tender document duly signed as a token of acceptance of terms & conditions, after affixing their digital signatures. Unsigned uploaded documents are also be accepted as bidder has used its digital signature.

E tender document and relevant annexure shall be uploaded in JPG or PDF format only, in minimum resolution of 600 DPI. Document uploaded in other format will not be considered.

Scanned copies of all desired documents mentioned in Eligibility Criteria and EMD must be uploaded. Bidders are required to submit hard copies of complete technical bid including eligibility criteria and related documents/ technical literature/ Boucher duly signed (except Price Bid).

Hard copies of these documents must be dropped in e-Tender drop box placed at Office of the Managing Director M P State Agro Industries Development Corporation Limited, 3rd floor of Panchanan Bhawan, Malviya Nagar, Bhopal, before last date and time of submission of tender (as details in page no 06) .

All documents uploaded on website must be clear and readable. In case of any non clarity of uploaded documents or any dispute over documents uploaded online in E-Tender, the hard copies submitted by the offerer shall be treated as final.

Bidders are advised to upload their bid well in time without waiting for last date of offer submission in order to avoid congestion or any other unforeseen circumstances.

Assistant Manager (Horticulture}

GENERAL TERMS AND CONDITIONS

01- PROCEDURE FOR RATE CONTRACT

- 1.1 The Corporation invites E tender for supply and commissioning of various infrastructures as specified in Annexure 7 to Annexure 15 from eligible bidders.
- 1.2 Not more than one offer will be accepted from any bidder. If any individual participating in the offer, representing more than one firm, in one or different names and it comes to our knowledge at any point of time, all such offer will not be entertained and shall be liable for rejection without any liability to this Corporation.

02- AVAILABILITY OF E-TENDER DOCUMENT

The document is available on website www.mptenders.gov.in and www.mpagro.org of the Corporation (for viewing). The E-Tender is uploaded online at www.mptenders.gov.in. The Cost of tender document is Rs.11800/--- Rs. Eleven Thousand Eight Hundred only (GST inclusive)) (non refundable) which is to be deposit on line.

03- SUBMISSION OF E-TENDER

The Corporation invites online E tender for supply and commissioning of various infrastructures as mentioned in this document (**Annexure 7 to Annexure 15**).

- 3.1 In addition to Annexure 07 to 15 all the Mandatory Documents to be uploaded (Self Certified with Seal and signature) as per list in **Annexure 3** shall be uploaded in JPG or PDF format only, in minimum resolution of 600 DPI. Document uploaded in other format will not be considered.
- 3.2 Self-attested hard copies required and online documents submitted will be considered for evaluation. In case of clarification needed, the same will be obtained from hard copies. If required the Corporation any intimated through means of communication and bidder is bound to clarify the issues in prescribed time limit, failing which bid will be disqualified.
- 3.3 The Envelope of Hard Copies shall be submitted in a sealed cover super scribed with words "E Tender for supply and Commissioning of various infrastructures

04- TECHNICAL INFORMATION REGARDING ELIGIBILITY

- 4.1 Envelope should contain documents as mentioned in this document.
- 4.2 Hard Copies received in the offer box up to due date 04.02.2022 and time 02.30 pm will be opened on due date and time as mentioned already. In case of any non clarity of uploaded documents or any dispute over documents uploaded online in E-Tender, the hard copies submitted by the offerer shall be treated final.

- 4.3 The Corporation will not be responsible for any delay on any account in receipt of offer. If the offer is received after the specific date and time even if the delay in receipt was caused in postal transit or any other reason, whatsoever. On-line offer will be open on due date and time as mentioned in **Annexure 1 point B** in the presence of the representative of firms who wishes to be present. Date of opening of Financial Offer (price bid) will be intimated on Corporation website only.

05- E-TENDER DOCUMENT

The Bidder is expected to read carefully all instructions, conditions of the E-Tender Document, Draft Agreement, Specifications, all annexure, Failure to comply with the requirements of offer submission will be at the offerer risk. Bidders that are not substantially responsive to the requirements of the E tender documents will be rejected. The Bidder has to submit Affidavit as per **Annexure 4** on non-judicial stamp paper of Rs 1000/-.

06- EARNEST MONEY DEPOSIT (EMD)

Bidder has to deposit required Earnest Money Deposit (EMD) Rs.03.18 lakh.

- (i) Earnest Money of all unsuccessful Offerer will be returned. No interest is payable on the amount of EMD at the time of refund.
- (ii) Earnest Money shall be forfeited if the offer is withdrawn:-
 - a. At any time prior to its rejection,
 - b. Before or after the acceptance is communicated to the Offerer.
 - c. If the selected Offerer fails to execute the agreement within prescribed time limit.
 - d. If it is found that false documents/ information are submitted.
 - e. if the firm breaches any of all clauses as per the tender document and agreement.
- (iii) The EMD will remain with the Corporation during the currency of the contract and/ or till successful completion of warrantee period and will be refunded to the supplier without interest in case of no dispute.
- (iv) Earnest money of successful Offerer will be adjusted against Security Deposit (SD) at the time of the execution of the agreement.

07- SECURITY DEPOSIT (SD)

- (i) The Security deposit will remain with the corporation during the currency of the contract and will be refunded to the supplier without interest in case of no dispute.
- (ii) Security deposit will be forfeited in case of failure of supply of the material as mentioned in the purchase order, in time and as per the approved specifications or for any breach of terms and condition of the agreement and E tender.

- (iii) The security deposit will be refunded after the successful execution of all orders during currency of the contract period provided no dispute, claims or complaints exist for settlement after successful completion of warranty period, no interest will be payable on the security deposit.

08- TECHNICAL SPECIFICATION

Technical Specifications are given in **Annexure 7 to annexure 15**. Supplier has to supply items as per the specification.

09- QUOTING OF RATES

- 9.1 The Bidder must submit rates online only as per format given in **Annexure 16**. The rates should be inclusive of supply and commissioning of infrastructures (No hard copy is to be submitted as mention in scope of work page no 07).
- 9.2 Rates for Infrastructures should be given on Turn Key Basis i.e. the rates must include the cost of material, cost of installation, all the taxes whatsoever (show separately), Corporation margin (5% of rates offered) and F.O.R. destination.
- 9.3 The Bidder should quote their lowest price, in accordance to the condition mentioned in clause No. 10. **The Bidder shall have to offer consolidated price for all infrastructures.** The price should be inclusive of all except applicable taxes.

10- REASONABILITY OF RATES

Offerer shall have to offer his lowest rates and it should be strictly in accordance with the clause mentioned below (applicable from the date of Submission of Short Tender).

- 10.1 The price charged for Item(s) under this short tender by the bidder shall in no event exceed the lowest price at which the identical items to any other person /Organization/ Government Department/ Govt. Corporation / or any Govt. Body in Madhya Pradesh during the period of contract till completion of all orders issued during the currency of contract.
- 10.2 At any time during the aforesaid period, If the Supplier reduces unit offer price of such offered item(s) or offers such items to any other person / organization at a price lower than the price chargeable under the contract, the Supplier shall forthwith notify such reduction in the rate to the Corporation.
- 10.3 After such reduction in unit offer price, the amount paid under this contract to bidder shall be reduced correspondingly & the Corporation shall be entitled to recover such excess amount from the supplier's forthcoming bills.

11- NEGOTIATIONS

It is clarified that normally, no rate negotiation will be done and therefore the offerer should quote their lowest prices only. However the Managing Director of the Corporation may decide to give counter offer of the rates decided by the Corporation to single or all eligible offerers.

12- VALIDITY OF APPLICATION

Application submitted to the Corporation are valid for acceptance for 6 months from the date of opening of financial bid.

13- VALIDITY OF RATE CONTRACT

The Rate Contract against this E tender is valid up to 6 months, however the rates can be increased as per the directives of Commissioner Horticulture and Farm Forestry.

14- EXECUTION OF AGREEMENT:

- (a) The successful offerer shall have to execute an agreement as per **Annexure 17** with the Corporation. The agreement will be executed on non-judicial stamp paper of Rs. 1000/- the cost of the same will be borne by the offerer.
- (b) The Corporation shall intimate the successful offerer regarding acceptance of his offer and inform him to execute an agreement. In case the offerer fails to execute agreement within time limit the EMD deposited by offerer shall be forfeited. After executing agreement, the term **Bidder** will be replaced by the term **Supplier**.

15- PLACEMENT OF ORDER

The Head of Department (Horticulture Section) of the Corporation's / Regional Manager of the Corporation shall place purchase order to the supplier.

16- SCHEDULE AND MODE OF SUPPLY AND PAYMENT

SUPPLY -

1. The supplier has to supply and install the ordered infrastructures within 90 days from the receipt of order of the Corporation.
2. In special case, supplier may request in writing to the Commissioner Horticulture and Farm Forestry (under intimation to district office of the Corporation) for extension in time limit mentioned above (in point 16.1) . On receipt of such request, the Commissioner may extend time limit and inform in writing to supplier as well as to the Corporation.
3. Failure on the part of the supplier for supply / installation, may lead to forfeiture of the Security Deposit and the rate contract shall stand cancelled and agreement terminated.

4. If any dispute regarding the quality / quantity of the material supplied, the Corporation will make payment after settlement of the dispute only

PAYMENT -

On successful installation of protected cultivation infrastructure the payment shall be released on "Payment after Payment" basis. (i.e. on receipt of payment from Consignee Department the Corporation will make 90% payment of invoice to supplier).

Remaining 10% payment will be released after successful completion of warranty.

17- TRANSIT INSURANCE

The Supplier will arrange for Transit Insurance and Material supplied should be covered under Transit Insurance for Road Risk, Theft, Pilferage, and Non Delivery Risk (RRTPND).

18- WARRANTY

Warranty required for various infrastructures will be 2 years from date of successful installation.

19- TRAINING

Officials posted at Center of Excellence, Sausar, District Chhindwara will be imparted one day training. During the training, the supplier shall demonstrate operation as well as maintenance of Infrastructures.

20- AFTER SALE SERVICE AND MAINTENANCE

The supplier shall be fully responsible for maintenance and the satisfactory performance of various infrastructures during the warranty period.

21- TESTING FOR QUALITY

If required, Testing will be carried out by third party for which expenditure on testing will be borne by supplier. In case, components used in infrastructure found substandard in first testing, the supplier will be penalized as decided by the Managing Director of the Corporation.

- 22- Submission of short tender means that the Offerer has accepted all the terms and conditions contain herein.

- 23- The Managing Director of the Corporation reserves the right to accept or reject any or all the offers without assigning any reason whatsoever at any time prior to the award of the contract, without incurring any liability to the affected offerer and any obligation to inform the affected offerer of the grounds.

24- PURCHASE PREFERENCE

As per the policy of the State Govt. in respect of purchase of material for the use of Corporation purchase preference to the extent of 30% shall be given to those Manufacturers who belong to the SC/ST category. A self certified photocopy of certificate issued by competent Authority.

25- INSPECTION

The Managing Director of this Corporation/ The Commissioner, Horticulture and Farm Forestry may decide to inspect the Production / Quality Control Facilities of the offerer before or after the execution of agreement. If any time it is found that the information submitted and work done by Offerer / Supplier is not according to the documents submitted or required specifications, the Managing Director reserves the right to reject the offer or terminate the agreement.

26- The Managing Director of The Corporation reserves the right to impose penalties at his discretion for breach of the terms and conditions (commensurate with the losses incurred) which may be forfeiture of SD and/or debarring the supplier for maximum period of 5 years to supply all materials, whatsoever may be, through this Corporation.

27- Managing Director of the Corporation reserves the right to amend or replace or change any condition without any notice, in exigencies required to do so.

28- In case of any amendments including extension of due date will be published on Corporation's website www.mpagro.org and www.mptenders.gov.in, and no further notification will be made in the news paper. Accordingly interested bidders are advised to keep close watch on the Corporation's website in their own interest. It is also to be noted that any such Amendments will be a part of the Documents and will be binding on the bidder and it will be understood that the bidder has satisfied himself about such amendments.

29- ARBITRATION

In case of any dispute arising between the supplier and Corporation the matter shall be referred to General Manager of the Corporation. In case the supplier is not satisfied with the decisions of General Manager the matter shall be referred to the Managing Director of the Corporation who will act as sole arbitrator finally passes his verdict, which will be binding, to supplier and Corporation.

30- For all legal proceedings the district court Bhopal will have jurisdiction.

31- It is the discretion of the Managing Director of the Corporation to accept / reject the application without assigning any reason thereof.

Assistant Manager {Horticulture}

BIDDER COMPANY PROFILE

| Sr. | Particular | Detail |
|------------|---|---------------|
| 1 | Name of Organisation | |
| 2 | Nature of the Organisation | |
| a | In case of Public / Pvt. Ltd company (Certified copy of Certificate of incorporation for companies & Memorandum and Articles of Associations) | |
| b | In case of Partnership Firm (Partnership deed) | |
| c | In case of Proprietorship (Registration certificate, Factory registration, DIC – industrial registration) | |
| d | In case of society (Certified copy of registration deed with objects of constitution of society) | |
| e | In case of Corporation (Authenticated copy of the parent statute) | |
| 3 | Address with Phone Number, Mobile Number. | |
| 4 | E mail | |
| 5 | Name and Contact details of the Authorized Person | |
| 6 | Any other details in support of your office | |
| 7 | PAN (attach attested copy) | |
| 8 | GSTIN | |

Seal and Sign of.....

AUTHORISED SIGNATORY

AFFIDAVIT

We.....hereby offer for the supply of ----- Conforming to the Specifications as mentioned in E tender.

We undertake to supply such quantities of material as per Specification as mentioned in E tender , as we may be called upon to supply and under the conditions here-to enclosed during the allotted period from the date of execution of the agreement on the rates agreed upon, at the places to be specified by the M.P. State Agro Industries Development Corporation Limited within the specified delivery period.

We undertake that our firm has neither been Blacklisted/Debarred by any Government / Government Undertaking /Bank nor penalized on the same ground. We also undertake that no legal proceeding is pending in any Courts on the same grounds.

We undertake that the rates given to the Corporation are the lowest price, in accordance to the prevailing rates of the Company / their other authorized dealer & market condition. In case of any dispute or discrepancy in the submitted rates we will be sole responsible. In such cases the Corporation will be free to recover the losses or impose penalties as decided by the Managing Director of the Corporation.

We hereby agree to abide by and fulfill all the terms and conditions of contract annexed hereto and in default thereof to forfeit and pay to the M.P. State Agro Industries Development Corporation Limited, the penalties or sum of money mentioned in the said conditions.

I have read and fully understood the terms and conditions of supplies etc. mentioned in the documents.

Name :
Designation:
Signature with Office Seal...)

Witness:

- 1.
- 2.

Note: To be submitted on non judicial stamp of Rs 1000.00

**Authority to submit Tender
(On Producer company's letterhead)**

To,

The Managing Director
M.P.State Agro Industries Development Corporation Ltd.
Panchanan Bhawan, 3rd Flore ,
Malviya Nagar,
Bhopal.

Sub : Authority to submit Rate Contract Offer.

Dear Sir,

I.....Designation hereby authorize M/s
.....to submit Rate Contract Offer M.P. State Agro
Industries Corporation Ltd on behalf of the company due on

We hereby undertake that the Company shall abide by all the terms and conditions as mentioned in Tender Document.

I further certify that I am authorized to issue this certificate on behalf of the company.

If an order is placed with the authorized company as above, the company undertakes to supply the order as per terms and condition of E tender

(Signature)

Name

Designation

Tel No

Mobile No

E mail

ELIGIBILITY CRITERIA

The following are the minimum eligibility criteria for submission of E- tender.

1. The Bidder / Applicant should have registered with Environment / Atmosphere / Non Air pollution work in nature.
2. The bidder shall have Annual turnover for last three financial (2017-18, 2018-19 & 2019-20) years, ending on 31 March 2020, should not be less than INR 25 Cr. in the field of similar type of facilities. The copies of the Profit & Loss statement also to be provided. The bidder should not be in loss in the last 03 financial years. The Turnover Certificate duly signed & stamped by Chartered Accountant.
3. The Bidder /Applicant should provide ITR (Income Tax Return) for last three financial year (2017-18, 2018-19 & 2019-20) with assessment year 2018-19, 2019-20 & 2020-21.
4. The Bidder /Applicant should have registered with ISO Certification.
5. The Bidder / Applicant should have minimum 5 years experience in Establishment of Centre of Excellence in Govt./ Semi Govt. Department. (Attached Documentary proof of work order with completion certificate).
6. The Applicant should have executed at least 2 Centre of Excellence (at different locations) under separate contracts each having contract value not less than INR 5.00 Cr within last five years, anywhere in India. The copies of the satisfactory / completion / experience certificate issued by the client indicating the work.
7. The Bidder / Applicant should provide proposed work plan with CAD Design / Drawing / Layouts.
8. The Bidder should be clearly mentioned Make and Complete Specification of the Material along with catalogue / Leaflet / Brochure if any and submit the aforesaid with proposal (Make / Specification will be given by Department).
9. The Bidder should have registered with Department of Scientific and Industrial Research (DSIR) Govt. of India, Documentary proof should be attached.
10. Joint Venture for the said project is not allowed.
11. Bidders Company / Organization should be a Private Limited / Government Registered Company.
12. An affidavit on Rs.100/- Stamp Paper from Public Notary shall be attached / uploaded by the bidder with following declaration that:
 - a. Bidders shall not be under any declaration of ineligibility for corrupt and fraudulent practices issued by any State Government / GOE / Union territory.
 - b. The Bidders shall not be blacklisted by any State Government / GOI / Union territory / State and Central, Educational, Institutes etc during last Ten Years at the time of submission of tender bid for any item or by any reason.

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR HI TECH CLIMATE CONTROLLED POLYHOUSE- (1 Nos)

| | |
|----------|--|
| 1 | <p>HI TECH CLIMATE CONTROLLED POLYHOUSE</p> <p>Total Area: 500sq.m.</p> <ul style="list-style-type: none"> • Dimension: 26.4m x 19.2m • Side Height: 3m • Centre Height: 5m • Buffer Room Size: 2.5m x 3m x 2.43m (L x W x H) – 01 No. • Door Size: 2m x 1m (Tall & Wide) – 02 Nos. <p>STRUCTURE:</p> <p>A. Frame: All galvanized steel is used and design standards to take withstand of wind speed 120 km. /hour. End wall and side wall framing Aluminum corner trims, aluminum ridge bar and Galvanized gutter trim Brackets & fasteners as required to assemble frame.</p> <p>1) Pipe: Pipes sections to be used for different Structural Member will be as below or equivalent :</p> <ol style="list-style-type: none"> a) Columns: 80 mm × 50 mm in 2mm thick hot dip galvanized pipe. b) Trusses: Bottom cord 42mm x 2mm; Truss Members 48mm × 48mm 2mm; Bracing 25 mm, pipe; structural member will be fitted with zinc plated nuts & bolts without welding. c) Purlins: 42 mm × 2mm thick. <p>2) All G.I pipes are galvanized.</p> <p>3) Nuts and other metallic parts: This includes all the elements required for joining and water tighten components (such as fittings, clamps, screws and nuts plated against corrosion).</p> <p>DOUBLE DOOR ROOM:</p> <p>A) Double door room- of size 2.5m x 3m x 2.43m (L ×W×H) covered with 200-micron polyfilm.</p> <p>B) Door – Double door size: 2m × 1m long & wide, normally lockable made with clear 6mm polycarbonate glazing, top & bottom tracks, jambs, flashings & installation hardware - 2 nos.</p> <p>CLADDING:</p> <p>Attaching the Plastic on Roof & Side walls, of Polyhouse & Double Door Room.</p> <p>200 micron UV stabilized poly film having 85% light transmission, multi-layered, anti-drip. This is attached with the structure by the spring & GRP profile & GRP clamps which click into it.</p> <p>Later on, the spring can be clipped out in order to fit new plastic. The profile does not get distorted and the profile can also be used again.</p> |
|----------|--|

INTERNAL SHADING SYSTEM:

By Reflective, thermal-aluminum-screen silver with a motorized operated expanding & retracting mechanism will be provided.

COOLING SYSTEM:

Cooling Pad Size: A) 1.5mH × 19.2mW × 100mm thick evaporative CELDEC cooling pad complete with:

- All necessary framing material of Aluminum required supporting distribution & returning piping.
- Gutters, down spout end caps & drip pan, plumbing kit, pump 220 volt - 1 phase 50 cycles, Drilled PVC piping cap, pad retainer, all suspension hardware.
- Metal flashings as required to seal pad to vent opening, 4" thick evaporative cooling pad material.
- Pad Area: 19.2m W × 1.5mH × 100mm thick (w × h × Thickness)

Construction Material:

Aluminum Profiles: Tray Sides, Top Etc.

Plastic Profiles: Water Distribution tray.

Cooling Media: 100mm thick celdek 7090/500

At velocities of 1 to 3 M/s to give efficiency from 60 to 95%.

Filtration: 25 to 55mm viscous filter for 30 m efficiency.

Miscellaneous: Fasteners, Galvanized, Rivet- Aluminum.

Water storage Tank: PVC Tank 1000 liters.

Pump: 1 HP Mono block (Crompton or approved equivalent)

B) Slow Speed Axial Flow Fan: 48" single speed belt driven exhaust fan 1 hp, 220V, 50 cycles, 1 phase) 24,800 CFM each. 04 Nos.

ILLUMINATION :

600 W Electronic Green Power EL Plus. Special light for plants providing essential photosynthesis wave length to the plants for optimum growth & production - 12 Nos.

WATER BOOMER APPLICATOR:

for irrigating the plants boomer with 3 ways nozzle, holding span rail/rod in a bay. Water boomer nozzles span is adjustable height-wise. Adjustable range of water applicator.

BENCHING SYSTEM :

Growing bench made of hot dip Galvanized top frame angle 25mm x 25mm with 3mm thickness and top covered by diamond cut shape GI mesh with mesh thickness of 3mm x 2.5mm, Size : 24mx 1m x 0.8m (L x W x H) – 12 Nos.

CONTROL PANEL FOR AUTOMATION:

Monitor Panel code no. 002264-00304, which includes Light, Temperature & Humidity Control System. For details of Microprocessor Photosynthesis Monitor Panel kindly see the below data-

a) Technical feature of Photoperiodic Timer

- Cycle: 24 hrs minimum ON/OFF period 30 minutes.
- Accuracy: ± 10 sec/day
- Input: 200-240 VAC, phase – single.
- Ambient: 5°C to 45°C, RH up to 85% normally.

b) Technical feature of Temperature Control System

- Temp. Range: 0.1 to 59.9°C.
- Accuracy: ± 1 °C.
- Hysteresis: 0.4°C with sensor probe Pt-100 Sensor cord 5 meters.
- Input: 200-240VAC (110 VAC available on demand), phase-single.
- Ambient: 5°C to 45°C, RH up to 85% normally.

c) Relative Humidity Control System: It maintains RH in the range of $\pm 4\%$.

- Range: 30% to 90%.
- Real RH: $\pm 2\%$. ± 1 digit (at 45%).
- Input: 220VAC (110VAC available on demand), phase- single.
- Ambient: 5° to 45°C, RH up to 95%.

CIVIL WORK:

A) Foundation wall for all sides of Poly house along with the double door room.

WIDE Based 1' below earth's surface, 1.5.' above earth's surface, as kick-board 9" wide. Frame base block height 2'.

B) Floor: covered by floor mat.

ELECTRICAL WIRING:

All wires will be of copper and desired load (Make-Hevells/ Finolex) and switches imported make, extra switches also provided as standby. Each feature has own electric line with MCB and will be underground in PVC pipe complete set with A grade work. Separate electrical work, panel board and main switches as well.

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR INSECT PROOF NET HOUSE FOR MOTHER BLOCK - (2 Nos)

| | |
|----------|---|
| 2 | <p>INSECT PROOF NET HOUSE FOR MOTHER BLOCK</p> <p>Total Area: 1000sq.m.</p> <p>Size: 34.72m × 28.8m × 2.43m : 3.35m =1000sq.m.(L× W× SH : CH)</p> <p>Shape: Arc</p> <p>STRUCTURE:</p> <p>Made by latest G.I. pipe in combination of 60mm, 50mm, 38mm & 32mm ±1mm Squire GI Pipe., for vertical members, roof truss, horizontal runners etc., including cutting, bended in required shape, complete as per requirements</p> <p>DOOR:</p> <p>Size 8' × 3' (H×W) one no. with lock and pinion system.</p> <p>COVERING:</p> <p>Roof & all Side covers with 40% mesh nylon net, white Colour.</p> <p>DRIP IRRIGATION SYSTEMS:</p> <p>The system is provided with pressurized drip irrigation system with 2" Filter 120 mesh red, Valve/2", Air valve/1", Drip Lateral 16mm, Drip Net PC 16mm x 30cm x 1lph, RPVC 40mm 6Kg/cm², RPVC 63mm 4Kg/cm², 3HP pump, PVC fitting, Water tanks etc. 1 Complete Set</p> <p>ELECTRICAL DEVICE:</p> <p>High quality ISI approved fittings with FR grade copper cable and rigid standard of safety with proper M.C.B.</p> <p>CIVIL WORK:</p> <p>Structure Raised on cc (concrete cement) blocks 1'×1'×2'.</p> <p>Floor: Natural soil, as it is.</p> |
|----------|---|

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR INSECT PROOF SHADE NET HOUSE FOR ROOT STOCK- (03 Nos)

| | |
|----------|--|
| 3 | <p>INSECT PROOF SHADE NET HOUSE FOR ROOT STOCK</p> <p>Total Area: 1000sq.m.</p> <p>Size: 34.72m × 28.8m × 2.43m : 3.35m =1000sq.m.(L× W× SH : CH)</p> <p>Shape: Arc</p> <p>STRUCTURE:</p> <p>Made by latest G.I. pipe in combination of 60mm, 50mm, 38mm & 32mm ±1mm Squire GI Pipe., for vertical members, roof truss, horizontal runners etc., including cutting, bended in required shape, complete as per requirements</p> <p>DOOR:</p> <p>Size 7' × 3' (H×W) one no. with lock and pinion system.</p> <p>COVERING:</p> <p>All sides and roof with UV stabilized monofilament shade net, colour-green/black combination with aluminum profile and PVC coated lockable spring</p> <p>AUTOMATIC SPRINKLER SYSTEM:</p> <p>The complete system is provided with controller Nozzles: Micro sprinklers hanging type. Water Discharge: 70 LPH each nozzles. Lateral pipe: 16mm LDPE black. Filter: Disc. Spacing: N/N 2.5m x L/L 3.0m. Tank: PVC 1000 ltr. Pump: 0.5/1.0 hp as per requirement.</p> <p>ELECTRICAL DEVICE:</p> <p>High quality ISI approved fittings with FR grade copper cable and rigid standard of safety with proper M.C.B.</p> <p>CIVIL WORK:</p> <p>Structure Raised on cc (concrete cement) blocks 1'×1'×2'.</p> <p>Floor: Natural soil, as it is.</p> |
|----------|--|

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR IRRIGATION & FERTIGATION AUTO WATER FERTI-MIX MULTICHANNEL FERTIGATION AND IRRIGATION SYSTEM -(2 Nos.)

| | | | | | | | | | | | |
|---------------------------------|--|--------------|---|---------------------------|---|-------------------------------|---|---------------------------------|---|------------------------|---|
| 4 | <p>IRRIGATION & FERTIGATION AUTO WATER FERTI-MIX MULTICHANNEL FERTIGATION AND IRRIGATION SYSTEM. (CENTRALIZED AUTOMATIC): <u>FOR OPEN FIELD</u></p> <p>A) Irrigation The system is provided with pressurized irrigation system with Filter mesh red, Valve, Air valve, Drip Lateral, Drip Net PC, RPVC, RPVC, as per required pump, PVC fitting, with water tanks etc.</p> <p>B) Automated Fertigation System</p> <p>Technical specifications:</p> <ul style="list-style-type: none"> - Mixing tank system: content of 110 ltr net with overflow connection. - Level protection: minimum level detection switch in mixing tank. - Number of dosing channels: 2 for fertilizer on EC-value and 1 for acid on pH-value. - Dosing valve and: electrical quick action valve 124-DN5-24VCA-5W with nozzle Ø2.7mm. - Dosing capacity per channel: 30-300 litres /hour of fertilizer or acid solution at 3.0 Bar. - pump capacity net: 9.0 m3/hr net at 4.0 Bar: 11.0 m3/hr net at 3.5 Bar - Pump type: Grundfos CHI 12-25. are equivalent - mains voltage pump: 3-phase, 380-415VAC-50Hz - Power consumption pump: 2.8 kW. - EC measurement : 2 EC-sensors with thermostat element 3kΩ/25°C for temperature compensation of the EC-value. - pH measurement: 2 pH electrodes max. 10 bar, high pressure with coaxial cable 3meters and BNC-connectors, holders for bayonet mounting. - Dimensions inlet and outlet: water pressure operated inlet valve 2” with float bellow and PVC inlet Ø63 mm and outlet Ø50mm. - Frame construction: corrosion free materials. - Electrical cabinet : manual switch, motor soft starter and thermal protection for pump. - integrated I/O-network materials: <p>* 1x power supply unit 9510 with ring core transformer to supply two voltages: 24VAC-205VA for control outputs, fans, relays, and 24VDC-75W for electronic circuits and modules For I/O-network functions will be built in:</p> <p>* 1x module EC interface for connection of two EC sensors</p> <p>* 1x module pH interface with two BNC connectors, suited for connection of two pH sensors</p> <p><u>Configuration:</u></p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="padding-left: 20px;">Water system</td> <td style="text-align: right; padding-right: 20px;">1</td> </tr> <tr> <td style="padding-left: 20px;">Litre counter measurement</td> <td style="text-align: right; padding-right: 20px;">1</td> </tr> <tr> <td style="padding-left: 20px;">EC/pH measurement and control</td> <td style="text-align: right; padding-right: 20px;">1</td> </tr> <tr> <td style="padding-left: 20px;">Fertiliser stock solution tanks</td> <td style="text-align: right; padding-right: 20px;">3</td> </tr> <tr> <td style="padding-left: 20px;">Dosing channel control</td> <td style="text-align: right; padding-right: 20px;">3</td> </tr> </table> | Water system | 1 | Litre counter measurement | 1 | EC/pH measurement and control | 1 | Fertiliser stock solution tanks | 3 | Dosing channel control | 3 |
| Water system | 1 | | | | | | | | | | |
| Litre counter measurement | 1 | | | | | | | | | | |
| EC/pH measurement and control | 1 | | | | | | | | | | |
| Fertiliser stock solution tanks | 3 | | | | | | | | | | |
| Dosing channel control | 3 | | | | | | | | | | |

| | | |
|--|------------------------------|---|
| | Water treatment recipe | 2 |
| | Control of irrigation valve. | 2 |

Seal and Sign of.....
AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR AUTOSAND FILTER- (02 Nos.)

| | |
|----------|---|
| 5 | <p>AUTOSAND FILTER: These filters offer excellent protection for surface water that contains organic contaminants.</p> <p>Equipped with a 3-dimensional filtration body they provide deep filtration that is known to be the most efficient for all water types. Equipped with a very efficient back flush process they can be used with low pressure and relatively low flow rates. They are made from composite materials with no metal parts, so this makes them resistant to chemicals and acids and guarantees they are built to last. And finally, they have a small footprint so any infrastructure needed in order to position them in your farm is minimized.</p> |
|----------|---|

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR IRRIGATION & FERTIGATION SYSTEMS & COMPONENTS, SAND & FLUSHING FILTER WEATHER STATION, IRRIGATION - (01 NOS.)

| | |
|----------|---|
| 6 | <p>Irrigation & Fertigation Systems & Components, Sand & Flushing filter Weather Station, Irrigation & Fertigation auto water fertile-mix (Green House multichannel fertigation and irrigation system. (Centralized Automatic)</p> <p>It consists of Fertigation Machine with EC/Ph Control- 1nos., Irrigation Controller – 1nos., with complete hardware and software, BAFO cable for connect, within controller and computer, control and safety valves, Sol. Valve Plastic and , Pressure Relief Valve Plastic , Auto Electric Panel For Irrigation Pumps, polymer tank, Stock solution tank 500 ltrs each -5 set with solenoid control valve, Computer, Chair and cable connection to boom irrigation of primary and secondary seedling houses,</p> <p>Centralized weather data collection and retrieval system:</p> <ol style="list-style-type: none"> 1. Centralized computer/server/data logger to continuously record and retrieve all the weather data collected in different poly house structures, open field and automatic weather station. 2. Temperature, RH and other sensors/Tensiometers (15cm and 30 cm in each location- 8Nos.) in all the greenhouses/net houses/open field /weather station etc to be integrated to a central computer/server to record the data continuously |
|----------|---|

Seal and Sign of.....

AUTHORISED SIGNATORY

Annexure 13

TECHNICAL SPECIFICATION FOR MICRO DRIP IRRIGATION SYSTEM WITH FITTING ACCESSORIES, WATER TANK MADE BY RCC ,WATER FILTER, ROOT TRAINER ,BENCHING SYSTEM WIRE BENCH FOR HARDENING CHAMBER ,TOOLS

| | | |
|-----------|--|-----------------------|
| 7 | Micro Drip irrigation system with fitting accessories: The system is provided with pressurized drip irrigation system with 2” Filter 120 mesh red, Valve/2”, Air valve/1”, Drip Lateral 16mm, Drip Net PC 16mm x 30cm x 1lph, RPVC 40mm 6Kg/cm2, RPVC 63mm 4Kg/cm2, Required pump as per capacity, PVC fitting, Water tanks etc. 1 Complete Set | 8000 sqm |
| 8 | Water Tank made by RCC | 40000 ltr |
| 9 | WATER filter : For Remove Iron from water by material b & activated carbon & treatment filtration plant 5000 ltr . | 02 Complete set |
| 10 | Root Trainer 12 cell 300 CC | 3500 no’s |
| | Root Trainer 24 cell 150 CC | 4000 no’s |
| 11 | Benching system wire bench for Hardening chamber for 1000 sqm | 1 set |
| 12 | Tools : EC & PH meter-1 set, Electronics weighing machine range : 01 mg to 50gm. Qty.01 , HTP power sprayer, ,knap sack sprayer, power weeder etc. | 01 Complete Set |

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR ROOM FOR COMPUTERIZED FERTIGATION SYSTEM ,WORKING SHED ,VERMICOMPOST UNIT , SORTING AND GRADING ,SOIL SOLARIZATION AREA WITH STEAM GENERATOR SYSTEM ,BOREWELL 4''

| | | |
|-----------|--|-----------------|
| 13 | Room for Computerized Fertigation System size 55 sqm | 01 Complete set |
| 14 | Working shed 200 sqm | 1 set |
| 15 | Vermicompost unit size 500 sqm | 1 set |
| 16 | Sorting and grading Area size 200sqm | 1 set |
| 17 | Soil solarization area with steam generator system size 200 sqm | 1 set |
| 18 | Borewell 4'' | 01 |

Seal and Sign of.....

AUTHORISED SIGNATORY

TECHNICAL SPECIFICATION FOR GENSET WITH AMF PANEL & ELECTRICAL ACCESSORIES

| | | |
|-----------|--|-------|
| 19 | <p>Genset with AMF panel & electrical accessories</p> <p>Generator operating capacity 27 KVA with Automatic on/off panel, Shelter with platform for Generator.(make Mahindra / Kirloskar or equivalent).</p> <p>Size 6m x 4m x 4m:3m with shelter</p> <p>Structure frame : all galvanized steel is used with stand of wind speed 120 km/h</p> <p>Roof cover by pre quoted GI sheet 0.5 mm thick.</p> <p>RCC platform for generator & rest floor CC.</p> <p>Electrical cabling, earthing work as per required generator.</p> | 1 set |
|-----------|--|-------|

Seal and Sign of.....

AUTHORISED SIGNATORY

FINANCIAL OFFER

01. NAME OF THE BIDDER

| S. No. | Particulars | Number | Area (Sqm) | Annexure |
|---------------|---|---------------|---------------------|-----------------|
| A | Infrastructure | | | |
| 1 | Hi-Tech Climate Controlled Polycarbonate rootstock raising | 1 | 500 | 7 |
| 2 | Insect proof Net House (Mother block) | 2 | 1000 | 8 |
| 3 | Insect proof Net House (for rootstock establishment, grafting & hardening) | 3 | 1000 | 9 |
| B | Irrigation and Fertigation System | | | |
| 4 | Advance Fertigation auto water ferti mix S no. 2,6,7,8 | 2 | - | 10 |
| 5 | Auto Sand filter & accesories | 2 | - | 11 |
| 6 | Irrigation & Fertigation System & Components Sand & Flushing Filte Weather Station S.1 14.4 | 1 | - | 12 |
| 7 | Micro Irrigation - Drip Irrigation fittings & accessories for S no. 4,6,7,8 | 1 | 8000 m ² | 13 |
| 8 | Water Tank RCC | 1 | 40000 ltr | 13 |
| 9 | Water Filter | 2 | - | 13 |
| 10 | Root Trainer for fruit plants | 1 | 7500 nos | 13 |
| 11 | Benches system-wise bench | 1 | 1000 m ² | 13 |
| 12 | Machiney & Equipment, power sparyer power filler hand tools | 1 | | 13 |
| C | Others Infrastructure- components | | | |
| 13 | Room for computerized fertigation system | 1 | 55 m ² | 14 |
| 14 | Working shed | 1 | 200 m ² | 14 |
| 15 | Vermi compost unit | 1 | 500 m ² | 14 |
| 16 | Sorting & Grading area | 1 | 200 m ² | 14 |
| 17 | Soil Solarization area with steam Generator System | 1 | 200 m ² | 14 |
| 18 | Bore Well 4 | 1 | - | 14 |
| D | Electrification | | | |
| 19 | Genset with AMF Panel & Electrical accssories | 1 | - | 15 |

(To be submitted online. Hard copy of financial offer need not to be submitted)

| SI. NO | Description of work / item (s) | No. of Quantity | Units | Item code | BASIC RATE in Rs | GST AMOUNT in Rs | TOTAL AMOUNT Without Taxes In Rs | TOTAL AMOUNT With Taxes | TOTAL AMOUNT In words |
|--------|--|-----------------|-------|-----------|------------------|------------------|----------------------------------|-------------------------|-----------------------|
| 1 | 2 | 3 | 4 | 5 | 13 | 15 | 53 | 54 | 55 |
| 1 | SUPPLY AND COMMISSIONING OF VARIOUS INFRASTRUCTURES FOR ALL ITEMS AS PER ANNEXURTE - 07-15 | | | | | | | | |

(Financial bid had To be submitted online only on the format given on portal. Hard copy of financial offer need not to be submitted)

Seal and Sign of.....

AUTHORISED SIGNATORY

DRAFT AGREEMENT

This agreement made at Bhopal this day ofbetween Madhya Pradesh State Agro-Industries Development Corporation, ‘Panchanan, 3rd Floor, Malviya Nagar, Bhopal, M.P. hereinafter referred to as the ‘Corporation’ which expression shall unless repugnant to the context or meaning there of includes its successors and assigns on the one part.

AND

M/s. having its office at through Shri designation(hereinafter referred to as the Supplier whose expression unless repugnant to the context and meaning thereof includes its assigns, successors and administrations on the other part.

WHEREAS the Corporation invited E tender for supply of ----- on the terms and conditions envisaged in the terms schedule issued with the Rate Contract Offer Document and purchased by the supplier.

AND WHEREAS the supplier has accepted each and every term and condition contained in the Rate Contract Offer Document, while submitting his offer.

AND WHEREAS the Corporation accepted the offer submitted by the supplier vide its letter of acceptance no.dated in consideration of the premises and the mutual premises and undertakings hereinafter specified and for other good and valuable consideration this agreement witness and is hereby agreed on the conditions of the Tender. The following documents shall form and be constructed a part of the Agreement Deed:-

- a. The Tender submitted by the supplier including all the annexure attached thereto.
- b. Specifications for supply of ----- (Attached)
- c. The letter of acceptance dated ----- issued by the Corporation.
- d. The offer submitted by the supplier.
- e. The rates mentioned in annexure to agreement.

The aforesaid documents shall be taken as complementary and mutually explanatory of one another but in case of discrepancies and ambiguities shall take precedence in the order set out above. In this regard the decision of Managing Director, M.P. State Agro-Industries Development Corporation Limited shall be final.

IN WITNESS WHEREOF the parties hereto have signed this agreement on the day and year referred to above.

For Supplier
.....
.....

For
M.P. STATE AGRO INDUSTRIES
DEVELOPMENT CORPORATION
LIMITED

Signature with Office Seal

DEPUTY GENERAL MANAGER
(Horticulture)

Witnesses

Witnesses

1.

1.

2.

2.

LIST OF MANDATORY DOCUMENTS TO BE UPLOADED (SELF CERTIFIED WITH SEAL AND SIGNATURE)

| S.No | TYPE OF DOCUMENTS |
|-------------|--|
| 1 | Copy of E tender document duly signed and stamped as a token of acceptance of terms and conditions of the E tender |
| 2 | Copy of amendment (if any) duly signed and stamped as a token of acceptance of terms and conditions of the E tender |
| 3 | Applicant Company Profile as per Annexure 3 |
| 4 | Affidavit as per Annexure 4 |
| 5 | Authority to submit E-Tender as per Annexure 5 |
| 6 | Valid Permanent Account Number (PAN) |
| 7 | Valid GSTN. |
| 8 | Document as Manufacturer/Supplier of Green House / Net House/ Walk in Tunnel / Registration with DTIC or Udyog Aadhar |
| 9 | Minimum eligibility criteria for Experience - FIVE years of experience in India in establishing COE/mini COE on protected cultivation structures and their operations and also Establishment of Automated plug seedling production system (at least 5 units) in reputed Govt./Semi Govt. organization / Institutions / SAUs. They must upload purchase order/work orders and completion report as a proof in support of this. At least one work order date has to be within the last FIVE years before the last date of tender submission. |
| 10 | Minimum eligibility criteria for Experience - hand holding support to COE/ Automated plug seedling production for at least 2 years (Minimum 3 such type of project). |
| 11 | C.A. Certificate to ascertain Minimum Turn over as per eligibility criterion. |

Seal and Sign of.....

AUTHORISED SIGNATORY