

## M. P. State Agro Industries Development Corporation Ltd. Bhopal

## ( ISI MARKED HDPE SPRINKLER IRRIGATION SYSTEM IS : 14151 - Part 2 )

1	Name of Firm				
2	Address				
3	Name & Address of Director				
4	Phone No., Fax No., E Mail.				
5	Name of Person representing RCO				
6	Designation of Representing Person & Mobile No.				
SI No	ITEMS	Size / Class	CML No. & Validity Date	UNIT	Filling selling rate to customer through office of Dist. Manager of this corp. as per Clause No. 9. 1 of RCO. Rate in Rupees.
1	ISI Mark HDPE Sprinkler Quick coupled Pipes in 6 Mtr length with Coupler IS 14151 - Part 2	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	
2	ISI Mark HDPE Pump Connecting Nipple / with Quick Action Coupler IS 14151 - Part 2	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	
3	ISI Mark HDPE Bend 90 Degree with Quick Action Coupler IS 14151-Part 2	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	
4	ISI Mark HDPE Side Tee with Quick Action Couplers IS 14151-Part 2	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	
5	ISI Mark HDPE Sprinkler Attachment with Quick Action Couplers IS 14151-Part 2	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	
6	HDPE Quick Coupled End Cap	63 mm / CL 2		No	
		75 mm / CL 1		No	
		90 mm / CL 1		No	
		110 mm / CL 1		No	

7	Riser Pipe 20mmx75cm long ISI Marked with socket.	20 mm		No	
8	ISI Marked Rotating Sprinkler IS 12232 - Part 1.	Low Pressure ( Dia approx 60 Ft.)		No	
		High Pressure ( Dia approx 80 Ft.)		No	

Seal & signature of Supplier

<b>ANNEXURE - 7</b>				
<b>MINIMUM TECHNICAL SPECIFICATION</b>				
<b>MINIMUM TECHNICAL SPECIFICATION HDPE SPRINKLER IRRIGATION SYSTEM</b>				
<b>Sl No.</b>	<b>ITEMS</b>	<b>Size / Class</b>	<b>UNIT</b>	<b>MINIMUM TECHNICAL SPECIFICATION</b>
1	ISI Mark HDPE Sprinkler Quick coupled Pipes in 6 Mtr length with Coupler	63 mm / CL 2	No	IS 14151 - Part 2 : 2008 with latest ammendments for HDPE Sprinkler Pipes.
		75 mm / CL 1	No	
		90 mm / CL 1	No	
		110 mm / CL 1	No	
2	ISI Mark HDPE Pump Connecting Nipple / with Quick Action Coupler	63 mm / CL 2	No	IS 14151 - Part 2 : 2008 with latest ammendments for HDPE Quick Action Coupler
		75 mm / CL 1	No	
		90 mm / CL 1	No	
		110 mm / CL 1	No	
3	ISI Mark HDPE Bend 90 Degree with Quick Action Coupler	63 mm / CL 2	No	IS 14151 - Part 2 : 2008 with latest ammendments for HDPE Bend with Quick Action Coupler
		75 mm / CL 1	No	
		90 mm / CL 1	No	
		110 mm / CL 1	No	
4	ISI Mark HDPE Side Tee with Quick Action Couplers	63 mm / CL 2	No	IS 14151 - Part 2 : 2008 with latest ammendments for HDPE Tee with Quick Action Couplers
		75 mm / CL 1	No	
		90 mm / CL 1	No	
		110 mm / CL 1	No	
5	ISI Mark HDPE Sprinkler Attachment with Quick Action Couplers	63 mm / CL 2	No	IS 14151 - Part 2 : 2008 with latest ammendments for HDPE Sprinkler Attachment with Quick Action Couplers
		75 mm / CL 1	No	
		90 mm / CL 1	No	
		110 mm / CL 1	No	
6	HDPE Quick Coupled	63 mm / CL 2	No	Confirming to Internal Hydraulic pressure

	End Cap	75 mm / CL 1	No	test ( duly supported by test report as per clause no. 8 of Annex. V )
		90 mm / CL 1	No	
		110 mm / CL 1	No	
7	RISER PIPE 20mm x 75 cm Length with socket.	20 mm	No	ISI marked GI Pipe of 20 mm dia. with socket
8	ISI Marked Rotating Sprinkler	Low Pressure ( Dia approx 60 Ft.)	No	IS 12232 ( Part 1 ) : 1996 with latest amendments.
		High Pressure ( Dia approx 80 Ft.)	No	