



दि. मध्यप्रदेश स्टेट एग्रो इण्डस्ट्रीज डेव्हलपमेंट कापोरेशन लिमिटेड  
(मध्यप्रदेश शासन का उपक्रम)

मुख्यालय : पंचानन भवन, तृतीय तल, मालवीय नगर, भोपाल - 462003

फोन : (0755) - 2551652, 2551756, 2551807 Fax: 0755-2557305 E-Mail : mpagrohbpl@gmail.com  
Website : www.mpagro.org (CIN NO. U01119MP1969SGC001055)

मुख्या/मार्केटिंग/रीजेन्ट बैटरी/2026-27/1653

दिनांक : 24.08.2026

प्रति,

:: संशोधन पत्र ::

17/9/26

क्षेत्रीय प्रबंधक (समस्त)

जिला प्रबंधक (समस्त)

विषय : **REGENT BRAND** बैटरी हेतु प्रसारित दरों के संबंध में संशोधन पत्र।

संदर्भ : मुख्यालय दर प्रसारण परिपत्र क्रमांक मुख्या/मार्केटिंग/रीजेन्ट बैटरी/2026-27/1485  
दिनांक 24.08.2026

उपरोक्त संदर्भित परिपत्र के माध्यम से मेसर्स रीजेन्ट बैटरी, 897 पी.जी.बी.टी. कॉलेज रोड, अपोजिट डगलस स्कूल, भोपाल की निगम के माध्यम से "रीजेन्ट ब्रान्ड बैटरी" के प्रदाय हेतु वर्ष 2026-27 के लिए दरों का प्रसारण जारी किया गया था। कम्पनी द्वारा प्रस्तुत दर सूची में त्रुटिवश 18 प्रतिशत जीएसटी के स्थान पर 28 प्रतिशत जीएसटी शामिल किया गया था, कम्पनी द्वारा संशोधित दर सूची प्रस्तुत की गयी है जो इस पत्र के साथ संलग्न कर आपकी ओर भेजी जा रही है। कृपया उक्त सूची अनुसार ही आगामी कार्यवाही सुनिश्चित करें।

शेष नियम एवं शर्तें मुख्यालय द्वारा जारी पूर्व प्रसारण परिपत्र क्रमांक मुख्या/मार्केटिंग/रीजेन्ट बैटरी/2026-27/1485 दिनांक 24.08.2026 (संदर्भित पत्र) अनुसार यथावत रहेंगी।


संलग्न : क्रय विक्रय दरें

प्रतिलिपि :-

1654  
17-9-26

प्रबंधक (विपणन)

1. प्रमुख सचिव, किसान कल्याण तथा कृषि विकास विभाग, मंत्रालय, बल्लभ भवन, भोपाल।
2. प्रमुख सचिव, म.प्र.शासन, उद्यानिकी एवं खाद्य प्रसंस्करण विभाग, भोपाल।
3. संचालक कृषि अभियांत्रिकी, आफिस काम्पलेक्स, बी-ब्लॉक, गौतम नगर, भोपाल की ओर सूचनार्थ।
4. संचालक, किसान कल्याण तथा कृषि विकास विभाग, विन्ध्याचल भवन, भोपाल।
5. संचालक, उद्यानिकी एवं प्रक्षेत्र वानिकी, छठवीं मंजिल, विन्ध्याचल भवन, भोपाल।
6. आयुक्त, रेशम विभाग, प्रथम तल - सतपुड़ा भवन, भोपाल।
7. प्रधान मुख्य वन संरक्षक, मप्र. वन भवन, तुलसी नगर, लिंक रोड नम्बर-2, भोपाल।
8. कलेक्टर (समस्त) की ओर सूचनार्थ।
9. अतिरिक्त पुलिस निदेशक (योजना), पुलिस मुख्यालय, भोपाल।
10. निज सहायक मा. प्रबंध संचालक, मुख्यालय, भोपाल की ओर सूचनार्थ।
11. विभागाध्यक्ष (समस्त), मुख्यालय, भोपाल की ओर सूचनार्थ।
12. कम्प्यूटर कक्ष, मुख्यालय, भोपाल की ओर भेजकर लेख है कि उक्त परिपत्र निगम की वेबसाईट पर अपलोड करना सुनिश्चित करें।
13. मेसर्स रीजेन्ट बैटरी, 897 पी.जी.बी.टी. कॉलेज रोड, अपोजिट डगलस स्कूल, भोपाल।



प्रबंधक (विपणन)

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)

897 PGBT COLLEGE ROAD BHOPAL - 462038

An ISO 9001: 2008 & 14001 : 2004 Certified Company

Mob. 9406533381

E-mail - regentbattery@gmail.com

Page no. 1

Polypropylene Plastic Heat Sealed Factory Charge 12 Volt Regent Brand Batteries as per IS 14257: 1995  
Dealer Price List effected from 19-07-2026 for Year of 2026 - 27

| S.no | Brand / Model | Capacity @ 20 (AH) | Volt & Plates | Warranty In Months Flat + Prorota | List Price | GST @ 18% 9% CGST 9% SGST | Agro Purchase Rate | Agro Margin @ 10% on list Price | GST on Agro Margin @ 18% | Agro Selling Rate | Scrap Rebet for Consumer | GST on SCRAP @ 18% | TOTAL SCRAP RATE |
|------|---------------|--------------------|---------------|-----------------------------------|------------|---------------------------|--------------------|---------------------------------|--------------------------|-------------------|--------------------------|--------------------|------------------|
|      |               |                    |               |                                   | (A)        | (B)                       | (A + B)            | (C)                             | (D)                      | E = [(A+B) C+D]   | (F)                      | (G)                | H = (F+G)        |
| 1    | Silver N 40   | 32                 | 12 V - 7 P    | 12+6                              | 3335.14    | 600.3252                  | 3935.4652          | 333.514                         | 60.03252                 | 4329.01172        | 380                      | 68.4               | 448.4            |
| 2    | Silver NS 40  | 38                 | 12 V - 7 P    | 12+6                              | 3547.32    | 638.5176                  | 4185.8376          | 354.732                         | 63.85176                 | 4604.42136        | 406                      | 73.08              | 479.08           |
| 3    | Silver 450    | 45                 | 12 V - 8 P    | 12+6                              | 3687.4     | 663.732                   | 4351.132           | 368.74                          | 66.3732                  | 4786.2452         | 587                      | 105.66             | 692.66           |
| 4    | Silver 500    | 50                 | 12 V - 9 P    | 12+6                              | 4007.73    | 721.3914                  | 4729.1214          | 400.773                         | 72.13914                 | 5202.03354        | 638                      | 114.84             | 752.84           |
| 5    | Silver 600    | 60                 | 12 V - 9 P    | 12+6                              | 4327.03    | 778.8654                  | 5105.8954          | 432.703                         | 77.88654                 | 5616.48494        | 691                      | 124.38             | 815.38           |
| 6    | Silver 650    | 65                 | 12 V - 10 P   | 12+6                              | 4467.11    | 804.0798                  | 5271.1898          | 446.711                         | 80.40798                 | 5798.30878        | 723                      | 130.14             | 853.14           |
| 7    | Silver 700    | 70                 | 12 V - 11 P   | 12+6                              | 4608.22    | 829.4796                  | 5437.6996          | 460.822                         | 82.94796                 | 5981.46956        | 771                      | 138.78             | 909.78           |
| 8    | Silver 76 Z   | 75                 | 12 V - 11 P   | 12+6                              | 4890.44    | 880.2792                  | 5770.7192          | 489.044                         | 88.02792                 | 6347.79112        | 843                      | 151.74             | 994.74           |
| 9    | Silver 800    | 80                 | 12 V - 12 P   | 12+6                              | 5208.71    | 937.5678                  | 6146.2778          | 520.871                         | 93.75678                 | 6760.90558        | 878                      | 158.04             | 1036.04          |
| 10   | Silver 880    | 88                 | 12 V - 13 P   | 12+6                              | 5526.98    | 994.8564                  | 6521.8364          | 552.698                         | 99.48564                 | 7174.02004        | 955                      | 171.9              | 1126.9           |
| 11   | Silver 1000   | 100                | 12 V - 15 P   | 12+6                              | 6152.19    | 1107.3942                 | 7259.5842          | 615.219                         | 110.73942                | 7985.54262        | 1307                     | 235.26             | 1542.26          |
| 12   | Silver 1200   | 120                | 12 V - 17 P   | 12+6                              | 7901.13    | 1422.2034                 | 9323.3334          | 790.113                         | 142.22034                | 10255.66674       | 1551                     | 279.18             | 1830.18          |
| 13   | Silver 1350   | 130                | 12 V - 19 P   | 12+6                              | 8769.42    | 1578.4956                 | 10347.9156         | 876.942                         | 157.84956                | 11382.70716       | 1700                     | 306                | 2006             |
| 14   | Silver 1500   | 150                | 12 V - 21 P   | 12+6                              | 9960.1     | 1792.818                  | 11752.918          | 996.01                          | 179.2818                 | 12928.2098        | 1795                     | 323.1              | 2118.1           |
| 15   | Silver 1650   | 165                | 12 V - 23 P   | 12+6                              | 10938.6    | 1968.948                  | 12907.548          | 1093.86                         | 196.8948                 | 14198.3028        | 1987                     | 357.66             | 2344.66          |
| 16   | Silver 1800   | 180                | 12 V - 25 P   | 12+6                              | 11943.88   | 2149.8984                 | 14093.7784         | 1194.388                        | 214.98984                | 15503.15624       | 2150                     | 387                | 2537             |
| 17   | Silver 2000   | 200                | 12 V - 27 P   | 12+6                              | 12582.48   | 2264.8464                 | 14847.3264         | 1258.248                        | 226.48464                | 16332.05904       | 2506                     | 451.08             | 2957.08          |

## Terms & Condition

- 1 All Prices Including of GST
- 2 All Prices FOR Destination at MP Agro Dist. Stores
- 3 Scrap Rebet / buy back All make and Brand BATTERIES
- 4 This Price list subject to alteration on basis of Lead Rate
- 5 HSN code of New Battery - 8507, HSN Code of Old Battery - 8548
- 6 Prorota warranty depends on company's policy
- 7 Payment Condition as per MSME Rule



**For REGENT BATTERY**

For Regent Battery

Auth. Sign. (Sardar Var Khanna)

Auth. Sign.

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)  
897 PGBT COLLEGE ROAD BHOPAL - 462038  
An ISO 9001: 2008 & 14001 : 2004 Certified Company

Mob. 9406533381

E-mail - regentbattery@gmail.com

Page no. 2

Polypropylene Plastic Heat Sealed Factory Charge 12 Volt Regent Brand Batteries as per IS 14257: 1995  
Dealer Price List effected from 19-07-2026 for Year of 2026 - 27

| Sno | Brand / Model | Capacity @ 20 (AH) | Volt & Plates | Warranty In Month, Flat + Pro-rate | List Price | GST @ 18%, 9% CGST 9% SGST | Agro Purchase Rate | Agro Margin @ 10% on list Price | GST on Agro Margin @ 18% | Agro Selling Rate | Scrap Rebet for Consumer | GST on SCRAP @ 18% | TOTAL SCRAP RATE |
|-----|---------------|--------------------|---------------|------------------------------------|------------|----------------------------|--------------------|---------------------------------|--------------------------|-------------------|--------------------------|--------------------|------------------|
| 1   | Gold N-40MF   | 32                 | 12 V - 7 P    | 18-12                              | 4315.7     | 776.836                    | 5092.526           | 431.57                          | 77.6826                  | 5601.7786         | 380                      | 68.4               | 448.4            |
| 2   | Gold NS40MF   | 38                 | 12 V - 7 P    | 18-12                              | 4436.21    | 798.5178                   | 5234.7278          | 443.621                         | 79.85178                 | 5758.20058        | 406                      | 73.08              | 479.08           |
| 3   | Gold 450 MF   | 45                 | 12 V - 8 P    | 18-12                              | 5148.97    | 926.8146                   | 6075.7846          | 514.897                         | 92.68146                 | 6683.36306        | 587                      | 105.66             | 692.66           |
| 4   | Gold 500 MF   | 50                 | 12 V - 9 P    | 18-12                              | 5209.74    | 937.7532                   | 6147.4932          | 520.974                         | 93.77532                 | 6762.24252        | 638                      | 114.84             | 752.84           |
| 5   | Gold 600 MF   | 60                 | 12 V - 9 P    | 18-12                              | 5377.63    | 967.9734                   | 6345.6034          | 537.763                         | 96.79734                 | 6980.16374        | 691                      | 124.38             | 815.38           |
| 6   | Gold 650 MF   | 65                 | 12 V - 10 P   | 18-12                              | 5605.26    | 1008.9468                  | 6614.2068          | 560.526                         | 100.89468                | 7275.62748        | 723                      | 130.14             | 853.14           |
| 7   | Gold 700 MF   | 70                 | 12 V - 11 P   | 18-12                              | 5941.04    | 1069.3872                  | 7010.4272          | 594.104                         | 106.93872                | 7711.46992        | 771                      | 138.78             | 909.78           |
| 8   | Gold 70 Z MF  | 75                 | 12 V - 11 P   | 18-12                              | 6207.81    | 1117.4058                  | 7325.2158          | 620.781                         | 111.74058                | 8057.73738        | 843                      | 151.74             | 994.74           |
| 9   | Gold 800 MF   | 80                 | 12 V - 12 P   | 18-12                              | 6519.9     | 1173.582                   | 7693.482           | 651.99                          | 117.3582                 | 8462.8302         | 878                      | 158.04             | 1036.04          |
| 10  | Gold 880 MF   | 88                 | 12 V - 13 P   | 18-12                              | 6987.52    | 1257.7536                  | 8245.2736          | 698.752                         | 125.77536                | 9069.80096        | 955                      | 171.9              | 1126.9           |
| 11  | Gold 1000 MF  | 100                | 12 V - 15 P   | 18-12                              | 8071.08    | 1452.7944                  | 9523.8744          | 807.108                         | 145.27944                | 10476.26184       | 1307                     | 235.26             | 1542.26          |
| 12  | Gold 1200 MF  | 120                | 12 V - 17 P   | 18-12                              | 9963.19    | 1793.3742                  | 11756.5642         | 996.319                         | 179.33742                | 12932.22062       | 1551                     | 279.18             | 1830.18          |
| 13  | Gold 1350 MF  | 135                | 12 V - 19 P   | 18-12                              | 10892.25   | 1960.605                   | 12852.855          | 1089.225                        | 196.0605                 | 14138.1405        | 1700                     | 306                | 2006             |
| 14  | Gold 1500 MF  | 150                | 12 V - 21 P   | 18-12                              | 12495.96   | 2249.2728                  | 14745.2328         | 1249.596                        | 224.92728                | 16219.75608       | 1795                     | 323.1              | 2118.1           |
| 15  | Gold 1650 MF  | 165                | 12 V - 23 P   | 18-12                              | 14121.3    | 2541.834                   | 16663.134          | 1412.13                         | 254.1834                 | 18329.4474        | 1987                     | 357.66             | 2344.66          |
| 16  | Gold 1800 MF  | 180                | 12 V - 25 P   | 18-12                              | 14960.75   | 2692.935                   | 17653.685          | 1496.075                        | 269.2935                 | 19419.0535        | 2150                     | 387                | 2537             |
| 17  | Gold 2000 MF  | 200                | 12 V - 27 P   | 18-12                              | 16498.54   | 2969.7372                  | 19468.2772         | 1649.854                        | 296.97372                | 21415.10492       | 2506                     | 451.08             | 2957.08          |

## Terms & Condition

- 1 All Prices Including of GST
- 2 All Prices FOR Destination at MP Agro Dist. Stores
- 3 Scrap Rebet / buy back All make and Brand BATTERIES
- 4 This Price list subject to alteration on basis of Lead Rate
- 5 HSN Code of New Battery - 8507, HSN Code of Old Battery - 8548
- 6 Prorata warantee depends on company's policy
- 7 Payment Condition as per MSME Rule



FOR REGENT BATTERY

For Regent Battery

Auth. Signatory  
(Sardar Yash Khan)  
Auth. Sign.

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)  
897 PGBT COLLEGE ROAD BHOPAL - 462038  
An ISO 9001: 2008 & 14001 : 2004 Certified Company

Mob. 9406533381

E-mail - regentbattery@gmail.com

Industrial / Inverter / Solar Panel - Heat Sealed Factory Charge (P.P) Regent Brand Batteries as per IS - 13369 : 1992  
Dealer Price List effected from 19-07-2026 for Year of 2026 - 27

| Sno | Brand / Model | Capacity @ 20 (Ah) | Volt & Plates | Warranty In Months Flat + Pro-rata | List Price | GST @ 18% 9% CGST 9% SGST | Agro Purchase Rate | Agro Margin @ 10% on list Price | GST on Agro Margin @ 18% | Agro Selling Rate | Scrap Rebet for Consumer | GST on SCRAP @ 18% | TOTAL SCRAP RATE |
|-----|---------------|--------------------|---------------|------------------------------------|------------|---------------------------|--------------------|---------------------------------|--------------------------|-------------------|--------------------------|--------------------|------------------|
| 1   | REGENT TT 40  | 40                 | TALL TUBULER  | 24+12                              | 5634.1     | 1014.138                  | 6648.238           | 563.41                          | 101.4138                 | 7313.0618         | 406                      | 73.08              | 479.08           |
| 2   | REGENT TT 50  | 50                 | TALL TUBULER  | 24+12                              | 6180       | 1112.4                    | 7292.4             | 618                             | 111.24                   | 8021.64           | 638                      | 114.84             | 752.84           |
| 3   | REGENT TT 65  | 65                 | TALL TUBULER  | 24+12                              | 6664.1     | 1199.538                  | 7863.638           | 666.41                          | 119.9538                 | 8650.0018         | 723                      | 130.14             | 853.14           |
| 4   | REGENT TT 75  | 75                 | TALL TUBULER  | 24+12                              | 8131.85    | 1463.733                  | 9595.583           | 813.185                         | 146.3733                 | 10555.1413        | 843                      | 151.74             | 994.74           |
| 5   | REGENT TT 90  | 90                 | TALL TUBULER  | 24+12                              | 10459.65   | 1882.737                  | 12342.387          | 1045.965                        | 188.2737                 | 13576.6257        | 955                      | 171.9              | 1126.9           |
| 6   | REGENT TT 100 | 100                | TALL TUBULER  | 24+12                              | 11257.9    | 2026.422                  | 13384.322          | 1125.79                         | 202.6422                 | 14612.7542        | 1307                     | 235.26             | 1542.26          |
| 7   | REGENT TT 120 | 120                | TALL TUBULER  | 24+12                              | 12246.7    | 2204.406                  | 14451.106          | 1224.67                         | 220.4406                 | 15896.2166        | 1551                     | 279.18             | 1830.18          |
| 8   | REGENT TT 130 | 130                | TALL TUBULER  | 24+12                              | 13035.68   | 2346.4224                 | 15382.1024         | 1303.568                        | 234.64224                | 16920.31264       | 1700                     | 306                | 2006             |
| 9   | REGENT TT 150 | 150                | TALL TUBULER  | 24+12                              | 13881.31   | 2498.6358                 | 16379.9458         | 1388.131                        | 249.86358                | 18017.94038       | 1795                     | 323.1              | 2118.1           |
| 10  | REGENT TT 165 | 165                | TALL TUBULER  | 24+12                              | 15862      | 2855.16                   | 18717.16           | 1586.2                          | 285.516                  | 20588.876         | 1987                     | 357.66             | 2344.66          |
| 11  | REGENT TT 180 | 180                | TALL TUBULER  | 24+12                              | 18319.58   | 3297.5244                 | 21617.1044         | 1831.958                        | 329.75244                | 23788.81484       | 2150                     | 387                | 2537             |
| 12  | REGENT TT 200 | 200                | TALL TUBULER  | 24+12                              | 20033.5    | 3606.03                   | 23639.53           | 2003.35                         | 360.603                  | 26003.483         | 2506                     | 451.08             | 2957.08          |
| 13  | REGENT FT 40  | 40                 | FLUBLER       | 24+12                              | 5029.49    | 905.3082                  | 5934.7982          | 502.949                         | 90.53082                 | 6528.27802        | 406                      | 73.08              | 479.08           |
| 14  | REGENT FT 50  | 50                 | FLUBLER       | 24+12                              | 5472.39    | 985.0302                  | 6457.4202          | 547.239                         | 98.50302                 | 7103.16222        | 638                      | 114.84             | 752.84           |
| 15  | REGENT FT 65  | 65                 | FLUBLER       | 24+12                              | 5914.26    | 1064.5668                 | 6978.8268          | 591.426                         | 106.45668                | 7676.70948        | 723                      | 130.14             | 853.14           |
| 16  | REGENT FT 75  | 75                 | FLUBLER       | 24+12                              | 6558.01    | 1180.4418                 | 7738.4518          | 655.801                         | 118.04418                | 8512.29698        | 843                      | 151.74             | 994.74           |
| 17  | REGENT FT 90  | 90                 | FLUBLER       | 24+12                              | 8691.14    | 1564.4052                 | 10255.5452         | 869.114                         | 156.44052                | 11281.09972       | 955                      | 171.9              | 1126.9           |
| 18  | REGENT FT 100 | 100                | FLUBLER       | 24+12                              | 9648.01    | 1736.6418                 | 11384.6518         | 964.801                         | 173.66418                | 12523.11698       | 1307                     | 235.26             | 1542.26          |
| 19  | REGENT FT 120 | 120                | FLUBLER       | 24+12                              | 11418.58   | 2055.3444                 | 13473.9244         | 1141.858                        | 205.53444                | 14821.31684       | 1551                     | 279.18             | 1830.18          |
| 20  | REGENT FT 135 | 135                | FLUBLER       | 24+12                              | 11708.01   | 2107.4418                 | 13815.4518         | 1170.801                        | 210.74418                | 15196.99698       | 1700                     | 306                | 2006             |
| 21  | REGENT FT 150 | 150                | FLUBLER       | 24+12                              | 12062.33   | 2171.2194                 | 14233.5494         | 1206.233                        | 217.12194                | 15656.90434       | 1795                     | 323.1              | 2118.1           |
| 22  | REGENT FT 165 | 165                | FLUBLER       | 24+12                              | 15281.08   | 2750.5944                 | 18031.6744         | 1528.108                        | 275.05944                | 19834.84184       | 1987                     | 357.66             | 2344.66          |
| 23  | REGENT FT 180 | 180                | FLUBLER       | 24+12                              | 16890.97   | 3040.3746                 | 19931.3446         | 1689.097                        | 304.03746                | 21924.47906       | 2150                     | 387                | 2537             |
| 24  | REGENT FT 200 | 200                | FLUBLER       | 24+12                              | 18588.41   | 3345.9138                 | 21934.3238         | 1858.841                        | 334.59138                | 24127.75618       | 2506                     | 451.08             | 2957.08          |

## Terms & Condition

- 1 All Prices Including of GST
- 2 All Prices FOR Destination at MP Agro Dist. Stores
- 3 Scrap Rebet / buy back All make and Brand BATTERIES
- 4 This Price list subject to alteration on basis of Lead Rate
- 5 HSN Code of New Battery - 8507, HSN Code of Old Battery - 8548
- 6 Priorata warranty depends on company's policy
- 7 Payment Condition as per MISME Rule



For Regent Battery

**FOR REGENT BATTERY**  
(Sardar Yashwantrao Chavan)

Auth. Sign.

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)  
897 PGRT COLLEGE ROAD BHOPAL - 462038  
An ISO 9001: 2008 & 14001 : 2004 Certified Company

Mob. 9406533381

E-mail - regentbattery@gmail.com

SEALED MAINTENANCE FREE (VRLA) 12 Volt Factory Charge Batteries as per IS - 15549 : 2005 / JISC 8702 / 1998  
Dealer Price List effected from 19-07-2026 for Year of 2026 - 27

| S.no | Brand / Model         | Capacity @ 20 (AH) | Warranty In Months Flat + Proforma | List Price | GST @ 18% 9% CGST 9% | Agro Purchase Rate | Agro Margin @ 10% on list Price | GST on Agro Margin @ 18% | Agro Selling Rate | Scrap Rebet for Consumer | GST on SCRAP @ 18% | TOTAL SCRAP RATE |
|------|-----------------------|--------------------|------------------------------------|------------|----------------------|--------------------|---------------------------------|--------------------------|-------------------|--------------------------|--------------------|------------------|
| 1    | REGENT / HBL OPTI 7   | 7                  | 6-6                                | 695.25     | 125.145              | 820.395            | 69.525                          | 12.5145                  | 902.4345          | 58                       | 10.44              | 68.44            |
| 2    | REGENT / HBL OPTI 12  | 12                 | 12-12                              | 1565.6     | 281.808              | 1847.408           | 156.56                          | 28.1808                  | 2032.1488         | 158                      | 28.44              | 186.44           |
| 3    | REGENT / HBL OPTI 17  | 17 / 18            | 12-12                              | 2090.9     | 376.362              | 2467.262           | 209.09                          | 37.6362                  | 2713.9882         | 208                      | 37.44              | 245.44           |
| 4    | REGENT / HBL OPTI 26  | 26                 | 12-12                              | 2744.95    | 494.091              | 3239.041           | 274.495                         | 49.4091                  | 3562.9451         | 228                      | 41.04              | 269.04           |
| 5    | REGENT / HBL OPTI 28  | 28                 | 12-12                              | 2765.55    | 497.799              | 3263.349           | 276.555                         | 49.7799                  | 3589.6839         | 288                      | 51.84              | 339.84           |
| 6    | REGENT / HBL OPTI 42  | 42                 | 12-12                              | 4315.7     | 776.826              | 5092.526           | 431.57                          | 77.6826                  | 5601.7786         | 448                      | 80.64              | 528.64           |
| 7    | REGENT / HBL OPTI 45  | 45                 | 12-12                              | 4516.55    | 812.979              | 5329.529           | 451.655                         | 81.2979                  | 5862.4819         | 508                      | 91.44              | 539.44           |
| 8    | REGENT / HBL OPTI 65  | 65                 | 12-12                              | 6525.05    | 1174.509             | 7699.559           | 652.505                         | 117.4509                 | 8469.5149         | 658                      | 118.44             | 776.44           |
| 9    | REGENT / HBL OPTI 70  | 70                 | 12-12                              | 6710.45    | 1207.881             | 7918.331           | 671.045                         | 120.7881                 | 8710.1641         | 688                      | 123.84             | 811.84           |
| 10   | REGENT / HBL OPTI 75  | 74 / 75            | 12-12                              | 6839.2     | 1231.056             | 8070.256           | 683.92                          | 123.1056                 | 8877.2816         | 768                      | 138.24             | 906.24           |
| 11   | REGENT / HBL OPTI 100 | 100                | 12-12                              | 9584.15    | 1725.147             | 11309.297          | 958.415                         | 172.5147                 | 12440.2267        | 1008                     | 181.44             | 1189.44          |
| 12   | REGENT / HBL OPTI 110 | 110                | 12-12                              | 9678.91    | 1742.2038            | 11421.1138         | 967.891                         | 174.22038                | 12563.22518       | 1118                     | 201.24             | 1319.24          |
| 13   | REGENT / HBL OPTI 120 | 120                | 12-12                              | 10485.4    | 1887.372             | 12372.772          | 1048.54                         | 188.7372                 | 13610.0492        | 1218                     | 219.24             | 1437.24          |
| 14   | REGENT / HBL OPTI 150 | 150                | 12-12                              | 11417.55   | 2055.159             | 13472.709          | 1141.755                        | 205.5159                 | 14819.9799        | 1418                     | 255.24             | 1673.24          |
| 15   | REGENT / HBL OPTI 160 | 160                | 12-12                              | 12813.2    | 2306.376             | 15119.576          | 1281.32                         | 230.6376                 | 16631.5336        | 1518                     | 273.24             | 1791.24          |
| 16   | REGENT / HBL OPTI 200 | 200                | 12-12                              | 15290.35   | 2752.263             | 18042.613          | 1529.035                        | 275.2263                 | 19846.8743        | 1956                     | 352.08             | 2308.08          |
| 17   | REGENT / HBL OPTI 225 | 225                | 12-12                              | 16583      | 2984.94              | 19567.94           | 1658.3                          | 298.494                  | 21524.734         | 2090                     | 376.2              | 2466.2           |

## Terms & Condition

- 1 All Prices Including of GST
- 2 All Prices FOR Destination at MP Agro Dist. Stores
- 3 Scrap Rebet / buy back All make and Brand BATTERIES
- 4 This Price list subject to alteration on basis of Lead Rate
- 5 HSN code of New Battery - 8507, HSN Code of Old Battery - 8548
- 6 Prorata warrantee depends on company's policy
- 7 Payment Condition as per MSME Rule



**REGENT BATTERY**  
For Regent Battery

Auth. Signatory  
(Sardar Yash Khan)

Auth. Sign

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)

897 PGBT COLLEGE ROAD BHOPAL - 462038

An ISO 9001: 2008 & 14001 : 2004 Certified Company

Mob. 9406533361

E-mail - regentbattery@gmail.com

Page no. 5

Polypropylene Plastic Heat Sealed Factory Charge (P.P) 12 Volt Regent Brand DIN Series Batteries as per IS 14257: 1995

Dealer Price List effected from 19-07-2026 for Year of 2026 - 27

| Sero               | Brand / Model | Capacity @ 20 (A/H) | Volt & Plates | Warranty In Months Flat - Proforma | List Price | GST @ 18% 9% CGST 9% | Agro Purchase Rate | Agro Margin @ 10% on List Price | GST on Agro Margin @ 18% | Agro Selling Rate | Scrap Rebet for Consumer | GST on SCRAP @ 18% | TOTAL SCRAP RATE |
|--------------------|---------------|---------------------|---------------|------------------------------------|------------|----------------------|--------------------|---------------------------------|--------------------------|-------------------|--------------------------|--------------------|------------------|
|                    |               |                     |               |                                    | (A)        | (B)                  | (A+B)              | (C)                             | (D)                      | E = (A+B) + (D)   | (F)                      | (G)                | H = (F+G)        |
| 1                  | DIN 44 / 45   | 44 / 45             | 12 V - 8 P    | 18-12                              | 5309.65    | 955.737              | 6265.387           | 530.965                         | 95.5737                  | 6891.9257         | 587                      | 105.66             | 692.66           |
| 2                  | DIN 50        | 50                  | 12 V - 9 P    | 18-12                              | 6182.06    | 1112.7708            | 7294.8308          | 618.206                         | 111.27708                | 8024.31388        | 638                      | 114.84             | 752.84           |
| 3                  | DIN 55        | 55                  | 12 V - 9 P    | 18-12                              | 6678.52    | 1202.1336            | 7880.6536          | 667.852                         | 120.21336                | 8668.71896        | 691                      | 124.38             | 815.38           |
| 4                  | DIN 60        | 60                  | 12 V - 9 P    | 18-12                              | 7344.93    | 1322.0874            | 8667.0174          | 734.493                         | 132.20874                | 9533.71914        | 723                      | 130.14             | 853.14           |
| 5                  | DIN 65        | 66                  | 12 V - 10 P   | 18-12                              | 7667.32    | 1380.1176            | 9047.4376          | 766.732                         | 138.01176                | 9952.18136        | 587                      | 105.66             | 692.66           |
| 6                  | DIN 72        | 72                  | 12 V - 11 P   | 18-12                              | 8914.65    | 1604.637             | 10519.287          | 891.465                         | 160.4637                 | 11571.2157        | 843                      | 151.74             | 994.74           |
| 7                  | DIN 80 D 31 R | 80                  | 12 V - 12 P   | 18-12                              | 10761.44   | 1937.0592            | 12698.492          | 1076.144                        | 193.70592                | 13968.34912       | 878                      | 158.04             | 1036.04          |
| 8                  | DIN 100       | 100                 | 12 V - 15 P   | 18-12                              | 13024.35   | 2344.383             | 15368.733          | 1302.435                        | 234.4383                 | 16905.6063        | 1307                     | 235.26             | 1542.26          |
| E RICKSHAW BATTERY |               |                     |               |                                    |            |                      |                    |                                 |                          |                   |                          |                    |                  |
| 1                  | E-RIC 75      | 75                  | 12 Volt       | 12+6                               | 7457.2     | 1342.296             | 8799.496           | 745.72                          | 134.2296                 | 9679.4456         | 749                      | 134.82             | 883.82           |
| 2                  | E-RIC 90      | 90                  | 12 Volt       | 12+6                               | 9991       | 1798.38              | 11789.38           | 999.1                           | 179.838                  | 12968.318         | 955                      | 171.9              | 1126.9           |
| 3                  | E-RIC 120     | 120                 | 12 Volt       | 12+6                               | 11412.4    | 2054.232             | 13466.632          | 1141.24                         | 205.4232                 | 14813.2952        | 1106                     | 199.08             | 1305.08          |
| 4                  | E-RIC 150     | 150                 | 12 Volt       | 12+6                               | 12396.05   | 2231.289             | 14627.319          | 1239.605                        | 223.1289                 | 16090.6729        | 1331                     | 239.58             | 1570.58          |

## Terms & Condition

1. All Prices Including of GST
2. All Prices FOR Destination at ATP Agro Dist. Stores
3. Scrap Rebet / buy back All make and Brand BATTERIES
4. This Price list subject to alteration on basis of Lead Rate
5. HSN code of New Battery - 8507, HSN Code of Old Battery - 8548
6. Private warranty depends on company's policy
7. Payment Condition as per MSME Rule

## Detail of Regent Battery

Address : 897 P.G.B.T. College Road Bhopal  
GSTIN : 23ADUPR2323B1ZN PAN : ADUPR2323B

Bank Detail : Punjab National Bank  
Branch : Chuna Bharti Bhopal  
A/c no. 6476008700000134  
IFS Code PUNB0647600

## Detail of Sole Distributor

Firm Name : VINDHYA TRADING CORPORATION  
Address : 898 Opp. Greenfall Girls College, Brasia Road Bhopal  
GSTIN : 23 BEAPK3111H128 PAN : BEAPK3111H

## Bank Detail :

Bank : Central Bank of India  
Branch : Parbazar Bhopal  
A/c no. 3040805994  
IFS Code CBIN0283068  
E-mail : vtrbdl@gmail.com  
Contact Person : Musavvir Khan  
Contact no. 8989440962



For Regent Battery

Auth. Signatory  
(Sardar Var Khad)

Auth. Sign

# REGENT BATTERY

(A UNIT OF MICRO SMALL & MEDIUM ENTERPRISES)  
897 PGBT COLLEGE ROAD BHOPAL - 462038  
An ISO 9001: 2008 & 14001 : 2004 Certified Company


Mob. 9406533381

E-mail - regentbattery@gmail.com

Page no. 6

| AH             | Dimensions in MM |       |        | 12 Volt Automobile Batteries Applications                                                                                                                                                                             |
|----------------|------------------|-------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | Length           | Width | Height |                                                                                                                                                                                                                       |
| 32 Ah          | 196              | 128   | 227    | Maruti 800 non AC/ Baleno/ Alto/ Versa/ 1000/ Esteem (AX-LX-VX)                                                                                                                                                       |
| 40 Z           | 196              | 128   | 227    | AC Maruti 800/WagonR/ Baleno/ Alto/ Versa/ 1000 / / H.City (P)/Civic/ Accord (New) / Daewoo Matiz / Mitsubishi. Lancer(P) / Hyd. Santro/ Innova (P)/Gypsy King                                                        |
| 50 Ah to 55 Ah | 242              | 175   | 190    | Ambassador(P) / Fiat Uno / Honda Accord (Old) / Hyundai Accent (P) / Premier Padmani / Tata Indica(D) & (P) / Toyota Corolla / Bolero / Indigo                                                                        |
| 60 Ah to 70 Ah | 275              | 175   | 190    | Mahindra Jeep(P) / Arunada / Trax / Scorpio / Eicher / HMT Int / Bajaj Tempo                                                                                                                                          |
| 75 Ah          | 302              | 171   | 220    | Mahindra Jeep(P) / Arunada / Trax / Scorpio / Eicher / HMT Int / Bajaj Tempo / Tata Sumo / Safari / Sierra / Toyota Qualis / Escort 330-335-345-355 / Massey Ferguson / MF 1035 / Swaraj 720-724-735-855 / Tafe Eagle |
| 80 Ah          | 302              | 171   | 220    | Tactors / Mahindra & Mahindra Pickup etc.                                                                                                                                                                             |
| 88 Ah          | 410              | 173   | 233    | Eicher Tractor / Escort 330-335-345-355 / Hind Tractor / HMT Zetor 5911-3511 / Mitsubishi Tractor / Swaraj 720-724-735-835-855 / Standard Tractor / Mahindra & Mahindra (new) / Tipper                                |
| 100 Ah         | 410              | 173   | 233    | HMT Zetor 5911-3511 / Swaraj 835, DCM Toyota, Dyna, Tata 407 all tractors                                                                                                                                             |
| 120 Ah         | 510              | 183   | 230    | TATA 407, 709, 803 / 4 cylinder Tractor / Tractors / Kirlosker Genset 15-30 KVA, 30-75 KVA                                                                                                                            |
| 135 Ah         | 511              | 212   | 235    | Light Passenger Service Vehicle / Light Transport Vehicle / UPS & Inverters                                                                                                                                           |
| 150 Ah         | 511              | 212   | 235    | Ashok Leyland - Hippo, Beaver, Tuskier/ TATA 709, 807, 1613 TC/ Scouts JCE/ Heavy Passenger Service Vehicle / Crain / Comins Gensets/ UPS & Inverters                                                                 |
| 165 Ah         | 517              | 273   | 240    | Heavy Transport Vehicle                                                                                                                                                                                               |
| 180 Ah         | 517              | 273   | 260    | Cranes/ Earth Movers / Bus/ Generators / TATA - 1516, 1210, 1612, 1613 & other Heavy Transport Vehicle                                                                                                                |
| 200 Ah         | 500              | 187   | 430    | Heavy Transport Vehicle Special                                                                                                                                                                                       |
| DIN 44         | 196              | 128   | 227    | Ford Icon / Fiesta (P) / Fusion (P) / Ford Endavor / Indica XETA / VISTA                                                                                                                                              |
| DIN 55         | 242              | 175   | 190    | Cielo / NEXIO / Opel Astra / Corsa / Swing                                                                                                                                                                            |
| DIN 60         | 275              | 175   | 190    | Cielo / NEXIO / Opel Astra / Corsa / Swing                                                                                                                                                                            |
| DIN 66         | 275              | 175   | 190    | Swift / Scala                                                                                                                                                                                                         |
| DIN 74         | 302              | 171   | 220    | Swift (D) / Opel / Astra / Coarsa / Swing (D)                                                                                                                                                                         |
| DIN 80 D 31 R  | 302              | 171   | 220    | Xenon / Sumo - Grand / SPACIO / Tempo Terex / Pajero GL                                                                                                                                                               |
| DIN 100        | 410              | 173   | 233    | Mercedes                                                                                                                                                                                                              |

10 mm = 1 cm  
25 mm = 1 inch



For Regent Battery

FOR REGENT BATTERY

Auth. Signature  
(Sardar Var Kumar)