



M.P. STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LTD.
PANCHANAN, 3RD FLOOR, MALVIYA NAGAR, BHOPAL-462003
☎- 0755- 2551652, 2551756 Fax - 0755 2557305 email - mpagrohbpl@gmail.com
website : www.mpstateagro.nic.in - CIN No. U01119MP1969SGC001055

मुख्या / विपणन / CHAINLINK-FANCING / 2025-26 / 4051

दिनांक : 02.03.2026

प्रति,

जिला प्रबंधक (समस्त),
क्षेत्रीय प्रबंधक (समस्त),

विषय : SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES की दरों के प्रसारण के संबंध में।

संदर्भ : मुख्यालय द्वारा जारी रेट कान्ट्रैक्ट ऑफर दिनांक 12.01.2026

निगम के माध्यम से वर्ष 2025-26 के लिए उद्यानिकी विभाग की योजनाओं के लिए SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु निम्न प्रदायकों से अनुबंध निष्पादित किया गया है, अनुबंधित प्रदायकों एवं निगम की क्रय-विक्रय दरें FOR DESTINATION (कार्य स्थल तक पहुंचाकर) लोडिंग, अनलोडिंग एवं स्थापना कार्य सहित निम्नानुसार रहेंगी :-

क्र0	प्रदायक / निर्माता कम्पनी का नाम एवं पता
01	M/S NEW MALWA AGRO & FABRICATION - 21, SEMI URBAN INDUSTRIAL AREA DHAR - 454001(M.P.) PHONE : 07292 - 222230


SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH ANGLE IRON POLES

UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SELLING PRICE
01 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	805	145	950	805	40	152	997

नोट : चैनलिंग फेन्सिंग की उपरोक्त दरें प्रति रनिंग मीटर है।

सामग्री के प्रदाय एवं स्थापना से संबंधित अन्य नियम एवं शर्तें निम्नानुसार रहेंगी :-

1. **चैनलिंग के स्पेसिफिकेशन :** FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Chain Link of required width 1.80 mtr. & Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 + 0.45 mtr. Bend Angle Iron pole 50mm x 50mm x 5 mm). स्ट्रेट एंगल आयरन पोल से स्ट्रेट एंगल आयरन पोल की दूरी 2.50 मीटर एवं 01 सपोर्ट पोल प्रत्येक 6 स्ट्रेट एंगल आयरन पोल पर, तीन बारबेड वायर 0.45 मीटर बेण्ड पर। (As per drawing & RCO Specifications)




2. **दरों की प्रभावशीलता** : उपरोक्त कय-विकय एवं स्थापना कार्य सहित दरें समस्त कर (जी.एस. टी, ड्यूटी, अन्य व्यय), परिवहन/निरीक्षण शुल्क, सहित एफ.ओ.आर. डेस्टीनेशन (विकासखण्ड स्तर तक) पहुंचाकर, इस पत्र प्रसारण की दिनांक से आगामी 03 माह तक लागू रहेंगी। जिला प्रबंधक का दायित्व होगा कि वे निगम की विकय दरों से उद्यानिकी विभाग के जिला स्तरीय अधिकारियों को अवगत करावें एवं निगम के पक्ष में आदेश प्राप्त करें।
3. **शासकीय अनुदान** : परिपत्र में दर्शाये गये प्रदाय एवं स्थापना कार्य पर शासकीय अनुदान संबंधित विभाग की योजनाओं के दिशा-निर्देशों के अनुसार देय होगा। अनुदान संबंधी निर्णय संबंधित विभाग का है, इसमें निगम की कोई भूमिका नहीं रहेगी।
4. **आदेश की प्रक्रिया** : जिला प्रबंधक प्रदायक/निर्माता कम्पनी की अनुशंसा के साथ प्राप्त मांग को निगम के क्षेत्रीय प्रबंधक को अग्रेषित करेंगे एवं क्षेत्रीय प्रबंधक द्वारा विभाग से राशि प्राप्ति की सुनिश्चितता करते हुए संबंधित प्रदायक/निर्माता कम्पनी के पक्ष में "ऑन-लाईन" रेट कांट्रैक्ट ऑफर डाक्यूमेंट की शर्तानुसार, कार्यादेश जारी करेंगे।
 - (अ) कार्यादेश में सामग्री का विवरण, प्रदाय दर, प्रदाय शर्तें, प्रदाय स्थल की जानकारी एवं निगम के GSTN नम्बर आदि का स्पष्ट उल्लेख किया जावे।
 - (ब) कार्यादेश में प्रदायगी की समयसीमा का उल्लेख किया जावे। जिला प्रबंधक यह सुनिश्चित करेंगे कि प्रदायक द्वारा आदेशित सामग्री का प्रदाय सही हालत एवं समयसीमा में किया जावे। विलम्ब की स्थिति में प्राप्तकर्ता विभाग की सहमति प्राप्त होने के उपरांत ही प्रदायगी स्वीकार की जावे।
 - (स) निगम द्वारा आदेश जारी करने के पूर्व यह अवश्य ध्यान रखा जावे कि विभागों/जिला प्रबंधकों द्वारा जो मांग दी जा रही है वह निश्चित व्यवसाय के विरुद्ध है एवं प्रदायगी उपरांत कोई भी स्टॉक शेष न रहे।
4. **सामग्री की प्रदायगी एवं स्थापना कार्य** – सामग्री की प्रदायगी क्षेत्रीय कार्यालयों द्वारा लिखित कार्यादेश जारी करने के उपरांत प्रदायक/निर्माता कम्पनी द्वारा, कार्यादेश में दिये गये निर्देशों के अनुरूप की जावे।
 - (अ) आदेशित सामग्री का प्रदाय क्रेता विभाग को करते समय प्रदाय एवं स्थापित की जा रही सामग्री का भौतिक निरीक्षण, निगम के जिला प्रबंधक एवं संबंधित विभाग के सक्षम अधिकारी द्वारा किया जावेगा। तदोपरांत पावती एवं संतुष्टि प्रमाण पत्र संयुक्त हस्ताक्षर से जारी किये जावेंगे।
 - (ब) प्रदायक/निर्माता कम्पनी द्वारा आदेशित सामग्री के प्रदाय एवं स्थापना के उपरांत देयक तीन प्रतियों में भुगतान हेतु मुख्यालय / जिला कार्यालयों को प्रस्तुत किया जावेगा।
 - (स) प्रदायक द्वारा देयक पर निगम का GST NO. 23AACCM0330Q1ZM का उल्लेख किया जाना आवश्यक है। देयक में CGST एवं SGST की राशि का भी उल्लेख किया जावेगा। प्रदायक का उत्तरदायित्व है कि GST का भुगतान नियमानुसार समय से किया जावे व मासिक रिटर्न GSTR-1 में दर्शाया जावे। किसी प्रकार की विसंगति के कारण निगम को कोई हानि होती है तो तदानुसार हानि की राशि की कटौती प्रदायक/निर्माता कम्पनी के देयक से आरसीओ की शर्तों के अनुसार की जावेगी।



5. **सामग्री की गुणवत्ता** – निगम के माध्यम से विभाग/कृषकों के स्थल पर प्रदाय एवं स्थापित की जाने वाली सामग्री की गुणवत्ता के लिए प्रदायक/निर्माता कम्पनी पूर्ण रूप से उत्तरदायी होंगे। निर्माता द्वारा जो सामग्री प्रदाय एवं स्थापित की जावेगी वह निगम द्वारा जारी आर.सी.ओ. में दिये गये स्पेसिफिकेशन, मापदण्ड अनुसार रहेगी। गुणवत्ता के संबंध में किसी भी स्तर पर शिकायत प्राप्त होने पर इसकी सूचना जिला प्रबंधक संबंधित प्रदायक को देते हुए शिकायत का निराकरण करायेंगे एवं की गयी कार्यवाही से क्षेत्रीय प्रबंधक को अवगत करायेंगे। यदि समय सीमा में शिकायत का निराकरण संबंधित प्रदायक/निर्माता कम्पनी द्वारा नहीं किया जाता है तो प्रदाय सामग्री में से विधिवत सैम्पल का परीक्षण किसी मान्यता प्राप्त शासकीय संस्था को गुणवत्ता की जांच के लिए भिजवाया जावे एवं क्षेत्रीय कार्यालय एवं निगम मुख्यालय को सूचित किया जावे, सामग्री की गुणवत्ता उचित मापदण्ड अनुसार नहीं होने पर संबंधित प्रदायक/निर्माता कम्पनी के विरुद्ध अनुबंध एवं आर.सी.ओ. की शर्तों अनुसार कार्यवाही की जा सके। निरीक्षण की फीस प्रदायक को वहन करनी होगी।
6. **भुगतान** – प्रदायक के देयक का भुगतान आदेशानुसार कार्य पूर्ण होने के उपरांत संबंधित विभाग/केता से विधिवत पावती, संतुष्टि प्रमाण पत्र, निगम को पूर्ण राशि (कृषक अंश/अनुदान राशि) प्राप्त होने पर "भुगतान पश्चात् भुगतान" की शर्त पर निगम के संबंधित जिला प्रबंधक द्वारा किया जावेगा।
7. **वारण्टी** : आर.सी.ओ. की कंडिका क्रमांक 14 अनुसार प्रदाय किये जाने वाले SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES में मेन्युफेक्चरिंग डिफेक्ट पर स्थापना दिनांक से 1 वर्ष की वारण्टी अवधि रहेगी, का उल्लेख आदेश में आवश्यक रूप से किया जावे।
8. **अधिरोपित शास्ति** : In case the supplier does not produce the ordered material within the specified time limit penalty will be imposed as under :-

No.	WEEKS	Rate of penalty imposed
1	1 st to 2 nd week	0.25% per week
2	3 rd to 4th week	0.50% per week
3	in Case the supplier refuse to supply the ordered material	Cancelling the supply order and termination of Agreement and Black listing for 1-5 years.

9. **प्राइज़ फार क्लॉस** – निगम के माध्यम से प्रसारित की जा रही विक्रय दरें किसी अन्य शासकीय संस्था/उपक्रम अथवा बाजार में कम्पनी की विक्रय दरों के समतुल्य है। यदि भविष्य में बाजार अथवा अन्य संस्था में विक्रय दरों का कम होना निगम के संज्ञान में आता है तो प्रदायकर्ता द्वारा निगम के साथ किये गये अनुबंध दिनांक से उक्त स्थिति के प्रमाणित होने तक प्रदाय की गयी समस्त सामग्री पर वही दर लागू मानते हुए अंतर की राशि की वसूली प्रदायक के लंबित देयकों से की जावेगी। साथ ही निगम प्रदायक के अनुबंध को निरस्त करने हेतु निगम स्वतंत्र रहेगा, जिसके लिए प्रदायक स्वयं उत्तरदायी रहेगा।
10. **दरों की एक मात्र मान्यता** : अनुमोदित दरें केवल निगम के माध्यम से प्रदायगी हेतु हैं, किसी अन्य विभाग द्वारा इन दरों पर व्यवसाय करने की स्थिति में निगम किसी भी प्रकार से उत्तरदायी नहीं होगा।



11. उपरोक्त के अतिरिक्त अन्य शर्तें मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. दिनांक 12.01.2026 के अनुसार रहेंगी।

संलग्न : उपरोक्तानुसार (ड्राईंग)

प्रबंध संचालक द्वारा अनुमोदित.


प्रबंधक (विपणन)

प्रतिलिपि :-

4052
02-3-26


1. निज सचिव, आयुक्त, उद्यानिकी एवं खाद्य प्रसंस्करण, विन्ध्याचल भवन, भोपाल।
2. निज सचिव, संचालक, किसान कल्याण तथा कृषि विकास विभाग, बल्लभ भवन, भोपाल।
3. निज सचिव, संचालक, कृषि अभियांत्रिकी, आफिस कम्पलेक्स, बी-ब्लॉक, गौतम नगर, भोपाल।
4. निज सचिव, संचालक, रेशम विभाग, लोअर बेसमेंट, सतपुड़ा, भवन, भोपाल।
5. निज सचिव, मा. प्रबंध संचालक, मुख्यालय, भोपाल की ओर सूचनार्थ।
6. महा प्रबंधक (लेखा), मुख्यालय, भोपाल की ओर सूचनार्थ।
7. संबंधित प्रदायक **M/S NEW MALWA AGRO & FABRICATION** - 21, SEMI URBAN INDUSTRIAL AREA DHAR - 454001(M.P.) की ओर सूचनार्थ भेजकर लेख है कि सामग्री की प्रदायगी मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. में दिये गये तकनीकी मापदण्डों के अनुरूप सुनिश्चित की जावे।




प्रबंधक (विपणन)



CHAIN LINK FENCING



NOTE: ONE SUPPORT ANGLE IRON POLE AT EVERY SIXTH POLE (1.50x50x5mm) OF LENGTH 1.72 m

BY M. P. S. Agrawal
 M.P. Side Agro
 MANAGER (MKT)

M. P. S. Agrawal
 M.P. Side Agro
 MANAGER (MKT)



M.P. STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LTD.
PANCHANAN, 3RD FLOOR, MALVIYA NAGAR, BHOPAL-462003
☎- 0755- 2551652, 2551756 Fax - 0755 2557305 email - mpagrohbpl@gmail.com
website : www.mpstateagro.nic.in - CIN No. U01119MP1969SGC001055

मुख्या / विपणन / CHAINLINK-FANCING / 2025-26 / 4119

दिनांक : 12.03.2026

प्रति,


जिला प्रबंधक (समस्त),
क्षेत्रीय प्रबंधक (समस्त),

विषय : SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES की दरों के प्रसारण के संबंध में।


संदर्भ : मुख्यालय द्वारा जारी रेट कान्ट्रैक्ट ऑफर दिनांक 12.01.2026

निगम के माध्यम से वर्ष 2025-26 के लिए SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु निम्न प्रदायकों से अनुबंध निष्पादित किया गया है, अनुबंधित प्रदायकों एवं निगम की कय-विक्रय दरें FOR DESTINATION (प्रदाय स्थल तक पहुंचाकर) लोडिंग एवं अनलोडिंग सहित निम्नानुसार रहेंगी :-


क्र०	प्रदायक / निर्माता कम्पनी का नाम एवं पता	PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SELLING PRICE
01	M/S ASHRA RETAIL PVT. LTD. INFRONT RADIO COLONY, COLLEG CHOWK, REWA MR. SANTOSH DEBEY - 9977695777							
SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES								
RATES OF 3 MM. THICK (10 GAUGE) 50 x 50 mm. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)							
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing)	907	163	1070	907	45	171	1124
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	966	174	1140	966	48	183	1197
4	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - 1 R.C.C. pole and 3 rows of Barbed wire as per Drawing)	1017	183	1200	1017	51	192	1260



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	COPPO -RATION MARGIN	GST @ 18%	FINAL SELLING PRICE
5	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50 x 50 MM SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing	1169	211	1380	1169	58	221	1449
RATES OF 3 MM THICK (10 GAUGE) 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
6	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75 MM SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	NOT APPROVED						
7	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	NOT APPROVED						
8	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing	NOT APPROVED						
9	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75 x 75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing	932	168	1100	932	47	176	1155
10	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75 x 75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing	NOT APPROVED						
RATES OF GALVANIZED STEEL 3 MM. (10 GAUGE) THICK & 100 x 100 MM. SPECING CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
11	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	712	128	840	712	36	135	882
12	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	731	131	862	731	37	138	905



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
13	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing	746	134	880	746	37	141	924
14	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing	763	137	900	763	38	144	945
15	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing	915	165	1080	915	46	173	1134
RATES OF 3 MM. THICK 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH RCC POLE								
16	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50x50 MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. Size 50X50mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	1246	224	1470	1246	62	235	1544
17	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 50 x 50 MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	1305	235	1540	1305	65	247	1617
18	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1364	246	1610	1364	68	258	1691
19	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50MM SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	1466	264	1730	1466	73	277	1817
20	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 50X50mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1585	285	1870	1585	79	300	1964




UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST@ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST@ 18%	FINAL SELLING PRICE
RATES OF 3 MM. THICK & 75 x 75 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
21	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. (Size 75X75mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	1178	212	1390	1178	59	223	1460
22	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 75x75MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 75X75mm., Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	NOT APPROVED						
23	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 75X75mm., Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1263	227	1490	1263	63	239	1565
24	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75X75mm., Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	1322	238	1560	1322	66	250	1638
25	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 75X75mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1449	261	1710	1449	72	274	1796
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
26	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 mm SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. size 100X100mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	NOT APPROVED						
27	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 100x100MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 100X100mm., Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	1144	206	1350	1144	57	216	1418




UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
28 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 100X100mm., Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1178	212	1390	1178	59	223	1460
29 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 100X100mm., Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	NOT APPROVED						
30 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 100X100mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1322	238	1560	1322	66	250	1638
FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE							
31 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)	831	149	980	831	42	157	1029
32 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing)	856	154	1010	856	43	162	1061
33 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing)	898	162	1060	898	45	170	1113
34 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	949	171	1120	949	47	179	1176
35 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)	1136	204	1340	1136	57	215	1407



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SALLING PRICE
FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE							
36	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)			NOT APPROVED			
37	814	146	960	814	41	154	1008
38	847	153	1000	847	42	160	1050
39	890	160	1050	890	44	168	1103
40	1042	188	1230	1042	52	197	1292
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE RCC POLE							
41	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)			NOT APPROVED			
42	754	136	890	754	38	143	935
43	797	143	940	797	40	151	987



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SALLING PRICE
44	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE . (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	ALREADY APPROVED						
45	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE . (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)	1008	182	1190	1008	50	191	1250
FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
46	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle iron Pole as per Drawing)	1263	227	1490	1263	63	239	1565
47	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as per Drawing)	1326	239	1565	1326	66	251	1643
48	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as per Drawing)	1398	252	1650	1398	70	264	1733
49	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing)	1458	262	1720	1458	73	275	1806
50	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)	1636	294	1930	1636	82	309	2027
FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
51	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle iron Pole as per Drawing)	NOT APPROVED						



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE				
	BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SALLING PRICE	
52	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as per Drawing)	1263	227	1490	1263	63	239	1565
53	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as per Drawing)	1297	233	1530	1297	65	245	1607
54	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing)	1352	243	1595	1352	68	255	1675
55	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)	1475	265	1740	1475	74	279	1827
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
56	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle iron Pole as per Drawing)	NOT APPROVED						
57	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE . (Size 100X100 mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as per Drawing)	1195	215	1410	1195	60	226	1481
58	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as per Drawing)	1229	221	1450	1229	61	232	1523
59	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing)	1270	229	1499	1270	64	240	1574



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SALLING PRICE
60	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)	1383	249	1632	1383	69	261	1714

नोट : चैनलिक फेन्सिंग की उपरोक्त दरें प्रति रनिंग मीटर है।

सामग्री के प्रदाय से संबंधित अन्य नियम एवं शर्तें निम्नानुसार रहेंगी :-

- चैनलिक के स्पेसिफिकेशन :** चैनलिक फेन्सिंग के स्पेसिफिकेशन उपरोक्त दर प्रसारण अनुसार ही रहेंगे।
- दरों की प्रभावशीलता :** उपरोक्त कय एवं विकय दरें समस्त कर (जी.एस.टी, ड्यूटी, अन्य व्यय), परिवहन/निरीक्षण शुल्क, सहित एफ.ओ.आर. डेस्टीनेशन (विकासखण्ड स्तर तक) पहुंचाकर, इस पत्र प्रसारण की दिनांक से आगामी 03 माह तक लागू रहेंगी। जिला प्रबंधक का दायित्व होगा कि वे निगम की विकय दरों से उद्यानिकी विभाग के जिला स्तरीय अधिकारियों को अवगत करावें एवं निगम के पक्ष में आदेश प्राप्त करें।
- शासकीय अनुदान :** परिपत्र में दर्शाई गयी सामग्रियों पर शासकीय अनुदान संबंधित विभाग की योजनाओं के दिशा-निर्देशों के अनुसार देय होगा। अनुदान संबंधी निर्णय संबंधित विभाग का है, इसमें निगम की कोई भूमिका नहीं रहेगी।
- आदेश की प्रक्रिया :** जिला प्रबंधक प्रदायक/निर्माता कम्पनी की अनुशंसा के साथ प्राप्त मांग को निगम के क्षेत्रीय प्रबंधक को अग्रेषित करेंगे एवं क्षेत्रीय प्रबंधक द्वारा विभाग से राशि प्राप्ति की सुनिश्चितता करते हुए संबंधित प्रदायक/निर्माता कम्पनी के पक्ष में "ऑन-लाईन" रेट कांट्रैक्ट ऑफर डाक्यूमेंट की शर्तानुसार, प्रदाय आदेश जारी करेंगे। मुख्यालय स्तर पर सीधे मांग प्राप्त होने की स्थिति में आदेश मुख्यालय द्वारा प्रसारित किये जावेंगे।
 - प्रदाय आदेश में सामग्री का विवरण, प्रदाय दर, प्रदाय शर्तें, प्रदाय स्थल की जानकारी एवं निगम के GSTN नम्बर आदि का स्पष्ट उल्लेख किया जावे।
 - प्रदाय आदेश में प्रदायगी की समयसीमा का उल्लेख किया जावे। जिला प्रबंधक यह सुनिश्चित करेंगे कि प्रदायक द्वारा आदेशित सामग्री का प्रदाय सही हालत एवं समयसीमा में किया जावे। विलम्ब की स्थिति में प्राप्तकर्ता विभाग की सहमति प्राप्त होने के उपरांत ही प्रदायगी स्वीकार की जावे।
 - निगम द्वारा आदेश जारी करने के पूर्व यह अवश्य ध्यान रखा जावे कि विभागों/जिला प्रबंधकों द्वारा जो मांग दी जा रही है वह निश्चित व्यवसाय के विरुद्ध है एवं प्रदायगी उपरांत कोई भी स्टॉक शेष न रहे।
- सामग्री की प्रदायगी -** सामग्री की प्रदायगी मुख्यालय/क्षेत्रीय कार्यालयों द्वारा लिखित प्रदाय आदेश जारी करने के उपरांत प्रदायक/निर्माता कम्पनी द्वारा, प्रदाय आदेश में दिये गये निर्देशों के अनुरूप की जावे।
 - आदेशित सामग्री का प्रदाय क्रेता विभाग को करते समय प्रदाय की जा रही सामग्री का भौतिक निरीक्षण, निगम के जिला प्रबंधक एवं संबंधित विभाग के सक्षम अधिकारी द्वारा किया जावेगा। तदोपरांत पावती एवं संतुष्टि प्रमाण पत्र संयुक्त हस्ताक्षर से जारी किये जावेंगे।



- (ब) प्रदायक/निर्माता कम्पनी द्वारा आदेशित सामग्री के प्रदाय के उपरांत देयक तीन प्रतियों में भुगतान हेतु मुख्यालय / जिला कार्यालयों को प्रस्तुत किया जावेगा।
- (स) प्रदायक द्वारा देयक पर निगम का GST NO. 23AACCM0330Q1ZM का उल्लेख किया जाना आवश्यक है। देयक में CGST एवं SGST की राशि का भी उल्लेख किया जावेगा। प्रदायक का उत्तरदायित्व है कि GST का भुगतान नियमानुसार समय से किया जावे व मासिक रिटर्न GSTR-1 में दर्शाया जावे। किसी प्रकार की विसंगति के कारण निगम को कोई हानि होती है तो तदानुसार हानि की राशि की कटौती प्रदायक/निर्माता कम्पनी के देयक से की जावेगी।

5. **सामग्री की गुणवत्ता** – निगम के माध्यम से विभाग/कृषकों को प्रदाय की जाने वाली सामग्री की गुणवत्ता के लिए प्रदायक/निर्माता कम्पनी पूर्ण रूप से उत्तरदायी होंगे। निर्माता द्वारा जो सामग्री प्रदाय की जावेगी वह निगम द्वारा जारी आर.सी.ओ. में दिये गये स्पेसिफिकेशन, मापदण्ड अनुसार रहेगी। गुणवत्ता के संबंध में किसी भी स्तर पर शिकायत प्राप्त होने पर इसकी सूचना जिला प्रबंधक संबंधित प्रदायक को देते हुए शिकायत का निराकरण करायेगे एवं की गयी कार्यवाही से क्षेत्रीय प्रबंधक को अवगत करायेगे। यदि समयसीमा में शिकायत का निराकरण संबंधित प्रदायक/निर्माता कम्पनी द्वारा नहीं किया जाता है तो प्रदाय सामग्री में से विधिवत सैम्पल का परीक्षण किसी मान्यता प्राप्त शासकीय संस्था को गुणवत्ता की जांच के लिए भिजवाया जावे एवं क्षेत्रीय कार्यालय एवं निगम मुख्यालय को सूचित किया जावे, सामग्री की गुणवत्ता उचित मापदण्ड अनुसार नहीं होने पर संबंधित प्रदायक/निर्माता कम्पनी के विरुद्ध अनुबंध एवं आर.सी.ओ. की शर्तों अनुसार कार्यवाही की जा सके। निरीक्षण की फीस प्रदायक को वहन करनी होगी।

6. **भुगतान** – प्रदायक के देयक का भुगतान आदेशानुसार सामग्री प्राप्त होने के उपरांत संबंधित विभाग/केता से विधिवत पावती, संतुष्टि प्रमाण पत्र, निगम को पूर्ण राशि (कृषक अंश/अनुदान राशि) प्राप्त होने पर "भुगतान पश्चात् भुगतान" की शर्त पर निगम के संबंधित जिला प्रबंधक द्वारा किया जावेगा।

7. **वारण्टी** : आर.सी.ओ. की कंडिका क्रमांक 14 अनुसार प्रदाय किये जाने वाले SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES में मैन्युफेक्चरिंग डिफेक्ट पर स्थापना दिनांक से 1 वर्ष की वारण्टी अवधि रहेगी, का उल्लेख आदेश में आवश्यक रूप से किया जावे।

8. **अधिरोपित शास्ति** : In case the supplier does not produce the ordered material within the specified time limit penalty will be imposed as under :-

No.	WEEKS	Rate of penalty imposed
1	1 st to 2 nd week	0.25% per week
2	3 rd to 4th week	0.50% per week
3	in Case the supplier refuse to supply the ordered material	Cancelling the supply order and termination of Agreement and Black listing for 1-5 years.

9. **प्राईज़ फार क्लॉस** – निगम के माध्यम से प्रसारित की जा रही विक्रय दरें किसी अन्य शासकीय संस्था/उपक्रम अथवा बाजार में कम्पनी की विक्रय दरों के समतुल्य है। यदि भविष्य में बाजार अथवा अन्य संस्था में विक्रय दरों का कम होना निगम के संज्ञान में आता है तो प्रदायकर्ता द्वारा निगम के साथ किये गये अनुबंध दिनांक से उक्त स्थिति के प्रमाणित होने तक प्रदाय की गयी समस्त सामग्री पर वही दर लागू मानते हुए अंतर की राशि की वसूली प्रदायक के लंबित देयकों से की जावेगी। साथ ही निगम प्रदायक के अनुबंध को निरस्त करने हेतु निगम स्वतंत्र रहेगा, जिसके लिए प्रदायक स्वयं उत्तरदायी रहेगा।



10. दरों की एक मात्र मान्यता : अनुमोदित दरें केवल निगम के माध्यम से प्रदायगी हेतु हैं, किसी अन्य विभाग द्वारा इन दरों पर व्यवसाय करने की स्थिति में निगम किसी भी प्रकार से उत्तरदायी नहीं होगा।
11. उपरोक्त के अतिरिक्त अन्य शर्तें मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. दिनांक 12.01.2026 के अनुसार रहेंगी।

[Signature]

प्रबंधक (विपणन)


प्रतिलिपि :-

4120
12-3-26

1. निज सचिव, आयुक्त, उद्यानिकी एवं खाद्य प्रसंस्करण, विन्ध्याचल भवन, भोपाल।
2. निज सचिव, संचालक, किसान कल्याण तथा कृषि विकास विभाग, बल्लभ भवन, भोपाल।
3. निज सचिव, संचालक, कृषि अभियांत्रिकी, आफिस कम्प्लेक्स, बी-ब्लॉक, गौतम नगर, भोपाल।
4. निज सचिव, संचालक, रेशम विभाग, लोअर बेसमेंट, सतपुड़ा, भवन, भोपाल।
5. निज सचिव, मा. प्रबंध संचालक, मुख्यालय, भोपाल की ओर सूचनार्थ।
6. महा प्रबंधक (लेखा), मुख्यालय, भोपाल की ओर सूचनार्थ।
7. संबंधित प्रदायक **M/S ASHRA RETAIL PVT. LTD.** INFRONT RADIO COLONY, COLLEG CHOWK, REWA की ओर सूचनार्थ भेजकर लेख है कि सामग्री की प्रदायगी मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. में दिये गये तकनीकी मापदण्डों के अनुरूप सुनिश्चित की जावे।

[Signature]

प्रबंधक (विपणन)





M.P. STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LTD.
PANCHANAN, 3RD FLOOR, MALVIYA NAGAR, BHOPAL-462003
☎- 0755- 2551652, 2551756 Fax - 0755 2557305 email - mpagrohbpl@gmail.com
website : www.mpstateagro.nic.in - CIN No. U01119MP1969SGC001055

दिनांक : 12.03.2026

मुख्या / विपणन / CHAINLINK-FANCING / 2025-26 / 4117

प्रति,

जिला प्रबंधक (समस्त),
क्षेत्रीय प्रबंधक (समस्त),

विषय : SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES की दरों के प्रसारण के संबंध में।
संदर्भ : मुख्यालय द्वारा जारी रेट कान्ट्रैक्ट ऑफर दिनांक 12.01.2026

निगम के माध्यम से वर्ष 2025-26 के लिए उद्यानिकी विभाग की योजनाओं के लिए SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु निम्न प्रदायकों से अनुबंध निष्पादित किया गया है, अनुबंधित प्रदायकों एवं निगम की कय-विकय दरें FOR DESTINATION (प्रदाय स्थल तक पहुंचाकर) लोडिंग एवं अनलोडिंग सहित निम्नानुसार रहेंगी :-

क्र०	प्रदायक / निर्माता कम्पनी का नाम एवं पता
01	M/S ASHRA RETAIL PVT. LTD. INFRONT RADIO COLONY, COLLEG CHOWK, REWA MR. SANTOSH DEBEY - 9977695777

SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES


UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST @ 18%	FINAL SELLING PRICE
01 FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	805	145	950	805	40	152	997

नोट : चैनलिक फेन्सिंग की उपरोक्त दरें प्रति रनिंग मीटर है।


सामग्री के प्रदाय से संबंधित अन्य नियम एवं शर्तें निम्नानुसार रहेंगी :-

1. चैनलिक के स्पेसिफिकेशन : FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE . (Chain Link of required width 1.80 mtr. & Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 + 0.45 mtr. Bend Angle Iron pole 50mm x 50mm x 5 mm). स्ट्रेट एंगल आयरन पोल से स्ट्रेट एंगल आयरन पोल की दूरी 2.50 मीटर एवं 01 सपोर्ट पोल प्रत्येक 6 स्ट्रेट एंगल आयरन पोल पर, तीन बारबेड वायर 0.45 मीटर बेण्ड पर। (As per drawing)


..... 2



2. **दरों की प्रभावशीलता** : उपरोक्त कय एवं विकय दरें समस्त कर (जी.एस.टी, ड्यूटी, अन्य व्यय), परिवहन/निरीक्षण शुल्क, सहित एफ.ओ.आर. डेस्टीनेशन (विकासखण्ड स्तर तक) पहुंचाकर, इस पत्र प्रसारण की दिनांक से आगामी 03 माह तक लागू रहेंगी। जिला प्रबंधक का दायित्व होगा कि वे निगम की विकय दरों से उद्यानिकी विभाग के जिला स्तरीय अधिकारियों को अवगत करावें एवं निगम के पक्ष में आदेश प्राप्त करें।
3. **शासकीय अनुदान** : परिपत्र में दर्शाई गयी सामग्रियों पर शासकीय अनुदान संबंधित विभाग की योजनाओं के दिशा-निर्देशों के अनुसार देय होगा। अनुदान संबंधी निर्णय संबंधित विभाग का है, इसमें निगम की कोई भूमिका नहीं रहेगी।
4. **आदेश की प्रक्रिया** : जिला प्रबंधक प्रदायक/निर्माता कम्पनी की अनुशंसा के साथ प्राप्त मांग को निगम के क्षेत्रीय प्रबंधक को अग्रोषित करेंगे एवं क्षेत्रीय प्रबंधक द्वारा विभाग से राशि प्राप्ति की सुनिश्चितता करते हुए संबंधित प्रदायक/निर्माता कम्पनी के पक्ष में "ऑन-लाईन" रेट कांट्रेक्ट ऑफर डाक्यूमेंट की शर्तानुसार, प्रदाय आदेश जारी करेंगे।
- (अ) प्रदाय आदेश में सामग्री का विवरण, प्रदाय दर, प्रदाय शर्तें, प्रदाय स्थल की जानकारी एवं निगम के GSTN नम्बर आदि का स्पष्ट उल्लेख किया जावे।
- (ब) प्रदाय आदेश में प्रदायगी की समयसीमा का उल्लेख किया जावे। जिला प्रबंधक यह सुनिश्चित करेंगे कि प्रदायक द्वारा आदेशित सामग्री का प्रदाय सही हालत एवं समयसीमा में किया जावे। विलम्ब की स्थिति में प्राप्तकर्ता विभाग की सहमति प्राप्त होने के उपरांत ही प्रदायगी स्वीकार की जावे।
- (स) निगम द्वारा आदेश जारी करने के पूर्व यह अवश्य ध्यान रखा जावे कि विभागों/जिला प्रबंधकों द्वारा जो मांग दी जा रही है वह निश्चित व्यवसाय के विरुद्ध है एवं प्रदायगी उपरांत कोई भी स्टॉक शेष न रहे।
4. **सामग्री की प्रदायगी** – सामग्री की प्रदायगी क्षेत्रीय कार्यालयों द्वारा लिखित प्रदाय आदेश जारी करने के उपरांत प्रदायक/निर्माता कम्पनी द्वारा, प्रदाय आदेश में दिये गये निर्देशों के अनुरूप की जावे।
- (अ) आदेशित सामग्री का प्रदाय क्रेता विभाग को करते समय प्रदाय की जा रही सामग्री का भौतिक निरीक्षण, निगम के जिला प्रबंधक एवं संबंधित विभाग के सक्षम अधिकारी द्वारा किया जावेगा। तदोपरांत पावती एवं संतुष्टि प्रमाण पत्र संयुक्त हस्ताक्षर से जारी किये जावेंगे।
- (ब) प्रदायक/निर्माता कम्पनी द्वारा आदेशित सामग्री के प्रदाय के उपरांत देयक तीन प्रतियों में भुगतान हेतु मुख्यालय / जिला कार्यालयों को प्रस्तुत किया जावेगा।
- (स) प्रदायक द्वारा देयक पर निगम का GST NO. 23AACCM0330Q1ZM का उल्लेख किया जाना आवश्यक है। देयक में CGST एवं SGST की राशि का भी उल्लेख किया जावेगा। प्रदायक का उत्तरदायित्व है कि GST का भुगतान नियमानुसार समय से किया जावे व मासिक रिटर्न GSTR-1 में दर्शाया जावे। किसी प्रकार की विसंगति के कारण निगम को कोई हानि होती है तो तदानुसार हानि की राशि की कटौती प्रदायक/निर्माता कम्पनी के देयक से की जावेगी।



5. **सामग्री की गुणवत्ता** – निगम के माध्यम से विभाग/कृषकों को प्रदाय की जाने वाली सामग्री की गुणवत्ता के लिए प्रदायक/निर्माता कम्पनी पूर्ण रूप से उत्तरदायी होंगे। निर्माता द्वारा जो सामग्री प्रदाय की जावेगी वह निगम द्वारा जारी आर.सी.ओ. में दिये गये स्पेसिफिकेशन, मापदण्ड अनुसार रहेगी। गुणवत्ता के संबंध में किसी भी स्तर पर शिकायत प्राप्त होने पर इसकी सूचना जिला प्रबंधक संबंधित प्रदायक को देते हुए शिकायत का निराकरण करायेंगे एवं की गयी कार्यवाही से क्षेत्रीय प्रबंधक को अवगत करायेंगे। यदि समयसीमा में शिकायत का निराकरण संबंधित प्रदायक/निर्माता कम्पनी द्वारा नहीं किया जाता है तो प्रदाय सामग्री में से विधिवत सैम्पल का परीक्षण किसी मान्यता प्राप्त शासकीय संस्था को गुणवत्ता की जांच के लिए भिजवाया जावे एवं क्षेत्रीय कार्यालय एवं निगम मुख्यालय को सूचित किया जावे, सामग्री की गुणवत्ता उचित मापदण्ड अनुसार नहीं होने पर संबंधित प्रदायक/निर्माता कम्पनी के विरुद्ध अनुबंध एवं आर.सी.ओ. की शर्तों अनुसार कार्यवाही की जा सके। निरीक्षण की फीस प्रदायक को वहन करनी होगी।
6. **भुगतान** – प्रदायक के देयक का भुगतान आदेशानुसार सामग्री प्राप्त होने के उपरांत संबंधित विभाग/केता से विधिवत पावती, संतुष्टि प्रमाण पत्र, निगम को पूर्ण राशि (कृषक अंश/अनुदान राशि) प्राप्त होने पर “भुगतान पश्चात् भुगतान” की शर्त पर निगम के संबंधित जिला प्रबंधक द्वारा किया जावेगा।
7. **वारण्टी** : आर.सी.ओ. की कंडिका क्रमांक 14 अनुसार प्रदाय किये जाने वाले SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES में मैन्युफेक्चरिंग डिफेक्ट पर स्थापना दिनांक से 1 वर्ष की वारण्टी अवधि रहेगी, का उल्लेख आदेश में आवश्यक रूप से किया जावे।
8. **अधिरोपित शास्ति** : In case the supplier does not produce the ordered material within the specified time limit penalty will be imposed as under :-
- | No. | WEEKS | Rate of penalty imposed |
|-----|--|---|
| 1 | 1 st to 2 nd week | 0.25% per week |
| 2 | 3 rd to 4th week | 0.50% per week |
| 3 | in Case the supplier refuse to supply the ordered material | Cancelling the supply order and termination of Agreement and Black listing for 1-5 years. |
9. **प्राइज़ फार क्लॉस** – निगम के माध्यम से प्रसारित की जा रही विक्रय दरें किसी अन्य शासकीय संस्था/उपक्रम अथवा बाजार में कम्पनी की विक्रय दरों के समतुल्य है। यदि भविष्य में बाजार अथवा अन्य संस्था में विक्रय दरों का कम होना निगम के संज्ञान में आता है तो प्रदायकर्ता द्वारा निगम के साथ किये गये अनुबंध दिनांक से उक्त स्थिति के प्रमाणित होने तक प्रदाय की गयी समस्त सामग्री पर वही दर लागू मानते हुए अंतर की राशि की वसूली प्रदायक के लंबित देयकों से की जावेगी। साथ ही निगम प्रदायक के अनुबंध को निरस्त करने हेतु निगम स्वतंत्र रहेगा, जिसके लिए प्रदायक स्वयं उत्तरदायी रहेगा।
10. **दरों की एक मात्र मान्यता** : अनुमोदित दरें केवल निगम के माध्यम से प्रदायगी हेतु हैं, किसी अन्य विभाग द्वारा इन दरों पर व्यवसाय करने की स्थिति में निगम किसी भी प्रकार से उत्तरदायी नहीं होगा।



11. उपरोक्त के अतिरिक्त अन्य शर्तें मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. दिनांक 12.01.2026 के अनुसार रहेंगी।


संलग्न : उपरोक्तानुसार (ड्राईंग)

प्रबंध संचालक द्वारा अनुमोदित.


प्रबंधक (विपणन)

प्रतिलिपि :- $\frac{4118}{12-3-26}$

1. निज सचिव, आयुक्त, उद्यानिकी एवं खाद्य प्रसंस्करण, विन्ध्याचल भवन, भोपाल।
2. निज सचिव, संचालक, किसान कल्याण तथा कृषि विकास विभाग, बल्लभ भवन, भोपाल।
3. निज सचिव, संचालक, कृषि अभियांत्रिकी, आफिस कम्पलेक्स, बी-ब्लॉक, गौतम नगर, भोपाल।
4. निज सचिव, संचालक, रेशम विभाग, लोअर बेसमेंट, सतपुड़ा, भवन, भोपाल।
5. निज सचिव, मा. प्रबंध संचालक, मुख्यालय, भोपाल की ओर सूचनार्थ।
6. महा प्रबंधक (लेखा), मुख्यालय, भोपाल की ओर सूचनार्थ।
7. संबंधित प्रदायक **M/S ASHRA RETAIL PVT. LTD.** INFRONT RADIO COLONY, COLLEG CHOWK, REWA की ओर सूचनार्थ भेजकर लेख है कि सामग्री की प्रदायगी मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. में दिये गये तकनीकी मापदण्डों के अनुरूप सुनिश्चित की जावे।




प्रबंधक (विपणन)



M.P. STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LTD.
PANCHANAN, 3RD FLOOR, MALVIYA NAGAR, BHOPAL-462003
☎- 0755- 2551652, 2551756 Fax - 0755 2557305 email - mpagrohbpl@gmail.com
website : www.mpstateagro.nic.in - CIN No. U01119MP1969SGC001055

दिनांक : 12.03.2026

मुख्या / विपणन / CHAINLINK-FANCING / 2025-26 / 4115

प्रति,

जिला प्रबंधक (समस्त),
क्षेत्रीय प्रबंधक (समस्त),

विषय : SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES की दरों के प्रसारण के संबंध में।
संदर्भ : मुख्यालय द्वारा जारी रेट कान्ट्रैक्ट ऑफर दिनांक 12.01.2026

निगम के माध्यम से वर्ष 2025-26 के लिए SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु निम्न प्रदायकों से अनुबंध निष्पादित किया गया है, अनुबंधित प्रदायकों एवं निगम की कय-विकय दरें FOR DESTINATION (प्रदाय स्थल तक पहुंचाकर) लोडिंग एवं अनलोडिंग सहित निम्नानुसार रहेंगी :-


क्र0	प्रदायक / निर्माता कम्पनी का नाम एवं पता							
01	M/S NEW MALWA AGRO & FABRICATION - 21, SEMI URBAN INDUSTRIAL AREA DHAR - 454001(M.P.) PHONE : 07292 - 222230							
SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES								
UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST@ 18%	TOTAL PURC HASE PRICE	BASIC PRICE	CORPO -RATION MARGIN	GST@ 18%	FINAL SELLING PRICE
RATES OF 3 MM. THICK (10 GAUGE) 50 x 50 mm. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	847	152	999	847	42	160	1049
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING,GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing)	907	163	1070	907	45	171	1124
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	966	174	1140	966	48	183	1197
4	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - 1 R.C.C. pole and 3 rows of Barbed wire as per Drawing)	1017	183	1200	1017	51	192	1260



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
5	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing	1169	211	1380	1169	58	221	1449
RATES OF 3 MM THICK (10 GAUGE) 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
6	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	780	140	920	780	39	147	966
7	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	805	145	950	805	40	152	998
8	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing	831	149	980	831	42	157	1029
9	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing	932	168	1100	932	47	176	1155
10	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing	1102	198	1300	1102	55	208	1365
RATES OF GALVANIZED STEEL 3 MM. (10 GAUGE) THICK & 100 x 100 MM. SPECING CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
11	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	712	128	840	712	36	135	882
12	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	731	131	862	731	37	138	905



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
13 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	746	134	880	746	37	141	924
14 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing)	763	137	900	763	38	144	945
15 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER BEND R.C.C. POLE. (Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bent Type - II R.C.C. pole and 3 rows of Barbed wire as per Drawing)	915	165	1080	915	46	173	1134
RATES OF 3 MM. THICK 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH RCC POLE							
16 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50x50 MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. Size 50X50mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	1246	224	1470	1246	62	235	1544
17 FOR SUPPLY AND INSTALLATION OF 3 MM THICK 50 x 50 MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	1305	235	1540	1305	65	247	1617
18 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50x50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1364	246	1610	1364	68	258	1691
19 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50 x 50MM SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	1466	264	1730	1466	73	277	1817
20 FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 50X50mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1585	285	1870	1585	79	300	1964



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
RATES OF 3 MM. THICK & 75 x 75 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
21	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. Size 75x75mm, Dia 5mm Mesh Wire, overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	1178	212	1390	1178	59	223	1460
22	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 75x75MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 75x75mm, Dia 5 mm Mesh Wire, overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	1203	217	1420	1203	60	227	1491
23	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 75x75mm, Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1263	227	1490	1263	63	239	1565
24	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75x75mm, Dia 5 mm Mesh Wire, overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	1322	238	1560	1322	66	250	1638
25	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 75x75mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1449	261	1710	1449	72	274	1796
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE								
26	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 mm SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. size 100x100mm, Dia 5mm Mesh Wire, overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	1110	200	1310	1110	56	210	1376
27	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 100x100MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 100x100mm, Dia 5 mm Mesh Wire, overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	1144	206	1350	1144	57	216	1418




UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE				
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE	
28	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 100X100mm., Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	1178	212	1390	1178	59	223	1460
29	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 100X100mm., Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	1195	215	1410	1195	60	226	1481
30	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE. (Size 100X100mm, Dia 5 mm Mesh Wire overall PVC coated, & 3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Type - II R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)	1322	238	1560	1322	66	250	1638
FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
31	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)	831	149	980	831	42	157	1029
32	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing)	856	154	1010	856	43	162	1061
33	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing)	898	162	1060	898	45	170	1113
34	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	949	171	1120	949	47	179	1176
35	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)	1136	204	1340	1136	57	215	1407



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE				
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE	
FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
36	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)	788	142	930	788	39	149	977
37	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing)	814	146	960	814	41	154	1008
38	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing)	847	153	1000	847	42	160	1050
39	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	890	160	1050	890	44	168	1103
40	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE. (Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)	1042	188	1230	1042	52	197	1292
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE RCC POLE								
41	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)	712	128	840	712	36	135	882
42	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing)	754	136	890	754	38	143	935
43	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing)	797	143	940	797	40	151	987



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE			
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
44	ALREADY APPROVED						
45	1008	182	1190	1008	50	191	1250
FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE							
46	1263	227	1490	1263	63	239	1565
47	1326	239	1565	1326	66	251	1643
48	1398	252	1650	1398	70	264	1733
49	1458	262	1720	1458	73	275	1806
50	1636	294	1930	1636	82	309	2027
FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE							
51	1203	217	1420	1203	60	227	1491



UNIT OF CHAINLINK PER RUNNING METER	PURCHASE PRICE			SELLING PRICE				
	BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE	
52	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron Pole as per Drawing)	1263	227	1490	1263	63	239	1565
53	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron Pole as per Drawing)	1297	233	1530	1297	65	245	1607
54	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle Iron Pole as per Drawing)	1352	243	1595	1352	68	255	1675
55	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE . (Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle Iron Pole as per Drawing)	1475	265	1740	1475	74	279	1827
FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IRON POLE								
56	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle Iron Pole as per Drawing)	1161	209	1370	1161	58	219	1439
57	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE . (Size 100X100 mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron Pole as per Drawing)	1195	215	1410	1195	60	226	1481
58	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron Pole as per Drawing)	1229	221	1450	1229	61	232	1523
59	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE . (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing)	1270	229	1499	1270	64	240	1574



UNIT OF CHAINLINK PER RUNNING METER		PURCHASE PRICE			SELLING PRICE			
		BASIC PRICE	GST @ 18%	TOTAL PURCHASE PRICE	BASIC PRICE	CORPORATION MARGIN	GST @ 18%	FINAL SELLING PRICE
60	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)	1383	249	1632	1383	69	261	1714

नोट : चैनलिंग फेंसिंग की उपरोक्त दरें प्रति रनिंग मीटर है।

सामग्री के प्रदाय से संबंधित अन्य नियम एवं शर्तें निम्नानुसार रहेंगी :-

- चैनलिंग के स्पेसिफिकेशन :** चैनलिंग फेंसिंग के स्पेसिफिकेशन उपरोक्त दर प्रसारण अनुसार ही रहेंगे।
- दरों की प्रभावशीलता :** उपरोक्त कय एवं विकय दरें समस्त कर (जी.एस.टी, ड्यूटी, अन्य व्यय), परिवहन/निरीक्षण शुल्क, सहित एफ.ओ.आर. डेस्टिनेशन (विकासखण्ड स्तर तक) पहुंचाकर, इस पत्र प्रसारण की दिनांक से आगामी 03 माह तक लागू रहेंगी। जिला प्रबंधक का दायित्व होगा कि वे निगम की विकय दरों से उद्यानिकी विभाग के जिला स्तरीय अधिकारियों को अवगत करावें एवं निगम के पक्ष में आदेश प्राप्त करें।
- शासकीय अनुदान :** परिपत्र में दर्शाई गयी सामग्रियों पर शासकीय अनुदान संबंधित विभाग की योजनाओं के दिशा-निर्देशों के अनुसार देय होगा। अनुदान संबंधी निर्णय संबंधित विभाग का है, इसमें निगम की कोई भूमिका नहीं रहेगी।
- आदेश की प्रक्रिया :** जिला प्रबंधक प्रदायक/निर्माता कम्पनी की अनुशंसा के साथ प्राप्त मांग को निगम के क्षेत्रीय प्रबंधक को अग्रेषित करेंगे एवं क्षेत्रीय प्रबंधक द्वारा विभाग से राशि प्राप्ति की सुनिश्चितता करते हुए संबंधित प्रदायक/निर्माता कम्पनी के पक्ष में "ऑन-लाईन" रेट कांटेक्ट ऑफर डाक्यूमेंट की शर्तानुसार, प्रदाय आदेश जारी करेंगे। मुख्यालय स्तर पर सीधे मांग प्राप्त होने की स्थिति में आदेश मुख्यालय द्वारा प्रसारित किये जावेंगे।
 - प्रदाय आदेश में सामग्री का विवरण, प्रदाय दर, प्रदाय शर्तें, प्रदाय स्थल की जानकारी एवं निगम के GSTN नम्बर आदि का स्पष्ट उल्लेख किया जावे।
 - प्रदाय आदेश में प्रदायगी की समयसीमा का उल्लेख किया जावे। जिला प्रबंधक यह सुनिश्चित करेंगे कि प्रदायक द्वारा आदेशित सामग्री का प्रदाय सही हालत एवं समयसीमा में किया जावे। विलम्ब की स्थिति में प्राप्तकर्ता विभाग की सहमति प्राप्त होने के उपरांत ही प्रदायगी स्वीकार की जावे।
 - निगम द्वारा आदेश जारी करने के पूर्व यह अवश्य ध्यान रखा जावे कि विभागों/जिला प्रबंधकों द्वारा जो मांग दी जा रही है वह निश्चित व्यवसाय के विरुद्ध है एवं प्रदायगी उपरांत कोई भी स्टॉक शेष न रहे।
- सामग्री की प्रदायगी -** सामग्री की प्रदायगी मुख्यालय/क्षेत्रीय कार्यालयों द्वारा लिखित प्रदाय आदेश जारी करने के उपरांत प्रदायक/निर्माता कम्पनी द्वारा, प्रदाय आदेश में दिये गये निर्देशों के अनुरूप की जावे।
 - आदेशित सामग्री का प्रदाय क्रेता विभाग को करते समय प्रदाय की जा रही सामग्री का भौतिक निरीक्षण, निगम के जिला प्रबंधक एवं संबंधित विभाग के सक्षम अधिकारी द्वारा किया जावेगा। तदोपरांत पावती एवं संतुष्टि प्रमाण पत्र संयुक्त हस्ताक्षर से जारी किये जावेंगे।






- (ब) प्रदायक/निर्माता कम्पनी द्वारा आदेशित सामग्री के प्रदाय के उपरांत देयक तीन प्रतियों में भुगतान हेतु मुख्यालय / जिला कार्यालयों को प्रस्तुत किया जावेगा।
- (स) प्रदायक द्वारा देयक पर निगम का GST NO. 23AACCM0330Q1ZM का उल्लेख किया जाना आवश्यक है। देयक में CGST एवं SGST की राशि का भी उल्लेख किया जावेगा। प्रदायक का उत्तरदायित्व है कि GST का भुगतान नियमानुसार समय से किया जावे व मासिक रिटर्न GSTR-1 में दर्शाया जावे। किसी प्रकार की विसंगति के कारण निगम को कोई हानि होती है तो तदानुसार हानि की राशि की कटौती प्रदायक/निर्माता कम्पनी के देयक से की जावेगी।
5. **सामग्री की गुणवत्ता** - निगम के माध्यम से विभाग/कृषकों को प्रदाय की जाने वाली सामग्री की गुणवत्ता के लिए प्रदायक/निर्माता कम्पनी पूर्ण रूप से उत्तरदायी होंगे। निर्माता द्वारा जो सामग्री प्रदाय की जावेगी वह निगम द्वारा जारी आर.सी.ओ. में दिये गये स्पेसिफिकेशन, मापदण्ड अनुसार रहेगी। गुणवत्ता के संबंध में किसी भी स्तर पर शिकायत प्राप्त होने पर इसकी सूचना जिला प्रबंधक संबंधित प्रदायक को देते हुए शिकायत का निराकरण करायेंगे एवं की गयी कार्यवाही से क्षेत्रीय प्रबंधक को अवगत करायेंगे। यदि समयसीमा में शिकायत का निराकरण संबंधित प्रदायक/निर्माता कम्पनी द्वारा नहीं किया जाता है तो प्रदाय सामग्री में से विधिवत सैम्पल का परीक्षण किसी मान्यता प्राप्त शासकीय संस्था को गुणवत्ता की जांच के लिए भिजवाया जावे एवं क्षेत्रीय कार्यालय एवं निगम मुख्यालय को सूचित किया जावे, सामग्री की गुणवत्ता उचित मापदण्ड अनुसार नहीं होने पर संबंधित प्रदायक/निर्माता कम्पनी के विरुद्ध अनुबंध एवं आर.सी.ओ. की शर्तों अनुसार कार्यवाही की जा सके। निरीक्षण की फीस प्रदायक को वहन करनी होगी।
6. **भुगतान** - प्रदायक के देयक का भुगतान आदेशानुसार सामग्री प्राप्त होने के उपरांत संबंधित विभाग/केता से विधिवत पावती, संतुष्टि प्रमाण पत्र, निगम को पूर्ण राशि (कृषक अंश/अनुदान राशि) प्राप्त होने पर "भुगतान पश्चात् भुगतान" की शर्त पर निगम के संबंधित जिला प्रबंधक द्वारा किया जावेगा।
7. **वारण्टी** : आर.सी.ओ. की कंडिका क्रमांक 14 अनुसार प्रदाय किये जाने वाले SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES में मेन्युफेक्चरिंग डिफेक्ट पर स्थापना दिनांक से 1 वर्ष की वारण्टी अवधि रहेगी, का उल्लेख आदेश में आवश्यक रूप से किया जावे।
8. **अधिरोपित शास्ति** : In case the supplier does not produce the ordered material within the specified time limit penalty will be imposed as under :-

No.	WEEKS	Rate of penalty imposed
1	1 st to 2 nd week	0.25% per week
2	3 rd to 4th week	0.50% per week
3	in Case the supplier refuse to supply the ordered material	Cancelling the supply order and termination of Agreement and Black listing for 1-5 years.

9. **प्राइज़ फार व्लॉस** - निगम के माध्यम से प्रसारित की जा रही विक्रय दरें किसी अन्य शासकीय संस्था/उपक्रम अथवा बाजार में कम्पनी की विक्रय दरों के समतुल्य है। यदि भविष्य में बाजार अथवा अन्य संस्था में विक्रय दरों का कम होना निगम के संज्ञान में आता है तो प्रदायकर्ता द्वारा निगम के साथ किये गये अनुबंध दिनांक से उक्त स्थिति के प्रमाणित होने तक प्रदाय की गयी समस्त सामग्री पर वही दर लागू मानते हुए अंतर की राशि की वसूली प्रदायक के लंबित देयकों से की जावेगी। साथ ही निगम प्रदायक के अनुबंध को निरस्त करने हेतु निगम स्वतंत्र रहेगा, जिसके लिए प्रदायक स्वयं उत्तरदायी रहेगा।




10. दरों की एक मात्र मान्यता : अनुमोदित दरें केवल निगम के माध्यम से प्रदायगी हेतु हैं, किसी अन्य विभाग द्वारा इन दरों पर व्यवसाय करने की स्थिति में निगम किसी भी प्रकार से उत्तरदायी नहीं होगा।
11. उपरोक्त के अतिरिक्त अन्य शर्तें मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. दिनांक 12.01.2026 के अनुसार रहेंगी।


प्रबंधक (विपणन)

प्रतिलिपि :-

4116
12-3-26

1. निज सचिव, आयुक्त, उद्यानिकी एवं खाद्य प्रसंस्करण, विन्ध्याचल भवन, भोपाल।
2. निज सचिव, संचालक, किसान कल्याण तथा कृषि विकास विभाग, बल्लभ भवन, भोपाल।
3. निज सचिव, संचालक, कृषि अभियांत्रिकी, आफिस कम्प्लेक्स, बी-ब्लॉक, गौतम नगर, भोपाल।
4. निज सचिव, संचालक, रेशम विभाग, लोअर बेसमेंट, सतपुड़ा, भवन, भोपाल।
5. निज सचिव, मा. प्रबंध संचालक, मुख्यालय, भोपाल की ओर सूचनार्थ।
6. महा प्रबंधक (लेखा), मुख्यालय, भोपाल की ओर सूचनार्थ।
7. संबंधित प्रदायक **M/S NEW MALWA AGRO & FABRICATION** - 21, SEMI URBAN INDUSTRIAL AREA DHAR - 454001(M.P.) की ओर सूचनार्थ भेजकर लेख है कि सामग्री की प्रदायगी मुख्यालय द्वारा SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES हेतु जारी आर.सी.ओ. में दिये गये तकनीकी मापदण्डों के अनुरूप सुनिश्चित की जावे।




प्रबंधक (विपणन)