

THE M.P. STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED PANCHANAN, 3rd FLOOR, MALVIYA NAGAR, BHOPAL PHONE - 0755-2551652, 2551756, 2761392 FAX 0755-2557305, EMAIL: mpagrohobpl@gmail.com WEBSITE: www.mpagro.org

RCO DOCUMENT

FOR SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN LINK FENCE FABRIC IS 2721:2003 WITH RCC AND ANGLE IRON POLES YEAR 2025-26 & ONWARDS

DUE ON 07.01.2026

RCO DOCUMENT FEES

Rs. 10000 + 1800 (18%GST) = 11800/-(Eleven thousand Eight hundred Only) Shall be paid Online



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALVIYA NAGAR, BHOPAL Phone (0755) - 2551652, 2551756, 2551807, Fax: 0755-2557305

LIST OF ANNEXURE OF RATE CONTRACT BID DOCUMENT

	TOTAL		55
14	FORMAT FOR SIGNING AUTHORITY ON THE FIRMS LETTER HEAD	XIV	55
13	Format for C.A. Certificate for Turn Over	XIII	54
12	DRAFT AGREEMENT	XII	52 to 53
11	DECLARATION OF BLACKLISTING	XI	51
10	FINANTIAL BID FORMATE	x	39 to 50
9	LETTER OF UNDERTAKING AND DECLARATION	IX	38
8	CONDITIONS OF RATE CONTRACT	VIII	24 to 37
7	APPLICATION FORM	VII	22
6	TECHNICAL SPECIFICATION	VI	11 to 21
5	MANDATORY DOCUMENTS TO BE UPLOADED	v	10
4	PROOF TO BE UPLOADED	IV	08 to 09
3	TITLE, TIME SCHEDULE, RCO FEE & EMD ELIGIBILITY & DOCUMENT IN SUPPORT OF	Ш	07
2	DISCLAIMER & ABBREVIATIONS, DEFINITIONS AND INTERPRETATION	п	04 to 06
1	RCO NOTICE	I	03
SN	PARTICULER	ANNEXURE	PAGES N



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

HO: MKTG/CHAIN-LINK/2025-26/3367

Dated: 24/12/2025

SHORT TIME RCO NOTICE

Online RCO invited FOR SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003 WITH RCC & ANGLE IRON POLES FOR THE YEAR 2025-26

Manufacturer of these items may participate in the RCO on the basis of Eligibility Criteria mentioned in the documents. RCO documents can be purchased by paying RCO fee Rs. 10000 + 1800 (18% GST) = 11800 (Eleven thousand eight hundred only) online up to following date:-

N.	Name of Item	Last Date	EMD
	SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, WITH RCC AND ANGLE IRON POLES FOR THE YEAR 2025-26	Submit 07.01.2026	2,00,000/-

- 1- MSME & STARTUP Entrepreneurs of Madhya Pradesh are Exempted for EMD. But the Successful Bidder Must have to Submit Rs 200000/- as a Security Deposit at the time of Agreement with Corporation.
- 2- **MSME and, STARTUP** Belongs Out of Madhya Pradesh Must have to Deposit Rs 200000/- as Earnest Money Deposit Otherwise Their Offer will be Reject.

The detailed RCO and other information can be seen at Corporation's website www.mpagro.org and www.mptender.gov.in. Amendments, if any, will be published only on above websites. No further notification will be made in the newspapers.

MANAGER (MKTG)



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

DISCLAIMER & ABBREVIATIONS, DEFINITIONS AND INTERPRETATION

A. DISCLAIMER:

- The information contained in this RCO Document has been prepared solely for the purpose of providing information to the interested parties, and is not in any way binding on MP AGRO.
- By accessing this RCO Document, Prospective Bidder agrees that MP AGRO will not be liable for any direct or indirect loss arising from the use of the information and the material contained in this RCO Document.
- Prospective Bidder's access to it does not imply a license to reproduce and / or distribute information contained therein and Bidder not allowed to any such act without the prior approval of MP AGRO.
- 4. In case Prospective Bidder finds any discrepancy or omission in any part of the RCO Document or he/she has any doubt of meaning, he should notify the same to MP AGRO minimum 10 days prior to the closing date of RCO. MP AGRO may clarify and send instruction to all bidders for correction through portal/ Website, if necessary. However, it does not entitle the bidder to seek any extension of RCO closing date.
- 5. Information received against any discrepancy (up to due date and time as mentioned the RCO) will be examined and, if any, amendments required same will be uploaded on portal as Corrigendum with RCO document. If no amendment is required the Bidder will have no right to raise objection.
- 6. It shall be understood that every endeavor has been made to avoid any error which can materially affect the basis of the RCO and all bidder shall take upon himself and provide for the risk of any error which may subsequently be discovered and shall make no subsequent claim on account thereof.
- 7. The submission of the RCO will be deemed to imply that the Bidder fully understands the scope of work involved and has read and understood all conditions of the RCO document and his liabilities and responsibilities in respect of the RCO.
- 8. The Corporation reserves the right to reject any or the entire RCO document submitted in response to this RCO at any stage without assigning any reasons
- The Corporation reserves the right to change any or all of the provisions of this RCO. Such changes would be intimated to prospective bidders through portal.

B. ABBREVIATIONS, DEFINITIONS AND INTERPRETATION

- 01. The Corporation/MP AGRO means M.P. State Agro Industries Development Corporation Ltd.
- 02. Beneficiary/Consignee means The person/department who wish to purchase the items through this Corporation.
- 03. Application forms/the document means Application forms and all other relevant annexure/documents
- 04. Applicant/Bidder/firm means the eligible Manufacturer/participant who submits RCO for supply and installation of items as per RCO document.
- 05. EMD means Earnest Money Deposit
- 06. Managing Director means Managing Director of MP State Agro Industries Development Corporation Ltd Bhopal.
- 07. RCO means Rate Contract Offer
- 08. "Contract" means and includes the invitation to RCO, instructions to Bidder, RCO, acceptance of RCO, Conditions to Contract, particulars and the other conditions specified in the acceptance of RCO and includes repeated orders which have been accepted or acted upon by the/ for the Supplier and a formal agreement, if
- 10. The "Suppliers" means the person, firm or company with whom the order for the supply is placed and shall be deemed to include the suppliers' successors (approved by MP AGRO) representatives, heirs, executors and administrators, as the case may be, unless excluded by the terms of the contract;
- 11. "The Inspecting Agency' means the person/agency specified in the contract for the purpose of Inspection of materials or services under the contract and it is an Agency authorized by MP AGRO and/or the purchase department/agency.
- 12. "The Purchaser" means the MP STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED, (MP AGRO).
- 13. "Materials" means the goods specified in the contract which the Supplier has agreed to supply & install under the contract.
- 14. "Test" means such test as is prescribed by the particulars or considered necessary by the MP AGRO/Consignee Department/ other govt. department to be performed AGRO/Consignee Department/other govt. department an order issued by MP 15. Terms and expression and terms and expression and terms.
- 15. Terms and expression not herein defined shall have the meanings assigned to them in the Indian Sale of Goods Act, 1930 (as amended) or the General Clauses Act, 1897 (as amended), or the Indian Contract Act, 1872 (as amended), as the case may be.
- 15 (i). DM means District Manager of MP AGRO at District office all over MP.
- 15(ii). RM means Regional Manager of MP AGRO at Regional office all over MP.
- Contract shall be governed by the Laws of India for time being in force.

- 17. Words importing in singular shall include the plural and vice versa, words importing any gender shall include all other genders, words importing persons shall include bodies, corporate, unincorporated associations and partnership and vice versa. References to whole shall include the part and vice versa.
- 18. The Courts of the place from where the acceptance of the RCO has been issued shall alone have jurisdiction to decide any dispute arising out of or in respect of the contract.
- 19. A person signing the RCO or any other document in respect of the Contract on behalf of the supplier without disclosing his authority to do so shall be deemed to warrant that he has authority to bind the Supplier. If it is discovered at any time that the person so signing has no authority to do so, MP AGRO may, without prejudice to any other right or remedy with MP AGRO, cancel the contract and make or authorize making of a purchase of the materials at the risk and cost of such person, and hold such person liable to MP AGRO for all costs and damages may sustain on account of such purchase.
- 20. For all purposes of the contract, including arbitration there under, the address of the Supplier mentioned in the RCO shall be address to which all communications to the Supplier shall be sent, unless the Supplier has notified change by a separate letter containing no other communication and sent by registered post acknowledgment due to MP AGRO. The Supplier shall be solely responsible for the consequence of an omission to notify a change of address in the manner aforesaid.



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392,

TITLE, TIME SCHEDULE, RCO FEE & EMD

(A) TITLE:

SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, WITH RCC AND ANGLE IRON POLES FOR THE YEAR 2025-26

(B) TIME SCHEDULE:

Stages of Bidding Purchase of RCO	Scheduled time	Scheduled Date	
PRE BID MEETING	upto 12.00 PM	07-01-2025	
Date for Including the	At 01.00 PM	30.12.2025	
Suggestions of PRE bid Meeting in RCO	upto 04.00 PM		
Last date of submission	11nto 04 00 DV		
Opening of technical bid	upto 04.00 PM	07-01-2025	
Financial Bid of the successful bid	upto 12.00 PM	08-01-2025	

Financial Bid of the successful bidders will be opened on the date decided by corporation which will be intimated to bidders & published on website in due course of time.

Each stage will take place on the date and time mentioned against them. However if the date and time is changed/ postponed information in this regard will be published on corporation website www.mpagro.org only.

(C) RCO FEE & EMD:

The RCO invited under e-RCO system and bidding process will have following steps:

RCO	Rs. 10000+1800 (18%GST) = 11800 (Eleven Thousand Eight
FEE	Hundred Only) Shall be paid online. (Non Refundable)
EMD	Rs 2,00,000/- (Two Lac Only) shall be paid online.

EMPATATION IS APPLICABLE FOR RCO DOCUMENT FEE

2. AS PER STORE PURCHASE RULE 2015 (AS AMENDED 2022) POAINT NO 14.1 MICRO AND SMALL ENTERPRISES, STARTUP OF MADHYA PRADESH WILL EXEMPTED FOR EARNEST MONEY DEPOSIT.

Note: If RCO is cancelled or any Bidder is rejected, EMD amount so deposited will be refunded online. No interest shall be paid on EMD amount.



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

ELIGIBILITY & DOCUMENT IN SUPPORT OF PROOF TO BE UPLOADED:

S.N.	IGIBILITY & DOCUMENT IN SUPPORT OF	PROOF TO BE UPLOADED:
(i)		DOCUMENT TO BE UPLOADED
<i>Y-Y</i>	Bidder should be manufacturer C GALVANIZED STEEL CHAIN- LIN FENCE FABRIC IS 2721:2003, PV COATED GALVANIZED STEEL CHAIN LINK FENCE FABRIC IS 2721:2003, AND RCC POLES FOR THE YEAR 2025-26	K Industrial Center (DIC)/ Single Point Registration C Certificate of NSIC/UDYAM Registration
(ii)	Bidder should have valid feasibility Report for Manufacturing of RCO items	Valid feasibility report for manufacturing of RCO items by those Government Department/Agency which is approve by the Quality Council of India/N.A.B.C.B., any Government Engineering College, any Government Technical Department or Government institution. Feasibility report must coverred the following
		points - (A) Name and full address of Manufacturing unit.
		(B) Machineries Installed in Manufacturing unit, Name and Quantity. Feasibility Granting Department / Agency must ensure that Pre tressed cement concrete pole making Machine & Chain link making Machine should be inhouse of Bidders Unit Premises in working Condition.
		(C) Production Capacity of Manufacturing unit for RCO Items. Feasibility Granting Department / Agency must mentioned Capacity of the Unit to produce R.C.C. Pole & chain link fencing fabric in feasibility report.
- / /-	0:44	(D) Manufacturing unit is in running condition or not.
t 2	Bidder should have Total Cumulative Furnover of Rs. 4 Crores (at least) during last three Financial Years i.e. (2022-23, 2022-24, 2024-25). Note- Startup and MSME of M.P. will get Relaxation of Rs/- 2 Crores Turn over in ABRICATION ITEMS.	Certificate issued by a Charted Accountant (C.A.) to authenticate Turnover should be uploaded along with the document (RCO) with UDIN Number
) (Other necessary requirements for ligibility shall be as mentioned in Rate Contract BID document (RCO)	Copy to be uploaded along with bid: a, An Affidavit affirming that the bidder firm has never ever been blacklisted by any Govt. organization, semi Govt. organization or any corporation till date. ANNEXURE - XI b. Application form duly filled a per Annexure - VII

	 c. Letter of Undertaking & Declaration Annexure - IX d. Financial Bid as per schedule Annexure - X e. Valid proof of authority to signing the document. Annexure - XIV f. GST Registration certificate g. Electricity Bills for last three months
--	---

Manager {Marketing}

(I) PROVISION FOR SCHEDULED CASTE/TRIBE AND WOMEN ENTERPRENEURS According to the policy of the state government, SC/ST offerers, who will be presented with a certificate related to special registration in the District Industry Center NSIC/UDYAM Registration Certificate who will be found eligible as per the online rate contract offer conditions, will be given opportunity of minimum 25% of the business (as per clause 23.4 of prescribed policy, M.P. Dated 13 /01/2023), out of which, 4 percent participation will be ensured in the business. Similarly, according to Clause 23.1(1) of the Store Purchase Rule, out of minimum 25 percent participation of 3 percent in the business, it will be ensured to purchase from micro and small enterprises owned by women. To get the above facility/priority, it is mandatory to submit self-attested copies of related documents along with RCO. This system will be valid only in those cases where firm orders are received from the government. In case of purchase by the farmer, the farmer will have full right to choose.

(II) Provision to the Startup . According to the provisions of rule 14.1 of the Madhya Pradesh Store Purchase, 2015 (as amended in 2022), the qualified M.P. Startup offerer exempted for Earnest money Deposit (EMD), and rule 22(1) qualified Startup offerer may be exempted experience and turnover. To get the above facility it is mandatory to submit selfattested copy of Startup Certificate issued by Department of Industrial Policy and Promotion (DIPP) under the Ministry of Commerce and Industry along with RCO.

Startup of M.P.

- (a) Exempted for Earnest money Deposit (EMD).
- (b) will get Rs/- 2 Crore Relaxation in Turnover.

(III) Provision for MSME

According to the provisions of rule 14.1 of the Madhya Pradesh Store Purchase, 2015 (as amended in 2022), the qualified MSME of M.P. offerer exempted for Earnest money Deposit (EMD) only, To get the above facility it is mandatory to submit self-attested copy of Udyam Registration Certificate issued by Ministry of Micro, Small and Medium Enterprises along with RCO.

MSME of M.P.

- (a) Exempted for Earnest money Deposit (EMD).
- (b) will get Rs/- 2 Crore Relaxation in Turnover..

IV) NON-ELIGIBILITY TO PARTICIPATE IN THE RCO DUE TO PENDING COURT CASE/DISPUTE

The offers of such bidders shall not be accepted with whom any court case and/or dispute are organization/agency. Offers of such bidders shall also not be accepted with whom any Government criminal case is also pending. if the offerer has any Serious Dispute with the Corporation or Black listed by the Corporation regarding the supply of any other material or any other RCO then the same will be considered against the offerer for this RCO.



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

MANDATORY DOCUMENTS TO BE UPLOADED

- RCO documents duly signed on each page with office seal affixed.
 (Page 1 to 39)
- Certificate from Industry department / District Industrial Center (DIC)/ Single Point Registration Certificate of NSIC/UDYAM Registration Certificate issued by Ministry of Micro Medium & Small Enterprises.
- 03. Valid feasibility report for manufacturing of RCO items by those Government Department/Agency which is approve by the Quality Council of India/N.A.B.C.B., any Government Engineering College, any Government Technical Department or Government institution.

Feasibility report must coverred the following points -

- (A) Name and full address of Manufacturing unit.
- (B) Machineries Installed in Manufacturing unit, Name and Quantity. Feasibility Granting Department / Agency must ensure that Pre tressed cement concrete pole making Machine & Chain link making Machine should be inhouse of Bidders Unit Premises in working Condition.
- **(C)** Production Capacity of Manufacturing unit for RCO Items. Feasibility Granting Department / Agency must mentioned Capacity of the Unit to produce P.C.C. Pole & chain link fencing fabric in feasibility report.
- (D) Manufacturing unit is in running condition or not.
- O4. A certificate issued by Chartered Accountant with UDIN Number showing Turnover for the last three financial years, i.e. (2022-23 2023-24, 2024-25) in supply of GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, AND RCC POLES.
- 06. Application form duly filled as par Annexure VII
- 07. Valid proof of authority to signing the document.
- OS. GST Registration certificate.
- 09. Affidavit from the Bidder that their firm has never ever been blacklisted by any Govt. organization, semi Govt. organization or any corporation till date. (on Bidder's Letter Head)
- 10. Letter of Undertaking & Declaration Annexure IX
- 11. Copy of Electricity Bill of Last Three Month.

ANNEXURE - VI

TECHNICAL SPECIFICATION:

Technical Specification given with this RCO is meant to understand scope of work and on the basis of field size. Actual size will be of deferent size ranging from 100 Square meter to 10000 Square. meter . Bidders are expected to quote rates as per Square meter.

TECHNICAL SPECIFICATIONS of R.C.C. POLE

This specification lays down various technical details for RCC Fencing poles of following two

(A) Straight type

(B) Bend type

A. Straight type

RCC Fencing poles shall be following lengths

- i) 2.00 meter.
- ii) 2.30 meter.
- iii) 2.45 meter.

1. Reinforcement:

- Main vertical bars shall be of 6.0mm diameter round MS bars.- 4 Nos. i)
- Stirrups shall be of 6 mm diameter round MS bars 20 cm center to ii)
 - 10 Nos. Stirrups for 2.00 meter. pole
 - 11 Nos. Stirrups for 2.30 meter. pole
 - 12 Nos. Stirrups for 2.45 meter. pole

2. Hooks for fixing barbed wire:

Hooks shall be made of 6 mm diameter MS bar Hooks 6 Nos. hooks be provided for fixing barbed wire in 2.00 mt. long poles. 7 Nos. hooks be provided for fixing barbed wire in 2.30/2.45 mt. long poles. Top hook should be provided 100mm below the top of pole and bottom hook should be provided 500 mm above the bottom of the pole. The central distance between the top and bottom hooks shall be equally divided to fix remaining hooks.

3. Dimensions: -

- Section of Poles for size 2.00 meter, 2.3 meter. as given under:-(a) i)
- Bottom: 10 cm x 10 cm, square
- Top: 8 cm x 8 cm. square. ii)
- Section of Pole for size 2.45 meter. shall be as given under:-(b)
- Bottom: 15cmx15cm square i)
- Top 10cmsx10cms square ii)

BEND TYPE

These are further classified into two types Type-I & Type-II

TYPE-I

1. Reinforcement:

- i) Main vertical bars: 4 Nos. of 8 mm diameter round MS bars. ii)
- Stirrups: 6mm diameter round M S bars not more than 15cm center to

2. Hooks for fixing barbed wire:

12 nos. hooks be provided for fixing barbed wire in each fencing pole. Top hook should be provided 50mm below the top of pole and bottom hook should be provided 650mm above the bottom of the pole. Hooks shall be provided at

3. Dimensions:

Height of vertical (straight) column: 2.45m

Length of taper column: + 0.45 cm

Angle between vertical column and taper column:45degree

Cross Section of Pole: At bottom end 17x17cm At top(where the taper column start:13x13cm

At Top end: 10x 10 cm.

TYPE-II

1. Reinforcement:

Main vertical bars: 4 Nos. of 10 mm diameter round MS bars.

Stirrups: 6mm diameter round M S bars not more than 15cm center to center (25 Nos.)

Hooks for fixing barbed wire: 2.

16 nos. Hooks be provided for fixing barbed wire in each fencing pole. Top hook should be provided 100 mm below the top of pole and bottom hook should be provided 750 mm above the bottom of the pole. Hooks shall be provided at

3. <u>Dimensions:</u>

Height of vertical(straight) column: 3.00m.

Length of taper column: +0.75 cm

Angle between vertical column and taper column:45degree

Cross Section of Pole: At bottom end 20x20cm At top(where the taper column start: 15x15cm

At Top end: 10x10cm

General Requirements for both types of poles: -


Material


The materials used for the manufacture of reinforced concrete fence posts shall comply with the requirements as per IS 4996 specifications for RCC fence post (with upto date amendments) and other relevant IS specifications.

Cement Concrete Mix:

Cement concrete to be used having the mix of ratio 1:1.5:3 (cement : sand : metal or coarse aggregate) with 12.5 mm nominal size coarse aggregate. Sand used should be free from clay & salt. Concrete Mix shall be conforming to Grade M-20 of IS:456:2000 (with up to date amendments).

The mix proportions of the concrete shall be determined by the manufacturer and shall be such as will produce a dense concrete, but shall not be weaker than Grade M. 20 (as per IS : 456-2000 with upto







Barbed Wire in the three row of bent angle:-- Galvanized steel barbed wire type, The barbs shall have four points and shall be formed by twisting two point wires each two turns, tightly around both the line wires making all together four complete turns line wire 2.5 mm, point wire 2.0 mm distance between two barbs 75 mm, conforming to IS:278-2009

TECHNICAL SPECIFICATIONS of ANGLE IRON POLE

Angle Iron pole shall be made of I.S.A. $50 \times 50 \times 5$ mm. Angle iron post and strut of required size including bottom to be split and bent at right angle in opposite direction for 10 cm length and drilling holes up to 10 mm dia. etc. complete with two coat red oxide primer followed by one coat enamel paint. 1 Straight Pole :- straight pole have three categories i) 2.0 mtr. ii) 2.30 meter. iii) 2.45 meter.



2. Bent Pole :- Bent pole having two categories 1) 2.45 mtrs. 2) 3.0 mtrs. For 2.45 mete pole, Pole is straight up to 2.45 meter and bend to 0.45 meter at 45 degree angle and For 3.00 meter Pole is straight up to 3.00 meter and bend to 0.75 meter at 45 degree angle both pole having 3 row of barbed wire on the bend portion and chain link fabric fence on the straight pole portion



14 Barbed Wire in the three row of bent angle :-- Galvanized steel shall have four points and shall be formed by twisting two point wires each two turns, tightly around both the line wires making all together four complete turns line wire 2.5 mm, point wire 2.0 mm distance between two barbs 75 mm, conforming to IS:278-2009

SPECIFICATION FOR GALVANIZED STEEL CHAIN LINK FENCE FABRIC CONFORMING TO IS 2721:2003

- 1. Scope: This standard covers the requirements for galvanized steel chain link fence fabric intended for various purposes conforming to IS 2721:2003 with up to date amendments.
- 2. Chain-Link Fence Fabric: A fencing material made from steel wire helical wound and interwoven in such a manner as to provide a continuous mesh without knots or ties except in the form of knuckling or of twisting the ends of the wires to form the selvage of the fabric.
- 3. Line Wire: The fabric shall be provided with heavily coated galvanized line wires, as given in Table 1 of IS 2721 to act as additional selvage to strengthen the fabric when used for fencing purposes or as per the requirement of the purchaser. The line wire may be supplied separately in coils/bundles/cut lengths to be used for fencing purposes. The line wires are required to be inserted after erecting the fabric with straining posts. Two number of line wires for fabric of height up to 2 m to be provided one each at top and bottom of the fabric. Three numbers of line wire for fabric of height 2.50 m and more to be provided one each on top, middle and bottom of the fabric.
- 4. Barbed Wire in the three row of bent angle for angle Iron pole: Galvanized steel barbed wire type, The barbs shall have four points and shall be formed by twisting two point wires each two turns, tightly around both the line wires making all together four complete turns line wire 2.5 mm, point wire 2.0 mm distance between two barbs 75 mm, conforming to IS:278-2009
- 5. Material: The mesh wire and the line wire of the fabric shall be galvanized steel wire conforming to IS 280:2006, having a tensile strength within the range of 400 to 550 MPa.
- 6. Mesh Size: The mesh size shall be determined by measuring the minimum clear distance between the wires forming the parallel sizes of the mesh when measured in normal stretched condition. The mesh sizes shall be as given in Table 1 of IS.
- 7. Width: The fabric shall be manufactured in widths of 0.90 m, 1.20 m, 1.50 m, 1.80 m, 2.00 m, 2.50 m, and 3.00 m.
- 8. Length: The fabric shall be supplied in rolls of 5.0 m, 10.0 m, 15.0 m, 20.0 m and 25.0 m
- 9. Dimensions and Tolerances: Dimensions and tolerances shall be as given in 6.2, 6.3, 6.4, 6.5 and Table 1 in IS -2721;2003.
- 10. Tolerance on Wire Diameter: Tolerances permitted on the diameter of mesh and line wire shall be as given in IS 280.

S. No.	Mesh Size	Nominal Dia of Mesh Wire			Line Wires	
		With Tolerance	Diam	eter	N	
	mm	mm	mm		Numi	per of Wires
		160-000725	111111	Up to	& 1.80 m. width	Above 1.80 m.
(1)	(2)	(3)	(4)			width
1	50±4		(4)		(5)	(6)
2		3.0±3%	3.0		2	(0)
	75±4	3.0±3%	3.0		2	3
3	100±5	3.0±3%			2	3
		3.013/6	3.0		2	2

- 11. Each roll shall be contain no weld joint or splice whatsoever. The wire shall be circular and shall be free from scales, irregularities, imperfections, flaws, sand splits and other defects. The zinc coating shall be smooth, even and bright
- 12. Galvanizing: The chain link fence fabric shall have zinc coating of type 'heavy' as given in IS 4826 or in IS 12753.
- 13. Test on Wires: Tensile Test , Wrapping Test , Twist Test and Bend test shall be done with Galvanizing test as per IS 1608, IS 1755,IS 1717,Reapectively
- 14. Galvanizing Test on Complete Fabric: The line wire shall meet the requirements as laid down for heavy coating of IS 4826 or IS 12753. The mesh wire shall meet the requirement as laid down in IS 4826 or IS 12753.
- 15. Marking: Each roll shall be provided with a metal or cloth label bearing the following information: a) Manufacturer's name and/or trade-mark b) Lot number and roll number, c) Mesh size and diameter of line and mesh wires, d) Length and width of the fabric, e) and Any other particular specified by the purchaser.
- 16. Various other details not mentioned above, shall be as per IS: 2721:2003 (with Up to date

SPECIFICATION FOR PVC COATED GALVANIZED STEEL CHAIN LINK FENCE FABRIC CONFORMING TO IS 2721:2003

- 1. Scope: This standard covers the requirements for PVC coated galvanized steel chain link fence fabric intended for various purposes conforming to IS 2721:2003 with up to date amendments.
- 2. Chain-Link Fence Fabric: A fencing material made from steel wire helical wound and interwoven in such a manner as to provide a continuous mesh without knots or ties except in the form of knuckling or of twisting the ends of the wires to form the selvage of the fabric.
- 3. Line Wire: The fabric shall be provided with PVC coated & heavily coated galvanized line wires, as given in Table 1 of IS 2721 to act as additional selvage to strengthen the fabric when used for fencing purposes or as per the requirement of the purchaser. The line wire may be supplied separately in coils/bundles/cut lengths to be used for fencing purposes. The line wires are fabric of height up to 2 m to be provided one each at top and bottom of the fabric. Three middle and bottom of the fabric.
- 4. Material: The mesh wire and the line wire of the fabric shall be PVC coated & galvanized steel wire conforming to IS 280:2006, having a tensile strength within the range of 400 to 550 MPa.
- 5. **Mesh Size:** The mesh size shall be determined by measuring the minimum clear distance between the wires forming the parallel sizes of the mesh when measured in normal stretched condition. The mesh sizes shall be as given in Table 1 of IS.
- 6. Width: The fabric shall be manufactured in widths of 0.90 m, 1.20 m, 1.50 m, 1.80 m, 2.00 m, 2.50 m, and 3.00 m.
- 7. Length: The fabric shall be supplied in rolls of 5.0 m, 10.0 m, 15.0 m, 20.0 m and 25.0 m
- 8. Dimensions and Tolerances: Dimensions and tolerances shall be as given in 6.2, 6.3, 6.4, 6.5 and Table 1 in IS -2721;2003.
- 9. Tolerance on Wire Diameter: Tolerances permitted on the diameter of mesh and line wire shall be as given in IS 280.


S. No.	Mesh Size	Nominal Dia of Mesh G.I. Wire	Over all Dia of Coated Wire		Line Wires	
14		With Tolerance	With Tolerance	Diameter	Number	of Wires
	mm	mm	mm	mm	Up to & 1.80m.	Above 1.80 m.
(1)	(2)	(3)		(4)	inc. width	width
1	50±4	3.0±3%	5.0±3%	(4)	(5)	(6)
2	75±4	3.00±3%		3.00	2	3
3	100±5	3.00±3%	5.0±3%	3.00	2	3
	10013	3.00±3%	5.0±3%	3.00	2	3


- 10 Each roll shall be contain no weld joint or splice whatsoever. The wire shall be circular and shall be free from scales, irregularities, imperfections, flaws, sand splits and other defects. The zinc coating shall be smooth, even and bright
- 11. **Galvanizing**: The chain link fence fabric shall have zinc coating of type 'heavy' as given in IS 4826 or in IS 12753.
- 12.**Test on Wires:** Tensile Test , Wrapping Test , Twist Test and Bend test shall be done with Galvanizing test as per IS 1608, IS 1755,IS 1717,Reapectively
- 13. **Galvanizing Test on Complete Fabric:** The line wire shall meet the requirements as laid down for heavy coating of IS 4826 or IS 12753. The mesh wire shall meet the requirement as laid down in IS 4826 or IS 12753.
- 14. **Marking:** Each roll shall be provided with a metal or cloth label bearing the following information: a) Manufacturer's name and/or trade-mark b) Lot number and roll number, c) Mesh size and diameter of line and mesh wires, d) Length and width of the fabric, e) and Any other particular specified by the purchaser.
- 12. Various other details not mentioned above, shall be as per IS: 2721:2003 (with Up to date

TECHNICAL SPECIFICATION OF CIVIL WORK FOR EACH R.C.C & ANGLE IRON POLE

S.N.		
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom disposal of excavated earth, lead up to 50m and lift up to 1.5m, disposed earth to be levelled and neatly dressed. (No extra lift is payable if work is done by mechanical means) All kinds of soil FOR MAIN POST S.O.R. Item No. 2.6	UNIT CUM.
2	Providing and laying in position cement concrete of specified grade excluding the cost of cantering & shuttering	CUM
3	With 40 mm. nominal size graded Stone aggregate with M-7.5 concrete mix FOR MAIN POST SOR Item no. 4.1.2.3 Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over	
	depth. 1.5m in width as well as 10 sqm on plan) including dressing of sides and ramming of bottom disposal of excavated earth, lead up to 50m and lift up to 1.5m, disposed earth to be levelled and neatly dressed. (No extra lift is payable if work is done by mechanical means) All kinds of soil. FOR INCLIND POST AFTER EVERY SIX POLE & 2 POLE AT THE CORNER.	CUM.
	S.O.R. Item No.2.6 Providing and laying in position cement concrete of specified grade excluding the cost of cantering & shuttering All work up to plinth level With 40 mm. nominal size graded Stone aggregate with M-7.5 concrete mix FOR INCLIND POST AFTER EVERY SIX POLE & 2 POLE AT THE CORNER. SOR Item no. 4.1.2.3	CUM.
	Nut Bolt Clips As per Requirement 2 Inch length, 6 mm. diameter. FOR MAIN POST 6 Number	Kg.
	Nut Bolt Clips As per Requirement 2 Inch length, 6 mm.	K.G.
i I	For Angle iron pole only one diagonal pole shall be fixed after every six pole and two inclined pole at the corners Length of the inclined pole shall be 70% of the straight.	
	For R.C.C. pole only one diagonal pole shall be fixed after every six pole and two inclined pole at the corners Length of the inclined pole shall be 70% of the straight. pole.	

SCHIMATIC DRAWING OF R.C.C. POLE &FENCING INSTALATION







Top View

Two Inclined pole shall be fixed after every 6 pole distance .

SCHIMATIC DRAWING OF BEND ANGLE IRON POLE &FENCING INSTALATION





Top View

One Inclined pole shall be fixed after every 6th pole distance .

APPLICATION

To,

MANAGING DIRECTOR,

M P State agro Industries Development Corporation Ltd 3rd Floor, Panchanan Bhawan Malviya Nagar,

Sub: SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN-LINK FENCE FABRIC IS 2721:2003, AND RCC POLES FOR THE YEAR

Dear Sir,

Kindly accept our application for RCO Document for supply and installation of chain-link fencing in the state of Madhya Pradesh for the year 2025-26 and onwards. I am submitting application, other documents and details as under.

	Name & Address of the Applicant Firm	documents a	and details as under.	
	11 Flobrieforship			
	a) Name of Proprietor			
	b) Full Address			
	c) PAN number /GSTN No			
	If Partnership			_
	a) Name of partners and their 11			
	of 10 partiership deed mani-t	1.	2. 3.	_
	deed) deed deed deed deed	Yes / No Date	0.	
	If Limited or Pvt. Limited Company			• •
	Indian Companies Act 1956. Limited or Private Limited			
	Registered Office Address			
	Date of Certificate of in Corporation			
2	If LLP			
	a) Name & Address of Partners			
	b) Certificate of registration			
	c) Copy of agree (Association			
	c) Copy of agreement/MOU mentioning liability of the Partner.			
3	Location of Production units			
4	Year of Establishment of the units.			
5	Name, Designation & Mobile Number of			
-				
6.	Name of Person Singing the DCO			
	(III Case OI Allthorized Dorgon C .c			
-	1 OWCI OIAIIOTHEV has to be 1			
7	Document of the second of the			
	years for item quoted (Rs in Lakhs)	Year	Total Turn Over	
- 1	Table 1	2022-23	Total rulli Over	
		2023-24		

I hereby confirm that all the above information is true to the best of my knowledge & belief. All thedocuments as required in the documents as enclose..



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

SCOPE OF WORK, TECHNICAL SPECIFICATION & SCHEME

SCOPE OF WORK: The Mission for Integrated Development Horticulture (MIDH), National Medicinal Plant Mission (NMPM) and National Agricultural Development Scheme. & Forest department operates State Schemes, Integrated Horticulture Development Mission (MIDH), Under these schemes, the field expansion of fruits, vegetables, spices, flowers, aromatic and medicinal crops are implemented on the farmers' field. Due to lack of fencing on farmer's fields, crops are severely damaged by animals. Keeping this in view, under "Atmanirbhar Madhya Pradesh", a scheme, Rashtriya Krishi Vikas Yojna (RKVY) for fencing of the horticulture crops is proposed.



THE MADHYA PRADESH STATE AGRO INDUSTRIES DEVELOPMENT CORPORATION LIMITED

"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

CONDITIONS OF RATE CONTRACT

PROCEDURE FOR RCO:

- 1.1 The Corporation invites online RCO for supply and installation of Material mentioned in *Annexure I*.
- 1.2 Only one online RCO will be accepted from one Applicant / Firm. If any individual participating in the BID, representing more than one firm in one or different names and it comes to MP AGRO'S knowledge at any point of time, all such BID will not be entertained and shall be liable for rejection.
- 1.3 The bidders intending to participate in this RCO are required to get enrolled/registered on the www.mptender.gov.in. Enrolment / registration and subsequent empanelment on the above portal and sub portal are mandatory, as per their rules.
- 1.4 RCO documents can be purchased only online from http://mptender.gov.in
 by making online payment of portal fees etc.
- 1.5 It is the discretion of the Managing Director of the Corporation to accept/reject the application without assigning any reason thereof.

2. SUBMISSION OF RCO:

- Corporation Invites online RCO for supply of material as mentioned in (Annexure 1). The Bidder will have to get them registered with www.mptender.gov.in for e-tendering, without registration BID cannot be uploaded on portal. To participate in the online RCO, interested Bidder will be required registration at the portal and valid class 3 digital signature certificates. The required RCO document fees to be deposited online through the website www.mptender.gov.in that is to be paid by Bidder for registration under e-tendering.
- 2.2 All the mandatory documents (Self Certified with Seal and signature) in support of the information provided in the offer as well as to avail exemption/relaxation as per rules shall be uploaded in JPG or PDF format only, in minimum resolution of 100 DPI. Document uploaded in other format will not be considered. (Annexure V.
- 2.3 All the offers shall be examined on the basis of bid and supporting documents submitted online and in case, any of the documents is not in readable/printable form, the offer may be rejected without intimation to the offerer/bidder. Please ensure to uploaded clear, proper and complete documents while submitting the bid.

OPENING OF TECHNICAL BID:

Soft copies uploaded up to due date and time will be opened on due date and time as mentioned in (Annexure III)

4. DELAY IN SUBMISSION:

The Corporation will not be responsible for any delay on any account in receipt of RCO. If the offer/bid received after the specific date and time even if the delay is due to technical reasons, the same will not be considered.

5. CHANGE IN OPENING SCHEDULE:

RCO will be opened on due date and time as mentioned in (Annexure - III) point B in the presence of the representative of firms who wishes to be present. However if the date and time of opening of Technical Bid is changed due to any unforeseen reason the revised date and time of opening will be displayed on Portal/website of the corporation. No corrigendum will be issued through News Papers.

6. MODUS OPERANDI FOR THE PURCHASE & SALES OF THE ITEMS & QUOATING RATES BY BIDDER:

- (i) MP AGRO will buy material for onward sale to various Govt. Deptt. & farmers as per demand/requirement.
- (ii) Bidders are required to quote their final selling rate to MP AGRO and understand that MP AGRO will load its own margin (5% + GST) on it to arrive selling price to other department/agency.
- (iii) Bidders are required to upload their rates online in the format prescribed for it.
- (iv) Rate list is to be uploaded shall be the rates with GST & rates without GST, but MP AGRO margin & GST thereon is not to be included in the format.
- (v) Rates offered to MP AGRO should not be treated as rates to end user. Instead it will be treated as dealer price to MP AGRO which will work as dealer of the manufacturer. Manufacturer will be free to appoint their Sales representative, other dealers for after sales service & stocking purposes etc. Manufacturer can also incur expenses for sales promotion etc. as per their own policy.
- (vi) On several occasions manufacturers do not quote lower rate to MP AGRO under "Price fall Clause" executed by them with other organization. Difference between price quoted to MP AGRO & price quoted to other organization (for ultimate consumer) must be differentiated clearly that rate quoted to MP AGRO is the dealer rate.

- (vii) MP AGRO will be at full liberty to reduce or increase its margin at any time without consent from bidder. Managing Director's decision shall be final and binding for both the parties.
- (viii) The bidder should quote their lowest price, in accordance to the prevailing rates of the company to their other authorized dealer etc. Dealer rate may be decided by the company at its own on the basis of "Dealer Rate" prevailing for other dealers in Madhya Pradesh.
- (ix) M.P. AGRO will have the discretion to execute agreements with all other eligible participants on the lowest rates, if they wish to do so.

7. ACCPTANCE OF OFFER FOR RATE CONTRACT:

The Counter offer will be issued by the Corporation only to those offrers whose offer rates are within the limit of L-1+15%.

8. EXECUTION OF AGREEMENT:

- (a) The Corporation will intimate the successful Bidder regarding acceptance of their offer and advise to execute the agreement in given time limit. In case the Bidder fails to execute the agreement within the prescribed time limit, the EMD submitted along with the RCO shall stand forfeited.
- (b) The successful Bidder shall have to execute an agreement as per *Annexure-XII* with the Corporation on non-judicial stamp paper of Rs. 1000/- (to be purchased by the Bidder)

9. EARNEST MONEY DEPOSIT:

- A. MSME & STARTUP Entrepreneurs of Madhya Pradesh are Exempted for EMD.

 B. MSME and STARTUP D. I.
- B. MSME and, STARTUP Belongs Out of Madhya Pradesh Must have Deposit Rs 200000/- as Earnest Money Deposit Otherwise Their Offer will be Reject.
 - C. (i) RCO should accompany EMD as per RCO
 - (ii) Earnest Money of all unsuccessful Bidders will be returned on receipt of request to do so.
 - (iii) No interest is payable on the amount of Earnest Money at the time of refund.
 - D. Earnest Money shall be forfeited, in case:-
 - (i) Deposit (EMD) is liable to be forfeited if the bidder withdraws or amends or impairs or derogates from the bid in any respect within the validity of the bid or is open for acceptance whether originally fixed or extended.
 - (ii) No interest shall be payable by the Purchaser on the Earnest Money/Bid Guarantee to the Bidder.

to

- (iii) The Earnest Money shall remain deposited with the Purchaser during the validity period as mentioned, from the date of opening of RCO. If the validity of the offer is extended, EMD validity period deemed extended.
 (iv) Earnest money of successful Pidder will be a successful pidder will be a successful pidder.
- (iv) Earnest money of successful Bidder will be adjusted as Security Deposit (SD) on execution of the agreement. (such Bidder will became supplier).

 (v) Micro and Small Enter in the supplier of the supplie
- (v) Micro and Small Enterprises, Startup of Madhya Pradesh will Exempted for Earnest Money Deposit.

10. SECURITY DEPOSIT:

- i). MSME & STARTUP Entrepreneurs of Madhya Pradesh Successful Bidder Must have to Deposit Rs 200000/- as a Security Deposit at the time of Agreement with Corporation.
- ii) MSME and, STARTUP Belongs Out of Madhya Pradesh need not to Deposit Security Deposit Earnest Money Deposit of the successful Bidder will be automatically converted into Security Deposit
- The Security Deposit will remain with the corporation during the currency of the contract and till successful execution of all the order placed during the currency of the contract and will be refunded to the supplier without interest in case there is no dispute between the bidder and the Corporation/Purchaser only after getting clearance/NOC from District Managers of the Corporation / Purchaser.
- (iv) Security deposit will be forfeited in case of failure of supply of the material as mentioned in the purchase order, in time and as per the approved specifications, or for any breach of terms and condition of the agreement and RCO document.

11. MINIMUM TECHNICAL SPECIFICATIONS OF ITEMS

Minimum Technical specifications of the items covered in this RCO are the same as they are defined in (Annexure - VI).

12. PLACEMENT OF ORDER

Head Office / Regional Manager / Branch Manager of the Corporation shall place purchase order to the approved supplier.

13. SCHEDULE AND MODE OF SUPPLY / DELIVERY

(a) The Bidder has to supply and deliver the ordered quantity within time period as mentioned in the Administrative Sanction issued by the District Collector or the order issued by the Regional Manager of the Corporation Failure of the Supplier for timely supply, or NON Supply of the material shall lead to forfeiture of Security Deposit and the RCO shall stand cancelled and agreement shall be terminated and Supplier shall be black listed/ debared from supplies through the corporation for 1-5 years. Corporation can also claim loss of goodwill as deemed fit and the same shall be payable by the Bidder. MP Agro shall not be liable toward the first manufacturer. In case the manufacturer is unable to supply or refuses to supply the equipment as per the work order issued by MP Agro, then in

- such a case the enduser shall be free to select any other manufacturer available on the portal. MP Agro shall not be liable towards the first manufacturer in anycase.
- (b) If the indenting authority suffers any loss due to inordinate delay in effecting supply/ dispatch or arrival of the material at the destination, the same shall be the responsibility of the Bidder who shall make good the entire loss suffered by the indenting authority. The Managing Director will assess and intimate the Bidder the extent of loss, and the same will be acceptable to the Bidder. The supplier shall ensure that the ordered material being supplied by the sole responsibility of the supplier to ensure desired quality and standards of the material.
- (c) The ordered item as specified in order shall be in conformity with approved size and quality specifications mentioned in the RCO and elsewhere in the RCO documents. Material shall be supplied in batches in any or all the sizes and in quantities as per delivery schedule ordered by the ordering authority of ordering authority, if warranted by exigency of the work of the Corporation. The successful Bidder shall be bound to effect deliveries in accordance with the changed supply schedule without claiming revision in rates. The dates of destination.
- (d) Ordered item may required to be supplied to the consignee through District Manager office of the corporation as per dispatch order given by the HO/RM/DM of the Corporation, securely packed so as to withstand rough handling and protection from vagaries of nature during transit.
- (e) Relevant L.R. shall be sent free and direct to the consignee (s) freight paid. The order No. of Corporation should be mentioned in the bill, against which the material is supplied.
- (f) The M.P. State Agro-Industries Development Corporation Limited shall not be responsible for damages, losses, thefts, pilferage, fire, accidents and demurrages etc. if any, incurred to the consignment during transit and these shall be borne by the supplier.
- (g) The dispatch of consignment shall be immediately communicated to the indenting HO/ Regional Manager/Distt. Manager of Corporation and consignee with the relevant details of L.R. and Bill Nos.
- (h) <u>Transit Insurance</u>: The Supplier will arrange for Transit Insurance and Material supplied should be covered under Transit insurance for Road Risk, Theft, Pilferage, and Non Delivery Risk (**RRTPND**).
- (d) Ordered item may required to be supplied to the consignee through District Manager office of the corporation as per dispatch order given by the HO/RM/DM of the Corporation, securely packed so as to withstand rough handling and protection from vagaries of nature during transit.
- (e) Relevant L.R. shall be sent free and direct to the consignee (s) freight paid. The order No. of Corporation should be mentioned in the bill,

 (f) The M.P. State Agree Indiana.
- (f) The M.P. State Agro-Industries Development Corporation Limited shall not be responsible for damages, losses, thefts, pilferage, fire, accidents and demurrages etc. if any, incurred to the consignment during transit and these shall be borne by the supplier.

The dispatch of consignment shall be immediately communicated to the (g) indenting HO/ Regional Manager/Distt. Manager of the Corporation and consignee with the relevant details of L.R. and Bill Nos.

14. WARRANTEE:

The Bidder has to declare minimum One Years warrantee for zinc & PVC coating on chain link Mesh fabric With RCC and Angle Iron P{oles. supplied by the supplier having any manufacturing defect from the date of Installation. In case of complaint / defect the supplier shall have to arrange repair /replacement within 10 days from the date of receipt of intimation. The Corporation shall have right to recover the cost or expenditure of loss whatsoever, on this account from the future bills of the supplier or from the security deposit or from any other amount due to the supplier or out of the security or any deposit made by the supplier in other Government Organization. The Corporation can also Blacklist the Supplier and debared the supplier from doing the business with the corporation for 1-5 years.

AFTER SALE SERVICE: 16.

- The company must provide after sales service to the end user for
- Supplier shall also ensure that proper after sales services are b.
- The supplier shall also try to make arrangements for repair and after sale C. service required on continuous basis after expiry of the warranty period and shall ensure that the repairs/maintenance cost incurred by the

RIGHT TO REFUSE/REJECT THE SUPPLIES: 17.

- Ordered item shall conform to the quantities specifications (as per (a) Annexure-VI) mentioned in supply order. The Corporation reserves the right to refuse to accept the supplied item, if found:-
 - Inferior in quality & not in proper packing or not conforming to the specifications mentioned in Annexure- VI.
 - Other than specified and ordered by the Corporation, (ii)
 - For any other sufficient reason at it's discretion.
- In case the supply of supplied item is rejected / the supply not (b) accepted, shall be lifted by supplier at his own cost within the period granted by the M. P. State Agro-Industries Development Corporation Limited and in no case Corporation shall be liable for the supply not
- If the material fails in the testing. (c)

18. DEFECTIVE SUPPLIES:

The supplier shall replace the defective material or any other part found defective or prematurely worn out within 7 days within warranty period from the date of sale to the consumer at free of cost. If it is proved that Bidder has intentionally supplied machine/equipments of improper quality or not ready to replace or had not replaced defective machines / equipments during the specified period or in a genuine time period as required minimum, corporation shall be free to black list the Bidder and debar the supplier from doing the business with the corporation for 1-5 years and forfeite the Security Deposits Bidder shall be bound to refund the amount received in lieu of such defective supplies made by the Bidder.

19. PAYMENT:

(a) The Corporation will make the payment normally within 15 days on payment after payment condition to the supplier only after receipt of bills along with satisfactory report duly signed by the consignee/ beneficiary with Third Party Inspection Report, and after statutory deduction of taxes and corporation margin.

(b) In case these items are supplied to the farmer under various government schemes for providing subsidy, the farmer's share so received by the corporation shall be payable to the supplier only after receipt of bills along with satisfactory report duly signed by the consignee/ beneficiary with Party Inspection Report, and after statutory deduction of taxes and corporation margin.

20. PRICE ESCALLATION CLAUSE:

The variation in price is allowed if any variation is occurred in GST slab & any levies/taxes by Regulatory authority. Bidder may Revised rates accordingly under intimation to corporation.

21. DISPLAY & DEPOSITION OF SAMPLES

One sample of items may be sought by the MP AGRO along with complete nomenclature & write-up. Corporation may decide to examine/check the samples for nomenclature & write-up submitted by supplier through recognized laboratories as decided by Managing Director of this Corporation.

22. RANDOM TESTING OF COMPONENTS:

Corporation may select sample by random sampling of any or all components of material received at the destination / site and send it to any recognized institute for testing. The cost of such testing including cost of material shall be borne by the supplier.

23. BRAND NAME:

The Bidder is entitled to claim only one brand name for the purpose of this contract. Regarding brand name, certificate of brand name, if any, issued by competent authority for this purpose should be made available, however the Corporation will not be liable for any dispute on account of brand name or of any kind related to Brand.

24. SUBMISSION OF REQUIRED DOCUMENT:

It is obligatory for the Bidder to submit all the necessary documents as mentioned in Annexure-II and mentioned elsewhere in RCO document. All formats should be filled in completely. All the necessary documents should be enclosed duly self-attested.

25. ACCEPTANCE/REJECTION OF RCO:

The Managing Director of the Corporation reserves the right to accept or reject any or all the RCO without assigning any reason whatsoever at any time prior to or after execution of agreement without incurring any liability to the affected Bidder and any obligation to inform the affected Bidder regarding the grounds.

26. FORCE MAJEURE CLAUSE:

FMC will applicable in the following circumstances -

- (a) Natural phenomenon including but not limited to weather condition, floods, draught, earthquake and epidemics.
- (b) Acts of government authority domestic or foreign including but not limited to war declared or properties, quarantine restriction.
- (c) Accidents or distraction including but not limited to fire, explosion break downs at essential machinery equipment and power shortage.

27. PURCHASE PREFERENCE:

The following rules are applicable only on those items & product which will be approved by committee constituted by M.P. Govt. store purchase rule 2015 (revised 2022) against rule 31 as per store purchase rule.

(a) In case lowest rate received from the Bidder situated out of Madhya Pradesh. As per the provision made in State Purchase rule 25 to 50 percent (according to the production capacity) will be placed with bidder/bidders whose Production unit situated in Madhya Pradesh (Micro/ Small Industries) and who quoted Rates in bend of L-1+15% (First three bidders of Madhya Pradesh), only if, they are agreeable to supply the material in time and on lowest rate so received. Price preference of any kind will not be allowed (This clause

will be applicable to only those Manufacturers of Madhya Pradesh if the place of Manufacturing is situated in Madhya Pradesh)

- (b) As per the policy of the State Government in respect of purchase of items through Micro / Small Industries purchase preference, minimum to the extent of 4% out of 25% of the required quantity shall be given to those manufacturing units of M.P belonging to the SC/ST entrepreneurs. A self-certified copy of certificate issued by the District Trade Industries Center (D.T.I.C) in this regard should be attached at the time of submission of tender. Price preference of any kind will not be allowed.
- As per the policy of the State Government in respect of purchase preference, minimum to the extent of 3% out of 25% of the required quantity shall be given to those manufacturing units of M.P belonging to Female entrepreneurs (Ownership). Preference will be given to Micro / Small Industries run female Self Help Group A self-certified copy of certificate issued by the District Trade Industries Center (D.T.I.C) in this regard should be attached at the time of submission of tender. Price preference of any kind will not be allowed.

28. TO IMPOSE PENALTIES:

In case the supplier does not produce the ordered material within the specified time limit the penalty will be imposed as under

No.	PERIOD	RATE OF PENALTY IMPOSED
1	1 st to 2 nd week	0.25% per week
2	3 rd to 4th week	0.50% per week
3	in Case the supplier refuse or fails to supply the ordered material	Cancelling the supply order and termination of Agreement and Black listing for 1-5 years

29. CORPORATION AS DEALER:

Corporation shall become Authorized Dealer of the company after execution of agreement with the company during the currency of Rate Contract.

30. ARBITRATION:

As far possible, all dispute arising out of this agreement will be settled by the mutual discussion and decision taken by the Dy. General Manager of the corporation will be final and binding on both the parties.

In case dispute is not settled as above then the same shall be referred to the arbitration. Arbitration and conciliation Act, 1996 shall apply to the proceedings before the Managing Director of the Corporation who shall be sole arbitrator. The decision of the arbitrator shall be final and binding on the parties.

31. RCO EVALUATION:

During RCO evaluation, MP AGRO may, at its discretion, ask the Bidder for a clarification of its RCO & documents attached thereto. The request for clarification and response shall be in writing or verbal.

32. (1) RCO VALIDITY:

The rates finalized against this RCO shall be valid for a period of 90 days from the date of rate circular issued. It will be at the discretion of MP AGRO to extend/reduce validity period.

(2) VALIDITY OF RCO RATES:

The rates finalized against this RCO shall be valid for a period of 3 (three) months from the date of issue of first circular for approved rates. The MP Agro have rights to cancel the approved rates and/or RCO even before completion of its validity period. It will also be at the discretion of MP AGRO to extend validity period up to the new rates are circulated.

33. MINOR MISTAKES IN RCO: MP AGRO may waive any minor nonconformity, or irregularity in a RCO document that does not constitute a material deviation, provided such waiver does not prejudice or affect the relative ranking of any bidder. Right to waive mistake shall remain with Managing Director of MP AGRO.

34. TRANSFERABILITY:

RCOs are not transferable.

35. RIGHT TO CHANGE RCO IN WHOLE OR IN PART:

- (i) MP AGRO reserves the right to reject or accept any RCO in whole or in part on account of credentials, technical capability, past performance or any other evaluation criteria to ensure uninterrupted supply of material. The decision of MP AGRO in this regard will be final and MP AGRO is not liable to assign any reasons for the decision.
- (ii) M.P. Agro reserves the right to change any condition of this RCO during the currency of validity period.

36. PARALLEL RATE CONTRACT:

MP AGRO reserves the right (a) to enter into parallel rate contract(s) simultaneously or at any time during the period of the rate contract with more Bidders as MP AGRO may think fit, and (b) to place ad-hoc contract or contracts simultaneously at any time during the period of this contract with more supplier(s)/ Bidder(s) for such quantity and such item as the competent authority of MP AGRO (whose decision shall be final) may determine.

37. INSPECTION FOR QUALITY:

Third party inspection of RCO items by those Government Agency which (i) approved by Quality Council of India /N.A.B.C.B. such as DGS&D (under Department of commerce & industries Govt of India), RITES (Enterprises of Department of Railways Govt of India), PDIL (Organization under Department of Chemical and fertilizer Govt of India), ICAR - CIAE (Institute under the Department of Agriculture Govt of India), EIC (under Department of commerce & industries Govt of India), CIPET (under Department of Chemical and fertilizer Govt of India), EIL (Public Enterprises under petroleum & Natural gas Department India), IR-Class (Subsidary firm of Indian Register of Shipping) or any Government Engineering College, any Government Technical Department or any Government institution at factory address given by the bidder in annexure VIII may be held before dispatch of the material and at the location where the material is supplied. The inspection cost shall be borne by the supplier

All material supplied under this RCO will compulsorily inspected by Third Party approved by the Corporation for this purpose.

- (ii) Expenses related to "third party" inspection shall be borne by bidder. Inspection Report shall be submitted by bidder along with bills at the time of payment.
- (iii) Third party inspection through the agency is required to be completed at factory address given by the offeror in Annexure-II, before dispatch of the material, inspection cost shall be borne by the supplier.
 - a. To certify any materials or part thereof submitted for inspection that they are not in accordance with the contract owing to the adoption of any unsatisfactory method of manufacture.MP State AGRO may discretionally exercise the power to constitute a committee consisting of external subject matter experts for the purposes of inspection of materials supplied by the manufacturer.
 - b. To reject any materials submitted as not being in accordance with the particulars.
 - c. To reject the whole of the installment, if after inspection of such portion thereof as it may in its discretion thinks fit, it is satisfied that the same is unsatisfactory.
 - d. The Inspecting Officer's decision as regards the rejection shall be final and binding on the Supplier.
- (iv) MP AGRO reserves the right to inspect the materials to be dispatched / in Transit / already delivered at any time and at anywhere. MP AGRO also have rights to inspect the raw materials used for manufacturing, process of manufacturing, quality policy fixed and testing facilities for the product to be supplied by the supplier at the supplier's premises.
- (v) Cost of Test: The supplier is liable to pay for any Test done on the

38. RISK PURCHASE CLAUSE:

MP AGRO reserves the right to make urgent purchase in case of failure of supply/ rejected supply either in part or full as per demand placed by the MP AGRO and any excess amount paid of such purchases should be adjusted from the registered supplier's Bill and may take following punitive actions.

- a) Fine to the tune of 2% of total amount supply not made/ degraded supply made may be imposed on the total value of the material for non supply/ short supply/ degraded supply etc. The fine amount will be deducted from the bill submitted for the next material supplied.
- b) The occurrence of such events 3 times during the contract period will lead to cancellation of contract by MP AGRO at any time after serving warning on each such event. The cancellation of contract will automatically come into effect from the last working hour of a scheduled delivery date after serving the last warning. On such event of cancellation the supplier will be black listed and will not be allowed to participate in any future RCO / supply contract for a period of one year. On event of cancellation of contract the security deposit available with MP AGRO for the contract will be forfeited.

39. WITH HOLDING AND LIEN IN RESPECT OF SUMS CLAIMED:

Whenever any claim or claims for payment of a sum of money arises out of or under the contract against the Contractor, MP AGRO shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from security, if any, deposited by the supplier's and for the purpose aforesaid, MP AGRO shall be entitled to withhold the said cash security deposit or the security, if any, furnished as the case may be and also have a lien over the same pending finalization or adjudication of any such claims. In the event of the security being insufficient to cover the claimed amount or amounts or if no security has been taken from the Contractor, MP AGRO, shall be entitled to withhold and have lien to retain to the extent of the such claimed amount or amounts, from any sum or sums found payable or which at any time thereafter may become payable to the contractor under the same contract or any other contract with MP AGRO pending finalization or adjudication of any such claim.

40. CORRUPT PRACTICES:

Supplier is expected to observe the highest standard of ethics during the execution of this RCO. If the supplier has engaged in corrupt or fraudulent practices, in competing for or in executing the contract, MP AGRO may, after giving 14 days notice to the supplier, terminate the Contract. In pursuit of this policy, MP AGRO:-

- **a.** Defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action in the procurement process or in Contract execution; and
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of MP AGRO and includes collusive practices among bidders

(prior to or after bid submission) designed to get itself short listed for participating in the bidding process, to establish bid prices at artificial, non-competitive levels and to deprive MP AGRO of the benefits of free and open competition;

- **b.** Will reject a proposal for award if it determines that the Bidder being considered for award has engaged in corrupt or fraudulent practices in competing for the Contract.
- c. In the same manner as above, if bidder observes any corrupt practices or "fraudulent practice" in MP AGRO, he should report to Managing Director only.

41. BREACH OF CONTRACT:

Any breach of the terms & conditions mentioned in this RCO document by the Supplier, or any one employed by him or acting on his behalf (whether with or without the knowledge of the Supplier) or the committing of any offence by the Supplier or by any one employed by him or acting on his behalf under Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1988 or any other act enacted for the prevention of corruption by public servants shall entitle MP AGRO to cancel the contract and all or any other contracts with the Supplier and to recover from the Supplier the amount of any loss arising from such cancellation.

42. TERMINATION OF CONTRACT:

MP AGRO may terminate the Contract or Black list the supplier or debar the supplier from doing the business with the corporation for 1-5 years. in following event of default:

- (i) Breach of any of the terms or conditions or obligation of Contract on part of Supplier / his employees / agents.
- (ii) Any major material alteration in the agreed upon specification (if any) of the product to be supplied without the authorization of MP AGRO and / or competent authority or non Supply or delay in Supply in the Reference of Point no 28.
- (iii) MP AGRO at its discretion may call for any record to satisfy them self regarding supply of material to consignee units. The supplier shall provide every help/ document required by MP AGRO, failing which it may amount to breach of contract of this RCO.
- (iv) The Supplier being adjudged bankrupt/ insolvent or a trustee/ receiver being appointed on the Supplier.
- (v) Repudiation of agreement by Supplier or otherwise evidence of intention not to be bound by the agreement.
- (vi) MP AGRO at their discretion may call for any record to satisfy them regarding the supply and Supplier will provide every help failing which it may amount to breach of condition of the Contract.

43. AMENDMENTS TO BID INVITATION:

The MP AGRO reserves the right, to make revisions or amendments to the bid documents, when deemed necessary, prior to the closing date of the bid, through proper notification or web-site. The bidders must watch MP AGRO web site for any such amendments. The MP AGRO shall be at liberty to consider extending the date set for the bid opening by such a number of days as in the opinion of the MP AGRO seems necessary.

44. NEGOTIATIONS:

- (i) It is clarified that normally the Corporation will make no negotiation on the RCO and therefore the Bidders should quote their lowest prices only. However the Managing Director of the Corporation may decide to give counter RCO of the lowest rate as decided by him.
- (ii) On the basis of lowest rate received in the financial bid corporation will ask other bidders to execute agreement provided other bidders are agreed to it.

45. AUTHORITY TO SIGN BID DOCUMENTS:

A person signing the RCO or any other document in respect of the Contract on behalf of the supplier/manufacturer without disclosing his authority to do so or submitting relevant document in support of his/her authority shall be deemed to warrant that he/she has authority to bind the Supplier. If it is discovered at any time that the person so signing has no authority to do so, MP AGRO may, without prejudice to any other right or remedy of MP AGRO, cancel the contract and make or authorize making of a purchase of the materials at the risk and cost of such person, and hold such person liable to MP AGRO for all costs and damages arising from the cancellation of the contract including any loss which MP AGRO may sustain on account of such purchase.

46. Only Bhopal Court shall have jurisdiction.

MANAGER (MARKETING)

LETTER OF UNDERTAKING AND DECLARATION

We undertake to supply such quantities of material as per Specification as mentioned in RCO, as we may be called upon to supply and install under the conditions here-to enclosed during the allotted period from the date of execution of the agreement on the rates agreed upon, at the places to be specified by the M.P. State Agro Industries Development Corporation Limited within the specified delivery period.

We undertake that our firm has neither been Blacklisted/Debarred by any Government / Government Undertaking /Bank nor penalized on the same ground. We also undertake that no legal proceeding is pending in any Courts on the same grounds.

We hereby agree to abide by and fulfill all the terms and conditions of contract annexed hereto and in default thereof to forfeit and pay to the M.P. State Agro Industries Development Corporation Limited, the penalties or sum of money mentioned in the said conditions.

The sum of Rs. 1,00,000.00 (One Lac only) in the form of Demand draft or any of the form specified in the Rate Contract RCO Documents is herewith forwarded as Earnest Money which shall be retained by The MP State Agro Industries Development Corporation Limited, on account of Security Deposit as specified in the clause 9 of the said conditions of contract, should this RCO be accepted.

"I have read and fully understood the terms and conditions of supplies etc. mentioned in the documents.

Name:

Designation:

(Signature with Office Seal..)

Witness:

1.

2.

Note: Letter of acceptance of RCO is to be submitted on non judicial stamp of Rs 500.00



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK (10 GAUGE) 50 x 50 mm. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE

S.	Name of Item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	RM.		IVALE			MP AGRO
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	Per RM.					
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing	Per RM.					
4	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50 x 50 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing	Per RM.					
	THICK & 50 x 50 MM MM CDECING	Per RM.					



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM THICK (10 GAUGE) 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE

S.	Name of Item	Unit	HSN	BASIC	GST	GST	PURCHASE
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER, RCC STRAIGHT POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight R.C.C. pole as per Drawing)	RM.	Code	RATE	%	Amount	PRICE OF MP AGRO
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.3 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.3 m Straight R.C.C. pole as per Drawing	Per RM.					
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPECING, GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 50X50mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing	Per RM.					
	STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75X75mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing	Per RM.					
	THICK & 75 x 75 MM. SPECING GALVANIZED	Per RM.					



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR GALVANIZED STEEL 3 MM. (10 GAUGE) THICK & 100 x 100 MM. SPECING CHAIN LINK FABRIC FENCING WORK WITH R.C.C. POLE

S.	Name of Item	Link	LICAL		0.00	11110000000000000	
		Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF
1	FOR SUPPLY AND INSTALLATION OF 3 MM.						AGRO
	THICK & 100x100 MM. SPECING, GALVANIZED						
	SIEEL CHAIN LINK FENCING WITH 2 METER	RM.					
	RCC STRAIGHT POLE.						
	(Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia						
	Line Wires 2 nos Conforming to IS 2721-2003 with up to						
	date amendments with 2.0 m Straight R.C.C. pole as per						
	Drawing)					1	
2	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & 100x100 MM, SPECING GALVANIZED	RM.					
	SIEEL CHAIN LINK FENCING WITH 23 METER	1333					
	STRAIGHT R.C.C. POLE.						
	(Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia						
	Line Wires 2 nos. Conforming to IS 2721:2003 with up to						
	date amendments with 2.3 m Straight R.C.C. pole as per Drawing						
3	FOR SUPPLY AND INSTALLATION OF 3 MM.						
5	THICK & 100x100 MM. SPECING, GALVANIZED	Per					
	STEEL CHAIN LINK FENCING WITH 2.45 METER	RM.					
	STRAIGHT R.C.C. POLE.						
1	(Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia						
	Line Wires 3 nos. Conforming to IS 2721:2003 with up to						
	date amendments with 2.45 m Straight R.C.C. pole as per						
	Drawing						
4	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & 100x100 MM. SPECING, GALVANIZED	RM.					
	STEEL CHAIN LINK FENCING WITH 2.45 METER						
	BEND R.C.C. POLE.						
	(Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to						
	date amondments with 3.45 - P 7						
	date amendments with 2.45 m Bent Type - I R.C.C. pole and 3 rows of Barbed wire as per Drawing						
	FOR SUPPLY AND INSTALLATION OF STALL						
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM . SPECING, GALVANIZED	Per					
	STEEL CHAIN LINK FENCING WITH 3.00 METER	RM.					
	BEND R.C.C. POLE.					.	
	(Size 100X100 mm, Dia 3.00 mm Mesh Wire and 3 mm Dia						
	Line Wires 3 nos. Conforming to IS 2721:2003 with up to						
	date amendments with 3.00 m Bent Type - II R.C.C. pole						
	and 3 rows of Barbed wire as per Drawing						

FINANCIAL BID FORMAT FOR 3 MM. THICK 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH RCC POLE

S	WORK WIT	H RC	C PO	LE			
3	Name of Item	Unit	HSN	BASIC	GST	GST	DUDOUAGE
			Code	RATE	%	Amount	PURCHASE PRICE OF MP
1	FOR SUPPLY AND INSTALLATION OF 3 MM			MATE			AGRO
	TILL OF OUR OF SPALINITE DITO OCCUMENT						
	CHAIN TIME DEVICE	RM					
	WITH 2 METER RCC STRAIGHT DOTE	-					
	Size SUXSUMM, Dia 5mm Mesh Wire overall BVC						
	o militaria de la conformina de la 2724 2004	12					
	with up to date amendments with 2m Straight DCC D-1-						
2	per brawnig.						
2	FOR SUPPLY AND INSTALLATION OF 3 MM	Per					
	THOR SO X SU MINI SPACING DUG COAMBE	RM					
	CHAIN TIME DENGING	IXIVI					
	WITH 2.30 METER R.C.C. STRAIGHT POLE.						
	(Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated						
	& 3 mm dia G.I. line wires 2 nos. Conforming to IS			1			
	2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)						
3	FOR SUPPLY AND INSTALLATION OF 3 MM.						
	THICK & 50x50 MM. SPACING PVC COATED	Per					
	GALVANIZED STEEL CHAIN TIME PONOVAGE	RM					
	WILL 2.73 METER STRAIGHT R C C DOLD						
	(Size SUXSUMM, Dia 5mm Mesh Wire overall DVC						
	I mill did G.I. line wires 3 nos Conforming to 15 3731, 3003						1
	with up to date amendments with 2.45 m Straight p.c.c.	1					
	pole as per Drawing)						
4	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & SU X SUMM SPACING DUC COATED	610525					
	CHAIN LINE PENCING	RM					
	WITH 2.45 METER BEND R C C POTE				- 1		
	(Size 50X50mm, Dia 5 mm Mesh Wire. overall PVC coated,						
	a sittle dia G.I. line wires 3 nos Conforming to 15		1				
	2721:2003 with up to date amendments with 2.45 m bend						
	Type - I R.C.C. with 3 Nos of Barbet Wire pole as per						
	Drawing)						
16	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THOM GO SO X SO MIM. SPACING DVC COATED	RM					
	GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 METER. BEND R.C.C. POLE.						
	(Size 50X50mm, Dia 5 mm Mesh Wire overall PVC coated, &						
	3 mm dia GI line wires 3 nos. Conforming to IS 2721:2003						
1	with up to date amendments with 2.22						
	with up to date amendments with 3.00 m bend Type - II						
	R.C.C. pole with 3 Nos of Barbet Wire pole as per Drawing)			1		1	

FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH B.C.C. POLYT

S.	Name of Item	WITH	R.C.	C. PO	LE.		
١,	Name of Item	Unit	HSN	BASIC	GST	GST	Dith
1	FOR SUPPLY AND INSTALLABLE	=====	Code	RATE	%	Amount	PURCHASE PRICE OF MP
	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 75x75MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. Size75X75mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	RM					AGRO
2	FOR SUPPLY AND INSTALLATION OF 3 MM						
	GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 75X75mm,, Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.I. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	Per RM					
3	FOR SUPPLY AND INSTALLATION OF A SEC	Per					
4	THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 75X75mm,, Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.l. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM.	RM					
	THICK & 75x75 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. (Size 75x75mm,, Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m bend Type - I R.C.C. with 3 Nos of Barbet Wire pole as per Drawing)	Per RM					
5	FOR SUPPLY AND INSTALLATION OF STATE	D					
	TITLE OF LOXIO MINI SUNCTION DUO OCTUBE	Per RM					

FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH B.C.C. POLYT

S	Pame of Item	WITH	I R.C.	C. PO	I.F		ADICIC
	risine of item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF MP
2	FOR SUPPLY AND INSTALLATION OF 3 MM THICK & 100x100 mm SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 METER RCC STRAIGHT POLE. Size100X100mm, Dia 5mm Mesh Wire. overall PVC coated, & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight RCC Pole as per Drawing.)	RM					AGRO
	FOR SUPPLY AND INSTALLATION OF 3 MM THICK 100x100MM SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 METER R.C.C. STRAIGHT POLE. (Size 100X100mm,, Dia 5 mm Mesh Wire. overall PVC coated & 3 mm dia G.l. line wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight R.C.C. pole as per Drawing.)	Per RM					
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER STRAIGHT R.C.C. POLE. (Size 100X100mm,, Dia 5mm Mesh Wire overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight R.C.C. pole as per Drawing)	Per RM					
(C 2 T D	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 mm SPACING, PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 METER BEND R.C.C. POLE. Size 100X100mm,, Dia 5 mm Mesh Wire. overall PVC coated, & 3 mm dia G.I. line wires 3 nos. Conforming to IS 1721:2003 with up to date amendments with 2.45 m bend (ype - I R.C.C. with 3 Nos of Barbet Wire pole as per prawing)	Per RM					
G W (S &	THE OF TOUX TOU MM SPACING DUC COATER	Per RM					



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING

WORK WITH ANGLE IRON POLE S Name of Item Unit **HSN** GST BASIC GST PURCHASE % Amount Code PRICE OF RATE FOR SUPPLY AND INSTALLATION OF 3 MM. MP AGRO 1 Per THICK & 50 x 50 MM. SPACING GALVANIZED RM STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. Per THICK & 50 x 50 MM. SPACING GALVANIZED RM STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE . (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. Per THICK & 50 x 50 MM. SPACING GALVANIZED RM STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. Per THICK & 50 x 50 MM. SPACING GALVANIZED RM STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. Per THICK & 50 x 50 MM. SPACING GALVANIZED RM STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE. (Size 50X50mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING GALVANIZED STEEL CHAIN LINK FABRIC FENCING WORK WITH ANGLE IPON POLE

	WORK WITH A	NGLE	IKOL	N POL	E		
S	Name of Item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF
1	FOR SUPPLY AND INSTALLATION OF 3 MM.	D	0.5555	73712			MP AGRO
	THICK & 75 X 75 MM. SPACING GALVANIZED	Per					
	SIEEL CHAIN LINK FENCING WITH 2 M	RM					
	STRAIGHT ANGLE IRON POLE.						
	(Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line						
	Wires 2 nos. Conforming to IS 2721-2003 with up to date					1 1	
	amendments with 2.0 m Straight Angle Iron note as nor						
2	Drawing)					1 1	
2	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & 75 x 75 MM. SPACING GALVANIZED	RM					
	STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE.	N.E.SHERES					
	(Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line						
	Wires 2 nos. Conforming to IS 2721:2003 with up to date						
	amendments with 2.30 m Straight Angle Iron pole as per						
	Drawing)					1	
3	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & 75 X 75MM, SPACING GALVANIZED	RM					
	STEEL CHAIN LINK FENCING WITH 245 M	KW					
	STRAIGHT ANGLE IRON POLE.						
	(Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line						
	Wires 3 nos. Conforming to IS 2721:2003 with up to date						
	amendments with 2.45 m Straight Angle Iron pole as per Drawing)						
4	FOR SUPPLY AND INSTALLATION OF 3 MM.						
	THICK & 75 x 75 MM. SPACING GALVANIZED	Per					
	STEEL CHAIN LINK FENCING WITH 2.45 M.	RM					
	BEND ANGLE IRON POLE .						
	(Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line						
	Wires 3 nos. width Conforming to IS 2721:2003 with up to						
	date amendments with 2.45 m Bend Angle Iron pole as per						
	Drawing)					- 1	
5	FOR SUPPLY AND INSTALLATION OF 3 MM.	Per					
	THICK & 75 x 75 MM. SPACING GALVANIZED	RM					
	STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE.						
	(Size 75X75mm Dia 3 mm Mark Wire and 2						
	(Size 75X75mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date						
	amendments with 3.00 m bend Angle Iron pole as per						
	Drawing)						



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING, GALVANIZED STEEL CHAIN LINK FABRIC FENCING

S	WORK WITH A	NGLE	RCC	POLE	,	O I LIN	
1	Name of Item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF MP
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.0 m Straight Angle Iron pole as per Drawing)	RM					AGRO
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle Iron pole as per Drawing)	RM					
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. STRAIGHT ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle Iron pole as per Drawing)	Per RM					
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. BEND ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. width Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bend Angle Iron pole as per Drawing)	Per RM					
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100 x 100 MM. SPACING GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. BEND ANGLE IRON POLE. (Size 100X100mm, Dia 3 mm Mesh Wire and 3 mm Dia Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m bend Angle Iron pole as per Drawing)	Per RM					



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 50 x 50 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC

FENCING WORK WITH ANGLE IRON POLE S Name of Item Unit HSN BASIC GST GST PURCHASE Code Amount RATE PRICE OF FOR SUPPLY AND INSTALLATION OF 3 MM. THICK MP AGRO & 50x50 MM. SPACING PVC COATED GALVANIZED Per STEEL CHAIN LINK FENCING WITH 2 M. ANGLE RM IRON STRAIGHT POLE. (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle iron Pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED Per STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE RM IRON STRAIGHT POLE. (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos. . Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED Per STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE RM IRON STRAIGHT POLE. (Size 50X50mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED Per STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE RM IRON BENT POLE . (Size 50X50mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing) FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 50x50 MM. SPACING PVC COATED GALVANIZED Per STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE RM IRON BENT POLE. (Size 50X50mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 75 x 75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC

FENCING WORK WITH ANGLE IRON POLE

S	Name of the second WORK WIT		GLE	IKON	PUL.	E	
	Name of Item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED	Per					MP AGRO
	STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE.	RM					
	(Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated &						
	3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721-2003						
	with up to date amendments with 2m Straight Angle iron Pole as per Drawing)						
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK	Per					
	& 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE.	RM					
	(Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated &						
	3 mm G.I. Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as						
	per Drawing)						
3	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK	Per					
	& 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE.	RM					
	(Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated &						
	3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as						
	per Drawing)						
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK	Per					
	& 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE.	RM					
	(Size 75X75mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated						
	& 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent						
	Angle iron Pole as per Drawing)						
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 75x75 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE.	Per RM					
	(Size 75X75mm, Dia 5 mm G.I. Mesh Wire overall PVC coated &						
	3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)						



"PANCHANAN" 3rd FLOOR, MALAVIYA NAGAR, BHOPAL Phone (0755)- 2551652, 2551756, 2761392, Fax: 0755-2557305

FINANCIAL BID FORMAT FOR 3 MM. THICK & 100 x 100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FABRIC

FENCING WORK WITH ANGLE IRON POLE

6	FENCING WORK WIT	H AN	GLE	IRON	POL	\mathbf{E}	
S	Name of Item	Unit	HSN Code	BASIC RATE	GST %	GST Amount	PURCHASE PRICE OF
1	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2 M. ANGLE IRON STRAIGHT POLE. (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm Dia G.I. Line Wires 2 nos. Conforming to IS 2721:2003 with up to date amendments with 2m Straight Angle iron Pole as per Drawing)	Per RM					MP AGRO
2	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.30 M. ANGLE IRON STRAIGHT POLE. (Size 100X100 mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. Line Wires 2 nos Conforming to IS 2721:2003 with up to date amendments with 2.30 m Straight Angle iron Pole as per Drawing)	Per RM					
4	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON STRAIGHT POLE. (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Straight Angle iron Pole as per Drawing)	Per RM					
	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 2.45 M. ANGLE IRON BENT POLE. (Size 100X100mm, Dia 5 mm G.I. Mesh Wire. overall PVC coated & 3 mm G.I. Wire Line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 2.45 m Bent Angle iron Pole as per Drawing)	Per RM			8		
5	FOR SUPPLY AND INSTALLATION OF 3 MM. THICK & 100x100 MM. SPACING PVC COATED GALVANIZED STEEL CHAIN LINK FENCING WITH 3.00 M. ANGLE IRON BENT POLE. (Size 100X100mm, Dia 5 mm G.I. Mesh Wire overall PVC coated & 3 mm G.I. line Wires 3 nos. Conforming to IS 2721:2003 with up to date amendments with 3.00 m Bend Angle iron Pole as per Drawing)	Per RM					

DECLARATION OF BLACKLISTING

I/We M/S
Black list / Debar/Penalized by any Public Sector Company in India or by an Department of State or Central Government and that there is no pending inquiry by any Public Sector Company in India or by any Department of State or Central Government and that there is no pending inquiry by any Public Sector Company in India or by any Department of State or Central Government
Department of State or Central Government and that there is no pending inquiry by an Public Sector Company in India or by any Department of State or Central Government and that there is no pending inquiry by any Public Sector Company in India or by any Department of State or Central Government
Public Sector Company in India or by any Department of State or Central Government
Tublic Sector Company in India or by any Department of State or Central Government
against us or a parent, subsidiary or associate Company as aforesaid in India, in respec
of criminal, corrupt or fraudulent practice(s), is NIL or details given hereunder.

It is understood that if this Declaration is found to be false, MP AGRO shall have the right to reject my/our proposal, and if the proposal has resulted in an investment, the investment agreement is liable to be terminated without prejudice to any other right or remedy (including Black list / Debar/Penalized) available to MP AGRO.

Place:

Date:

Seal & Signature of the Bidder or their authorized Representative

NOTE: This declaration should be furnished on company's "Letter Head"

DRAFT AGREEMENT

(THIS AGREEMENT TO BE FURNISHED AFTER THE BID IS ACCEPTED ON NON JUDICIAL STAMP RS. 1000/-)

This agreement made at Bhopal this day of, between The Madhya Pradesh State Agro-Industries Development Corporation, having registered office at 'Panchanan, 3rd Floor, Malviya Nagar, Bhopal, M.P. hereinafter referred to as 'Corporation' which expression shall unless repugnant to the context or meaning there of include its successors and assigns on the one part.

AND

WHEREAS the Corporation invited Rate Contract SUPPLY AND INSTALLATION OF GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, PVC COATED GALVANIZED STEEL CHAIN- LINK FENCE FABRIC IS 2721:2003, WITH RCC AND ANGLE IRON POLES FOR THE YEAR 2025-26 & ONWARDS on the terms and conditions as envisaged in the terms schedule issued with the Rate Contract RCO Document and purchased by the supplier.

AND WHEREAS the supplier has accepted each and every term and condition contained in the Rate Contract RCO Document, while submitting his RCO. The supplier has agreed for supply and Installation of CHAIN- LINK FENCING on consignment basis on the terms and conditions of this agreement to the Corporation.

:: 02 ::

a) The terms & conditions of the Rate Contract Document
b) Specifications of material
c) The letter of acceptance dated -----d) The RCO submitted by the supplier.
E] The rates mentioned in annexure to agreement.

The aforesaid documents shall be taken as complementary and mutually explanatory of one another but in case of discrepancies and ambiguities shall take precedence in the order set out above. In this regard the decision of Managing Director, M.P. State Agro-Industries Development Corporation Limited shall be final.

For Supplier	
	M.P. STATE AGRO INDUSTRIES
	DEVELOPMENT CORPORATION LTD
Signature with Office Seal	MANAGER MARKETING

Witnesses

1.

2.

FORMAT FOR C.A. CERTIFICATE FOR TURN OVER

Year	Turnover Rs In Lakhs
Financial Year 2022-23	
Financial Year 2023-24	
Financial Year 2024-25	
Total	

(to be submitted on CA's letter head)



FORMAT FOR SIGNING AUTHORITY ON THE FIRMS LETTER HEAD

To,

The Manager, M.P.S.A.I.D.C, IIIrd Floor, Panchanan Bhavan, Malviyia Nagar, Bhopal.

Sul):	Regarding	signing	authority.
-----	----	-----------	---------	------------

I/We	undersign	ed in	the	capacity	of
Proprietor/ Partner/ Board of Director of the firm M/s					01
having office at	hereby a	author	ise o	ur employ	vee
named Shri holding t	the position	of			to
sign in the RCO and related document on behalf of the fir					

Signing person on the document Name: Designation and Seal.

Attested and authorised by :-

Proprietor/ Partner/ Board of Director. Name:-Designation and Seal

Seal of the Firm